## GenCore version 5.1.6 Copyright (c) 1993 - 2003 Compugen Ltd.

OM protein - protein search, using sw model

December 12, 2003, 16:32:31; Search time 35.1205 Seconds Run on:

(without alignments)

497.144 Million cell updates/sec

Title:

US-09-852-261-2

Perfect score:

598

Sequence:

1 GPETLCGAELVDALQFVCGD.....STNKNTKSQRRKGSTFEEHK 110

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched:

1107863 seqs, 158726573 residues

Total number of hits satisfying chosen parameters:

1107863

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

A Geneseq 19Jun03:\*

- 1: /SIDS1/gcgdata/geneseq/geneseqp-embl/AA1980.DAT:\*
- /SIDS1/gcgdata/geneseq/geneseqp-embl/AA1981.DAT:\*
- /SIDS1/gcgdata/geneseq/geneseqp-emb1/AA1982.DAT:\*
- /SIDS1/gcgdata/geneseq/geneseqp-embl/AA1983.DAT:\* 4:
- /SIDS1/gcgdata/geneseq/geneseqp-emb1/AA1984.DAT:\* 5:
- 6: /SIDS1/gcgdata/geneseq/geneseqp-embl/AA1985.DAT:\*
- /SIDS1/gcgdata/geneseq/geneseqp-emb1/AA1986.DAT:\* 7:
- 8: /SIDS1/gcgdata/geneseq/geneseqp-embl/AA1987.DAT:\*
- 9:
- /SIDS1/gcgdata/geneseq/geneseqp-embl/AA1988.DAT:\* /SIDS1/gcgdata/geneseq/geneseqp-embl/AA1989.DAT:\* 10:
- 11: /SIDS1/gcgdata/geneseq/geneseqp-embl/AA1990.DAT:\*
- 12: /SIDS1/gcgdata/geneseq/geneseqp-embl/AA1991.DAT:\*
- 13: /SIDS1/gcgdata/geneseq/geneseqp-embl/AA1992.DAT:\*
- 14:
- /SIDS1/gcgdata/geneseq/geneseqp-embl/AA1993.DAT:\* 15: /SIDS1/gcgdata/geneseq/geneseqp-embl/AA1994.DAT:\*
- 16: /SIDS1/gcgdata/geneseq/geneseqp-embl/AA1995.DAT:\*
- 17: /SIDS1/gcgdata/geneseq/geneseqp-emb1/AA1996.DAT:\* 18:
- /SIDS1/gcgdata/geneseq/geneseqp-embl/AA1997.DAT:\* 19: /SIDS1/gcgdata/geneseq/geneseqp-emb1/AA1998.DAT:\*
- 20:
- /SIDS1/gcgdata/geneseq/geneseqp-embl/AA1999.DAT:\* /SIDS1/gcgdata/geneseq/geneseqp-embl/AA2000.DAT:\* 21:
- 22: /SIDS1/gcgdata/geneseq/geneseqp-embl/AA2001.DAT:\*
- 23: /SIDS1/gcgdata/geneseq/geneseqp-emb1/AA2002.DAT:\*
- /SIDS1/gcgdata/geneseq/geneseqp-emb1/AA2003.DAT:\*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed,

#### SUMMARIES

ક Result Query No. Score Match Length DB ID Description \_\_\_\_\_\_ 598 100.0 110 22 AAE02447 1 Human IGF-I isofor 2 598 100.0 110 23 AAU10559 Human mechano-grow 3 572.5 95.7 111 22 AAE02449 Rabbit IGF-I isofo 4 572.5 95.7 111 23 AAU10561 Rabbit mechano-gro 5 572.5 95.7 121 18 AAW23301 Rabbit insulin lik 6 560 195 8 AAP70277 93.6 Sequence of pre-pr 7 521.5 87.2 133 24 ABP58085 Mouse insulin-like 8 494.5 82.7 111 22 AAE02448 Rat IGF-I isoform 9 494.5 82.7 111 23 AAU10560 Rat mechano-growth √ 10 78.3 105 22 AAE02450 468 Human liver-type I 11 468 78.3 105 23 AAU10562 Human insulin-like 12 468 78.3 137 22 AAU09067 Human insulin-like 13 468 78.3 153 16 AAR83803 Insulin-like growt 14 468 78.3 153 19 AAW69733 Human IGF-1. Homo 15 468 78.3 153 19 AAW57882 Human IGF-I protei 16 468 78.3 153 23 AAU84284 Human endometrial 17 468 78.3 153 23 AAU84341 Protein IGF1 diffe 18 468 78.3 156 18 AAW23302 Human insulin like 19 465 77.8 105 22 AAE02452 Rabbit liver-type 20 77.8 465 105 23 AAU10564 Rabbit insulin-lik 21 461 77.1 119 7 AAP60578 Human prepro-somat 22 459 76.8 105 22 AAE02456 Rabbit liver-type 23 459 76.8 154 14 AAR40844 Goat Insulin like 24 457.5 76.5 191 19 AAW64068 Chimeric rhIGF-I-A 25 457.5 76.5 191 23 AAE24881 Yeast alpha factor 26 423 70.7 105 22 AAE02451 Rat liver-type IGF 27 70.7 423 105 22 AAE02531 Rat liver-type IGF 28 423 - 70.7 105 23 AAU10563 Rat insulin-like g 29 412 68.9 78 21 AAY98482 Pep 17 used in nuc 30 412 68.9 78 21 AAY59027 Peptide ligand Pep 31 412 78 22 68.9 AAU04272 Nuclear ligand Pep 32 412 68.9 78 22 AAB45835 Nucleic acid trans 33 398 66.6 176 17 AAR88089 Rainbow trout insu 34 386 64.5 953 19 AAW56011 Recombinant botuli 35 385 70 5 AAP40034 64.4 Sequence of human 36 385 64.4 70 8 AAP70414 Sequence of oxidat 37 385 64.4 70 8 AAP71539 Sequence of human 38 385 64.4 70 10 AAP91502 New insulin-like q 39 70 385 64.4 14 AAR36846 Insulin-like growt 40 385 64.4 70 14 AAR41774 hIGF-I. Homo sapi 41 385 64.4 70 14 AAR43606 Peptide derived fr 42 385 64.4 70 15 AAR48590 Human IGF-I peptid 43 385 64.4 70 15 AAR55275 Sequence of insuli 44 385 64.4 70 16 AAR75657 Human insulin-like 45 385 64.4 70 17 AAR86874 Insulin like growt

```
RESULT 1
AAE02447
ID
     AAE02447 standard; Protein; 110 AA.
XX
AC
     AAE02447;
XX
DT
     10-AUG-2001 (first entry)
XX
DE
     Human IGF-I isoform mechano-growth factor (MGF) protein.
XX
     Human; IGF-I isoform; Insulin-like Growth Factor-I; MGF;
KW
KW
     mechano-growth factor; neurological disorder; neurodegenerative disorder;
KW
     amyotrophic lateral sclerosis; spinal muscular atrophy; muscular atrophy;
KW
     poliomyelitis; post-polio syndrome; toxin; motoneurone disorder;
KW
     nerve damage; autosomal muscular dystrophy; diabetic neuropathy;
KW
     sex-linked muscular dystrophy; peripheral neuropathy;
KW
     Alzheimer's disease; Parkinson's disease.
XX
OS
     Homo sapiens.
XX
PN
    WO200136483-A1.
XX
PD
     25-MAY-2001.
XX
PF
     15-NOV-2000; 2000WO-GB04354.
XX
PR
     15-NOV-1999;
                    99GB-0026968.
XX
PA
     (UNLO ) UNIV COLLEGE LONDON.
XX
PI
     Goldspink G, Johnson I;
XX
DR
     WPI; 2001-355620/37.
DR
     N-PSDB; AAD06398.
XX
PT
     Use of mechano-growth factor, an isoform of Insulin-like Growth
PT
     Factor-I, capable of reducing motoneurone loss, in the manufacture of a
PT
    medicament for the treatment of neurological disorder -
XX
PS
     Claim 4; Page 50-51; 66pp; English.
XX
CC
    The present invention relates to use of mechano-growth factor (MGF),
CC
     an Insulin-like Growth Factor-I (IGF-I) isoform in the manufacture of a
CC
     medicament for the treatment of neurological disorder. The MGF is capable
CC
    of reducing motoneurone loss by 20% or greater in response to nerve
CC
     avulsion, and effects motoneurone rescue, preferably adult motoneurone
CC
     rescue. The MGF polynucleotide and polypeptide are useful in the
CC
    manufacture of a medicament for the treatment of a neurological disorder,
CC
     including a disorder of motoneurones and/or neurodegenerative disorder,
CC
     e.g., amyotrophic lateral sclerosis, spinal muscular atrophy, progressive
CC
     spinal muscular atrophy, infantile or juvenile muscular atrophy,
CC
    poliomyelitis or post-polio syndrome, a disorder caused by exposure to a
CC
     toxin, motoneurone trauma, a motoneurone lesion or nerve damage, an
CC
     injury that affects motoneurones, motoneurone loss associated with aging,
CC
     autosomal or sex-linked muscular dystrophy, diabetic neuropathy,
CC
     peripheral neuropathies, Alzheimer's disease and Parkinson's disease.
CC
     The present sequence is human IGF-I isoform MGF. MGF is a muscle
```

```
CC
     isoform having extracellular (Ec) domain, hence also referred as
     IGF-I-Ec. The MGF protein comprises amino acid sequences encoded by
CC
CC
     nucleic acid sequence of IGF-I exons 4, 5 and 6 in the reading frame
CC
     of MGF.
XX
SO
    Sequence
               110 AA;
  Query Match
                        100.0%; Score 598; DB 22;
                                                    Length 110;
  Best Local Similarity
                        100.0%; Pred. No. 3.3e-54;
  Matches 110; Conservative
                             0; Mismatches
                                                0;
                                                    Indels
                                                              0; Gaps
                                                                         0;
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qy
             Db
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPOTGIVDECCFRSCDLRRLEMY 60
          61 CAPLKPAKSARSVRAQRHTDMPKTQKYQPPSTNKNTKSQRRKGSTFEEHK 110
QУ
             Db
          61 CAPLKPAKSARSVRAORHTDMPKTOKYOPPSTNKNTKSORRKGSTFEEHK 110
RESULT 2
AAU10559
ID
    AAU10559 standard; Protein; 110 AA.
XX
AC
    AAU10559;
XX
DT
    25-FEB-2002 (first entry)
XX
DΕ
    Human mechano-growth factor (MGF) polypeptide.
XX
KW
    Human; mechano-growth factor; insulin-like growth factor I; IGF-I; MGF;
KW
    neuroprotective; nerve damage; peripheral nervous system; nerve severing;
KW
    muscle; neurological disorder; motoneuron loss; motorneuron disorder;
KW
    nerve avulsion.
XX
OS
    Homo sapiens.
XX
PN
    WO200185781-A2.
XX
PD
    15-NOV-2001.
XX
PF
    10-MAY-2001; 2001WO-GB02054.
XX
PR
    10-MAY-2000; 2000GB-0011278.
XX
PΑ
     (UNLO ) UNIV COLLEGE LONDON.
PA
     (EGRI-) EAST GRINSTEAD MEDICAL RES TRUST.
XX
РΤ
    Goldspink G, Terenghi G;
XX
DR
    WPI; 2002-055585/07.
DR
    N-PSDB; AAS16877.
XX
PT
    Use of insulin-like growth factor I (IGF-I) isoform known as
PT
    mechano-growth factor which is encoded by IGF-I exons 4,5,6 and has
PT
    ability to reduce motoneuron loss in response to nerve avulsion, to
PT
    treat nerve damage -
```

```
XX
PS
     Claim 11; Fig 5; 65pp; English.
XX
CC
     The invention relates to the use of an insulin-like growth factor I
CC
     (IGF-I) isoform, known as mechano-growth factor (MGF), in the manufacture
CC
     of a medicament for treating nerve damage in the peripheral nervous
CC
     system, or for treating nerve damage by localising MGF at the site of
CC
     damage. The nerve damage may include severing of a nerve. The treatment
     may be combined with another treatment (such as a polypeptide growth
CC
CC
     factor other than MGF) that prevents or diminishes degeneration of the
     target organ (for example, muscle) which the damaged nerve innervates,
CC
CC
    whereby the treatment of the muscle with MGF or a polynucleotide encoding
CC
    MGF prevents or diminishes degeneration. The method is useful for
     treating neurological disorders, preferably motorneuron disorders. These
CC
CC
    methods can reduce motoneuron loss by 20% or greater in response to nerve
CC
     avulsion. This sequence represents the human MGF polypeptide.
XX
SO
     Sequence
               110 AA;
 Query Match
                         100.0%; Score 598; DB 23; Length 110;
  Best Local Similarity
                         100.0%; Pred. No. 3.3e-54;
 Matches 110; Conservative 0; Mismatches
                                                 0; Indels
                                                                          0;
                                                                  Gaps
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qу
             1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
          61 CAPLKPAKSARSVRAQRHTDMPKTQKYQPPSTNKNTKSQRRKGSTFEEHK 110
Qу
             Db
          61 CAPLKPAKSARSVRAQRHTDMPKTQKYQPPSTNKNTKSQRRKGSTFEEHK 110
RESULT 3
AAE02449
    AAE02449 standard; Protein; 111 AA.
XX
AC
    AAE02449;
XX
    10-AUG-2001 (first entry)
DT
XX
DE
    Rabbit IGF-I isoform mechano-growth factor (MGF) protein.
XX
KW
    Rabbit; IGF-I isoform; Insulin-like Growth Factor-I; MGF;
KW
    mechano-growth factor; neurological disorder; neurodegenerative disorder;
KW
    amyotrophic lateral sclerosis; spinal muscular atrophy; muscular atrophy;
KW
    poliomyelitis; post-polio syndrome; toxin; motoneurone disorder;
    nerve damage; autosomal muscular dystrophy; diabetic neuropathy;
KW
KW
    sex-linked muscular dystrophy; peripheral neuropathy;
KW
    Alzheimer's disease; Parkinson's disease.
XX
OS
    Oryctolagus cuniculus.
XX
PN
    WO200136483-A1.
XX
PD
    25-MAY-2001.
XX
PF
    15-NOV-2000; 2000WO-GB04354.
```

```
XX
PR
     15-NOV-1999;
                   99GB-0026968.
XX
PΑ
     (UNLO ) UNIV COLLEGE LONDON.
XX
PΙ
    Goldspink G, Johnson I;
XX
DR
    WPI; 2001-355620/37.
    N-PSDB; AAD06400.
DR
XX
PT
    Use of mechano-growth factor, an isoform of Insulin-like Growth
РΤ
     Factor-I, capable of reducing motoneurone loss, in the manufacture of a
    medicament for the treatment of neurological disorder -
РΤ
XX
PS
    Claim 4; Page 54; 66pp; English.
XX
CC
    The present invention relates to use of mechano-growth factor (MGF),
CC
     an Insulin-like Growth Factor-I (IGF-I) isoform in the manufacture of a
CC
    medicament for the treatment of neurological disorder. The MGF is capable
CC
    of reducing motoneurone loss by 20% or greater in response to nerve
CC
     avulsion, and effects motoneurone rescue, preferably adult motoneurone
     rescue. The MGF polynucleotide and polypeptide are useful in the
CC
CC
    manufacture of a medicament for the treatment of a neurological disorder,
CC
     including a disorder of motoneurones and/or neurodegenerative disorder,
     e.g., amyotrophic lateral sclerosis, spinal muscular atrophy, progressive
CC
CC
     spinal muscular atrophy, infantile or juvenile muscular atrophy,
CC
    poliomyelitis or post-polio syndrome, a disorder caused by exposure to a
CC
    toxin, motoneurone trauma, a motoneurone lesion or nerve damage, an
CC
     injury that affects motoneurones, motoneurone loss associated with aging,
CC
    autosomal or sex-linked muscular dystrophy, diabetic neuropathy,
CC
    peripheral neuropathies, Alzheimer's disease and Parkinson's disease.
CC
    The present sequence is rabbit IGF-I isoform MGF. MGF is a muscle
CC
    isoform having extracellular (Ec) domain, hence also referred as
CC
    IGF-I-Ec. The MGF protein comprises amino acid sequences encoded by
CC
    nucleic acid sequence of IGF-I exons 4, 5 and 6 in the reading frame
CC
    of MGF.
XX
SQ
    Sequence
               111 AA;
                         95.7%; Score 572.5; DB 22; Length 111;
 Query Match
 Best Local Similarity
                         96.4%; Pred. No. 1.5e-51;
 Matches 107; Conservative
                               1; Mismatches
                                                 2; Indels
                                                              1; Gaps
                                                                          1:
Qу
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
             Db
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
          61 CAPLKPAKSARSVRAQRHTDMPKTQKYQPPSTNKNTKSQ-RRKGSTFEEHK 110
Qy
             Db
          61 CAPLKPAKAARSVRAQRHTDMPKTQKYQPPSTNKKMKSQRRRKGSTFEEHK 111
RESULT 4
AAU10561
ID
    AAU10561 standard; Protein; 111 AA.
XX
AC
    AAU10561;
```

```
XX
DΤ
     25-FEB-2002 (first entry)
XX
DE
     Rabbit mechano-growth factor (MGF) polypeptide.
XX
KW
     Rabbit; mechano-growth factor; insulin-like growth factor I; IGF-I; MGF;
KW
     neuroprotective; nerve damage; peripheral nervous system; nerve severing;
KW
     muscle; neurological disorder; motoneuron loss; motorneuron disorder;
KW
     nerve avulsion.
XX
OS
     Oryctolagus cuniculus.
XX
     WO200185781-A2.
PN
XX
     15-NOV-2001.
PD
XX
     10-MAY-2001; 2001WO-GB02054.
PF
XX
PR
     10-MAY-2000; 2000GB-0011278.
XX
PA
     (UNLO ) UNIV COLLEGE LONDON.
PA
     (EGRI-) EAST GRINSTEAD MEDICAL RES TRUST.
XX
ΡI
     Goldspink G, Terenghi G;
XX
DR
     WPI; 2002-055585/07.
DR
     N-PSDB; AAS16879.
XX
PT
     Use of insulin-like growth factor I (IGF-I) isoform known as
PT
     mechano-growth factor which is encoded by IGF-I exons 4,5,6 and has
PT
     ability to reduce motoneuron loss in response to nerve avulsion, to
PT
     treat nerve damage -
XX
PS
     Claim 11; Fig 7; 65pp; English.
XX
CC
     The invention relates to the use of an insulin-like growth factor I
CC
     (IGF-I) isoform, known as mechano-growth factor (MGF), in the manufacture
CC
    of a medicament for treating nerve damage in the peripheral nervous
CC
     system, or for treating nerve damage by localising MGF at the site of
CC
    damage. The nerve damage may include severing of a nerve. The treatment
CC
    may be combined with another treatment (such as a polypeptide growth
CC
     factor other than MGF) that prevents or diminishes degeneration of the
CC
    target organ (for example, muscle) which the damaged nerve innervates,
CC
    whereby the treatment of the muscle with MGF or a polynucleotide encoding
CC
    MGF prevents or diminishes degeneration. The method is useful for
CC
    treating neurological disorders, preferably motorneuron disorders. These
    methods can reduce motoneuron loss by 20% or greater in response to nerve
CC
    avulsion. This sequence represents the rabbit MGF polypeptide.
CC
XX
SQ
    Sequence
                111 AA;
 Query Match
                          95.7%; Score 572.5; DB 23; Length 111;
 Best Local Similarity
                          96.4%; Pred. No. 1.5e-51;
 Matches 107; Conservative
                                 1; Mismatches
                                                   2; Indels
                                                                 1;
                                                                    Gaps
                                                                              1;
```

```
Db
            1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qу
           61 CAPLKPAKSARSVRAQRHTDMPKTQKYQPPSTNKNTKSQ-RRKGSTFEEHK 110
              Db
           61 CAPLKPAKAARSVRAQRHTDMPKTQKYQPPSTNKKMKSQRRRKGSTFEEHK 111
RESULT 5
AAW23301
ΙD
     AAW23301 standard; Protein; 121 AA.
XX
AC
     AAW23301;
XX
     14-APR-1998 (first entry)
DT
XX
DE
     Rabbit insulin like growth factor 1.
XX
     Insulin like growth factor 1; IGF-1; Ec peptide; muscle disorder;
KW
KW
     heart; neuromuscular disease.
XX
OS
     Oryctolagus cuniculus.
XX
PN
     W09733997-A1.
XX
PD
     18-SEP-1997.
XX
PF
    11-MAR-1997;
                    97WO-GB00658.
XX
PR
     11-MAR-1996;
                   96GB-0005124.
XX
PA
     (UNLO ) ROYAL FREE HOSPITAL SCHOOL MED.
XX
PΙ
     Goldspink G;
XX
DR
     WPI; 1997-470877/43.
DR
     N-PSDB; AAT84893.
XX
PT
     Use of insulin like growth factor I characterised by presence of Ec
     peptide - to treat humans or animals, particularly muscle disorders,
PT
PT
     heart conditions or neuromuscular diseases
XX
PS
     Disclosure; Fig 3; 33pp; English.
XX
CC
     A use of insulin like growth factor I (IGF-1) has been developed, and
     is characterised by the presence of the Ec peptide, or a functional
CC
CC
     equivalent, in the treatment or therapy of a human or animal. The IGF-1
     polypeptide can be used to treat muscular disorders, e.g. Duchenne or
CC
CC
     Becker muscular dystrophy, autosomal dystrophies and related progressive
CC
     skeletal muscle weakness and wasting, muscle atrophy in ageing humans,
CC
     spinal cord injury induced muscle atrophy and neuromuscular diseases,
CC
     and cardiac disorders, e.g. diseases where promotion of cardiac muscle
     protein synthesis is a beneficial treatment, cardiomyopathies and acute
CC
CC
    heart failure or insult, specifically myocarditis or myocardial
     infarction. It can also be used to promote bone fracture healing and
CC
CC
     maintenance of bone in old age. The present sequence represents rabbit
CC
     IGF-1 used in the present specification.
```

XX

```
SQ
    Sequence
               121 AA;
  Query Match
                        95.7%; Score 572.5; DB 18; Length 121;
  Best Local Similarity 96.4%; Pred. No. 1.6e-51;
 Matches 107; Conservative
                               1; Mismatches
                                                2; Indels
                                                              1; Gaps
                                                                         1;
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qу
             11 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 70
Db
Qу
          61 CAPLKPAKSARSVRAQRHTDMPKTQKYQPPSTNKNTKSQ-RRKGSTFEEHK 110
             Db
          71 CAPLKPAKAARSVRAQRHTDMPKTQKYQPPSTNKKMKSQRRRKGSTFEEHK 121
RESULT 6
AAP70277
ID
    AAP70277 standard; protein; 195 AA.
XX
AC
    AAP70277;
XX
DT
    25-MAR-2003 (updated)
                (first entry)
DT
    05-APR-1991
XX
DE
    Sequence of pre-pro-insulin-like growth factor 1B (ppIGF-1B).
XX
KW
    Growth promoter; lactation enhancer; cell proliferation.
XX
OS
    Homo sapiens.
XX
PN
    EP229750-A.
XX
PD
    22-JUL-1987.
XX
PF
    06-JAN-1987;
                   87EP-0870001.
XX
    20-NOV-1986;
PR
                   86US-0929671.
PR
    07-JAN-1986;
                   86US-0816662.
XX
PA
    (UNIW ) UNIV WASHINGTON.
XX
    Krivi GG, Rotwein PS;
PΙ
XX
    WPI; 1987-200203/29.
DR
XX
PT
    New pre-pro-insulin-like growth factor-1 protein - obtd. by
PT
    recombinant DNA procedures for use as growth promoters for
PT
    enhancing lactation, for stimulating cell proliferation etc.
XX
PS
    Claim 11; Fig 6; 59pp; English.
XX
CC
    A 42 base oligonucleotide corresponding to the DNA sequence encoding
CC
    amino acids 10 to 23 of mature human IGF-I was synthesized (AAN70437).
CC
    The radiolabeled 42 mer was then employed to screen for IGF-I
CC
    containing DNA sequences in a human liver cDNA library. Insulin-
CC
    like growth factors-1A and -1B cDNAs were isolated from a human cDNA
```

library by using lambdagt 11 (AAN70435, AAN70436). The human IGF-1

CC

```
genomic gene was isolated and mapped. It encodes at least two
CC
     preproinsulin-like growth factor-1 proteins. An essentially pure
CC
     proproinsulin-like growth factor-1 protein comprising the sequence
CC
     of amino acids shown in Figure six is claimed (AAP70277).
CC
     (Updated on 25-MAR-2003 to correct PA field.)
XX
SO
     Sequence 195 AA;
                        93.6%; Score 560; DB 8; Length 195;
  Query Match
  Best Local Similarity
                        100.0%; Pred. No. 5.2e-50;
  Matches 103; Conservative 0; Mismatches 0; Indels
                                                             0; Gaps
                                                                        0;
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qy
             Db
          49 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 108
Qy
          61 CAPLKPAKSARSVRAQRHTDMPKTQKYQPPSTNKNTKSQRRKG 103
             Db
         109 CAPLKPAKSARSVRAQRHTDMPKTQKYQPPSTNKNTKSQRRKG 151
RESULT 7
ABP58085
ID
    ABP58085 standard; Protein; 133 AA.
XX
AC
    ABP58085;
XX
DT
    07-MAR-2003 (first entry)
XX
DE
    Mouse insulin-like growth factor IB.
XX
KW
    Insulin-like growth factor IB; IGF-IB; mouse; mRNA; assay;
KW
    nucleic acid detection.
XX
OS
    Mus musculus.
XX
PN
    WO200297390-A2.
XX
PD
    05-DEC-2002.
XX
PF
    31-MAY-2002; 2002WO-SE01056.
XX
PR
    01-JUN-2001; 2001SE-0001934.
XX
PA
    (BIOV-) BIOVITRUM AB.
XX
PI
    Parrow V, Rosengren L;
XX
    WPI; 2003-129529/12.
DR
DR
    N-PSDB; ABV76185.
XX
PT
    Quantitating a target nucleic acid in a sample comprises immobilizing,
PT
    on a solid support, a sample comprising a target nucleic acid, and
PT
    detecting and quantitating signals generated from the antisense and
PT
    sense probes -
XX
PS
    Example 1; Page 17; 18pp; English.
```

CC

```
CC
     The present sequence is the protein sequence of murine insulin-like
CC
     growth factor 1B (IGF-IB). IGF-IB cDNA was used in an example of
CC
     the method of the invention to generate probes for determination of
CC
     IGF-IB RNA. The method comprises a quantitative hybridisation
CC
     assay for analysis of mRNA in a target nucleic acid (TNA) sample.
CC
     It involves: (i) immobilising the TNA sample on a solid support;
CC
     (ii) contacting a labelled antisense probe to a first portion of the
     TNA, and a labelled sense probe to a second portion of the TNA;
CC
CC
     (iii) detecting and quantitating the signals generated from the
CC
     hybridised probes; and (iv) determining the value represented by
CC
     the antisense probe signal minus the sense probe signal, the value
     being proportional to the amount of mRNA in the TNA sample. In an
CC
CC
     example of the method, a cDNA clone containing 60 nucleotides from
CC
     exon 2 and 179 nucleotides from exon 3 of the mouse IGF-IB gene was
CC
     cloned into pGEN-4Z vector. Linearisation of the plasmid with
CC
     EcoRI allowed transcription of a 250-nucleotide antisense probe
CC
     using T7 polymerase. Linearisation with HindIII allowed
CC
     transcription of a sense probe of similar length using SP6
CC
     polymerase (see ABV76186). The probes were purified and used to
     determine IGF-I RNA in mouse hepatocytes and also in rat hepatocytes.
CC
XX
SQ
     Sequence
               133 AA;
  Query Match
                         87.2%;
                                 Score 521.5; DB 24; Length 133;
  Best Local Similarity
                         89.2%; Pred. No. 3.3e-46;
  Matches
           99; Conservative
                                2; Mismatches
                                                  9;
                                                      Indels
                                                                            1;
Qу
            1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
              Db
           23 GPETLCGAELVDALQFVCGPRGFYFNKPTGYGSSIRRAPQTGIVDECCFRSCDLRRLEMY 82
           61 CAPLKPAKSARSVRAQRHTDMPKTQKYQPPSTNKNTKSQ-RRKGSTFEEHK 110
Qу
              11111 1:111:111111111111
                                           1111 11 1 1111111111
Db
           83 CAPLKPTKAARSIRAQRHTDMPKTQKSPSLSTNKKTKLQRRRKGSTFEEHK 133
RESULT 8
AAE02448
ID
    AAE02448 standard; Protein; 111 AA.
XX
AC
    AAE02448;
XX
DT
    10-AUG-2001 (first entry)
XX
DE
    Rat IGF-I isoform mechano-growth factor (MGF) protein.
XX
KW
     Rat; IGF-I isoform; Insulin-like Growth Factor-I; MGF;
KW
     mechano-growth factor; neurological disorder; neurodegenerative disorder;
KW
     amyotrophic lateral sclerosis; spinal muscular atrophy; muscular atrophy;
KW
     poliomyelitis; post-polio syndrome; toxin; motoneurone disorder;
KW
     nerve damage; autosomal muscular dystrophy; diabetic neuropathy;
KW
     sex-linked muscular dystrophy; peripheral neuropathy;
KW
    Alzheimer's disease; Parkinson's disease.
XX
OS
    Rattus sp.
XX
```

XX

```
ΡN
     WO200136483-A1.
XX
PD
     25-MAY-2001.
XX
PF
     15-NOV-2000; 2000WO-GB04354.
XX
PR
     15-NOV-1999;
                   99GB-0026968.
XX
PΑ
     (UNLO ) UNIV COLLEGE LONDON.
XX
PI
     Goldspink G, Johnson I;
XX
DR
     WPI; 2001-355620/37.
DR
    N-PSDB; AAD06399.
XX
PΤ
    Use of mechano-growth factor, an isoform of Insulin-like Growth
     Factor-I, capable of reducing motoneurone loss, in the manufacture of a
PT
PT
    medicament for the treatment of neurological disorder -
XX
PS
     Claim 4; Page 52; 66pp; English.
XX
CC
    The present invention relates to use of mechano-growth factor (MGF),
CC
     an Insulin-like Growth Factor-I (IGF-I) isoform in the manufacture of a
CC
    medicament for the treatment of neurological disorder. The MGF is capable
    of reducing motoneurone loss by 20% or greater in response to nerve
CC
CC
     avulsion, and effects motoneurone rescue, preferably adult motoneurone
CC
    rescue. The MGF polynucleotide and polypeptide are useful in the
CC
    manufacture of a medicament for the treatment of a neurological disorder,
CC
    including a disorder of motoneurones and/or neurodegenerative disorder,
CC
    e.g., amyotrophic lateral sclerosis, spinal muscular atrophy, progressive
CC
    spinal muscular atrophy, infantile or juvenile muscular atrophy,
CC
    poliomyelitis or post-polio syndrome, a disorder caused by exposure to a
CC
    toxin, motoneurone trauma, a motoneurone lesion or nerve damage, an
CC
    injury that affects motoneurones, motoneurone loss associated with aging,
CC
    autosomal or sex-linked muscular dystrophy, diabetic neuropathy,
CC
    peripheral neuropathies, Alzheimer's disease and Parkinson's disease.
CC
    The present sequence is rat IGF-I isoform MGF. MGF is a muscle
CC
    isoform having extracellular (Ec) domain, hence also referred as
CC
    IGF-I-Ec. The MGF protein comprises amino acid sequences encoded by
CC
    nucleic acid sequence of IGF-I exons 4, 5 and 6 in the reading frame
CC
    of MGF.
XX
SQ
    Sequence
               111 AA;
 Query Match
                         82.7%;
                                Score 494.5; DB 22; Length 111;
                                Pred. No. 1.7e-43;
 Best Local Similarity
                         85.6%;
           95; Conservative
                               2; Mismatches
                                                13; Indels
                                                                          1;
Qу
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
             Db
           1 GPETLCGAELVDALQFVCGPRGFYFNKPTVYGSSIRRAPQTGIVDECCFRSCDLRRLEMY 60
Qу
          61 CAPLKPAKSARSVRAQRHTDMPKTQKYQPPSTNKNTKSQ-RRKGSTFEEHK 110
                 Db
          61 CVRCKPTKSARSIRAQRHTDMPKTQKSQPLSTHKKRKLQRRRKGSTLEEHK 111
```

```
RESULT 9
AAU10560
TD
     AAU10560 standard; Protein; 111 AA.
XX
AC
     AAU10560;
XX
DT
     25-FEB-2002 (first entry)
XX
     Rat mechano-growth factor (MGF) polypeptide.
DΕ
XX
KW
     Rat; mechano-growth factor; insulin-like growth factor I; IGF-I; MGF;
     neuroprotective; nerve damage; peripheral nervous system; nerve severing;
KW
     muscle; neurological disorder; motoneuron loss; motorneuron disorder;
KW
KW
     nerve avulsion.
XX
OS
     Rattus sp.
XX
PN
     WO200185781-A2.
XX
PD
     15-NOV-2001.
XX
PF
     10-MAY-2001; 2001WO-GB02054.
XX
PR
     10-MAY-2000; 2000GB-0011278.
XX
PA
     (UNLO ) UNIV COLLEGE LONDON.
     (EGRI-) EAST GRINSTEAD MEDICAL RES TRUST.
PA
XX
PΙ
     Goldspink G, Terenghi G;
XX
     WPI; 2002-055585/07.
DR
DR
     N-PSDB; AAS16878.
XX
PT
     Use of insulin-like growth factor I (IGF-I) isoform known as
     mechano-growth factor which is encoded by IGF-I exons 4,5,6 and has
PT
PТ
     ability to reduce motoneuron loss in response to nerve avulsion, to
PT
     treat nerve damage -
XX
PS
     Claim 11; Fig 6; 65pp; English.
XX
CC
     The invention relates to the use of an insulin-like growth factor I
     (IGF-I) isoform, known as mechano-growth factor (MGF), in the manufacture
CC
CC
     of a medicament for treating nerve damage in the peripheral nervous
CC
     system, or for treating nerve damage by localising MGF at the site of
CC
     damage. The nerve damage may include severing of a nerve. The treatment
CC
     may be combined with another treatment (such as a polypeptide growth
CC
     factor other than MGF) that prevents or diminishes degeneration of the
CC
     target organ (for example, muscle) which the damaged nerve innervates,
CC
     whereby the treatment of the muscle with MGF or a polynucleotide encoding
CC
     MGF prevents or diminishes degeneration. The method is useful for
CC
     treating neurological disorders, preferably motorneuron disorders. These
CC
     methods can reduce motoneuron loss by 20% or greater in response to nerve
CC
     avulsion. This sequence represents the rat MGF polypeptide.
XX
SQ
     Sequence 111 AA;
```

```
Best Local Similarity
                         85.6%; Pred. No. 1.7e-43;
  Matches
           95; Conservative
                                2; Mismatches 13; Indels
                                                              1; Gaps
                                                                          1;
Qу
            1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
              Db
           1 GPETLCGAELVDALQFVCGPRGFYFNKPTVYGSSIRRAPQTGIVDECCFRSCDLRRLEMY 60
           61 CAPLKPAKSARSVRAQRHTDMPKTQKYQPPSTNKNTKSQ-RRKGSTFEEHK 110
Qу
                 Db
           61 CVRCKPTKSARSIRAQRHTDMPKTQKSQPLSTHKKRKLQRRRKGSTLEEHK 111
RESULT 10
AAE02450
     AAE02450 standard; Protein; 105 AA.
XX
AC
     AAE02450;
XX
DT
     10-AUG-2001 (first entry)
XX
DE
     Human liver-type IGF-I isoform (L.IGF-I) protein.
XX
KW
     Human; IGF-I isoform; Insulin-like Growth Factor-I; MGF;
KW
     mechano-growth factor; neurological disorder; neurodegenerative disorder;
     amyotrophic lateral sclerosis; spinal muscular atrophy; muscular atrophy;
KW
     poliomyelitis; post-polio syndrome; toxin; motoneurone disorder;
KW
KW
     nerve damage; autosomal muscular dystrophy; diabetic neuropathy;
KW
     sex-linked muscular dystrophy; peripheral neuropathy;
KW
     Alzheimer's disease; Parkinson's disease; liver; L.IGF-I.
XX
os
    Homo sapiens.
XX
    WO200136483-A1.
ΡN
XX
PD
     25-MAY-2001.
XX
PF
     15-NOV-2000; 2000WO-GB04354.
XX
PR
     15-NOV-1999;
                   99GB-0026968.
XX
PA
     (UNLO ) UNIV COLLEGE LONDON.
XX
PΙ
    Goldspink G, Johnson I;
XX
DR
    WPI; 2001-355620/37.
DR
    N-PSDB; AAD06403.
XX
PT
    Use of mechano-growth factor, an isoform of Insulin-like Growth
PT
    Factor-I, capable of reducing motoneurone loss, in the manufacture of a
PT
    medicament for the treatment of neurological disorder -
XX
PS
    Disclosure; Fig 8; 66pp; English.
XX
CC
    The present invention relates to use of mechano-growth factor (MGF),
CC
    an Insulin-like Growth Factor-I (IGF-I) isoform in the manufacture of a
CC
    medicament for the treatment of neurological disorder. The MGF is capable
CC
    of reducing motoneurone loss by 20% or greater in response to nerve
```

```
CC
     avulsion, and effects motoneurone rescue, preferably adult motoneurone
     rescue. The MGF polynucleotide and polypeptide are useful in the
CC
CC
     manufacture of a medicament for the treatment of a neurological disorder,
     including a disorder of motoneurones and/or neurodegenerative disorder,
CC
CC
     e.g., amyotrophic lateral sclerosis, spinal muscular atrophy, progressive
CC
     spinal muscular atrophy, infantile or juvenile muscular atrophy,
     poliomyelitis or post-polio syndrome, a disorder caused by exposure to a
CC
CC
     toxin, motoneurone trauma, a motoneurone lesion or nerve damage, an
CC
     injury that affects motoneurones, motoneurone loss associated with aging,
     autosomal or sex-linked muscular dystrophy, diabetic neuropathy,
CC
CC
     peripheral neuropathies, Alzheimer's disease and Parkinson's disease.
CC
     The present sequence is human liver-type IGF-I isoform (L.IGF-I).
CC
     The L.IGF-I protein comprises amino acid sequences encoded by
CC
     nucleic acid sequence of IGF-I exons 4 and 6.
XX
SO
     Sequence
               105 AA;
  Query Match
                         78.3%; Score 468; DB 22; Length 105;
  Best Local Similarity
                         100.0%; Pred. No. 8.8e-41;
  Matches
           86; Conservative
                                0; Mismatches
                                                     Indels
                                                               0; Gaps
                                                                           0:
            1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qу
              Db
            1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
           61 CAPLKPAKSARSVRAORHTDMPKTOK 86
Qу
              Db
           61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
RESULT 11
AAU10562
ID
     AAU10562 standard; Protein; 105 AA.
XX
AC
     AAU10562;
XX
DT 25-FEB-2002 (first entry)
XX
DE
     Human insulin-like growth factor I liver-type isoform (L.IGF-I).
XX
KW
     Human; mechano-growth factor; insulin-like growth factor I; IGF-I; MGF;
KW
     neuroprotective; nerve damage; peripheral nervous system; nerve severing;
     muscle; neurological disorder; motoneuron loss; motorneuron disorder;
KW
KW
     nerve avulsion; insulin-like growth factor I liver-type isoform; L.IGF-I;
XX
OS
    Homo sapiens.
XX
PN
    WO200185781-A2.
XX
PD
    15-NOV-2001.
XX
PF
    10-MAY-2001; 2001WO-GB02054.
ΧX
PR
    10-MAY-2000; 2000GB-0011278.
XX
PA
     (UNLO ) UNIV COLLEGE LONDON.
PA
     (EGRI-) EAST GRINSTEAD MEDICAL RES TRUST.
```

```
XX
PΙ
     Goldspink G, Terenghi G;
XX
DR
     WPI; 2002-055585/07.
DR
     N-PSDB; AAS16882.
XX
PT
     Use of insulin-like growth factor I (IGF-I) isoform known as
PT
     mechano-growth factor which is encoded by IGF-I exons 4,5,6 and has
РΤ
     ability to reduce motoneuron loss in response to nerve avulsion, to
PT
     treat nerve damage -
XX
PS
     Disclosure; Fig 8; 65pp; English.
XX
     The invention relates to the use of an insulin-like growth factor I
CC
CC
     (IGF-I) isoform, known as mechano-growth factor (MGF), in the manufacture
     of a medicament for treating nerve damage in the peripheral nervous
CC
     system, or for treating nerve damage by localising MGF at the site of
CC
CC
     damage. The nerve damage may include severing of a nerve. The treatment
CC
     may be combined with another treatment (such as a polypeptide growth
CC
     factor other than MGF) that prevents or diminishes degeneration of the
CC
     target organ (for example, muscle) which the damaged nerve innervates,
CC
     whereby the treatment of the muscle with MGF or a polynucleotide encoding
CC
     MGF prevents or diminishes degeneration. The method is useful for
CC
     treating neurological disorders, preferably motorneuron disorders. These
     methods can reduce motoneuron loss by 20% or greater in response to nerve
CC
CC
     avulsion. This sequence represents the human insulin-like growth factor I
CC
     liver-type isoform (L.IGF-I) used in experiments on motoneuron loss.
XX
SQ
     Sequence
               105 AA;
  Query Match
                         78.3%; Score 468; DB 23; Length 105;
  Best Local Similarity
                         100.0%; Pred. No. 8.8e-41;
  Matches
           86; Conservative
                                0; Mismatches
                                                 0; Indels
                                                               0;
                                                                   Gaps
                                                                           0;
Qу
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
             Db
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qу
          61 CAPLKPAKSARSVRAORHTDMPKTOK 86
             Db
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
RESULT 12
AAU09067
TD
    AAU09067 standard; Protein; 137 AA.
XX
AC
    AAU09067;
XX
DT
    19-DEC-2001
                 (first entry)
XX
DE
    Human insulin-like growth factor, IGF1.
XX
KW
    Human; long-term memory protein; LTM; insulin-like growth factor;
KW
    neuroleptic; anticonvulsant; nootropic; neuroprotective; IGF1;
KW
    cerebroprotective; drug discovery; therapeutic profiling;
KW
    learning disability; memory impairment; brain injury; epilepsy;
```

```
ΚW
     mental retardation; senile dementia; Alzheimer's disease.
XX
OS
     Homo sapiens.
XX
PN
     WO200174298-A2.
XX
PD
     11-OCT-2001.
XX
PF
     02-APR-2001; 2001WO-US10661.
XX
     31-MAR-2000; 2000US-193614P.
PR
XX
PΑ
     (UYBR-) UNIV BROWN RESEACH FOUND.
PΑ
     (HUGH-) HUGHES HOWARD MED INST.
XX
PΙ
     Alberini CM, Bear MF;
XX
     WPI; 2001-626335/72.
DR
DR
     N-PSDB; AAS14695.
XX
     Regulating memory consolidation in an animal comprising treating with
PΤ
PT
     an agent that modulates activity of one or more genes from zif268,
PT
     insulin-like growth factor, glutamate receptor 2, c/EBPbeta and VGF
XX
PS
     Disclosure; Page 90-91; 100pp; English.
XX
CC
     The invention relates to modulating long term memory consolidation in an
CC
     animal comprises treating with an agent that modulates the activity of
CC
     one or more of genes from zif268, insulin-like growth factor (IGF),
CC
     glutamate receptor 1 (GluR1), glutamate receptor 2 (GluR2), c/EBPbeta
CC
     and neuroendocrine VGF (neurotropin-inducible gene). The method is useful
CC
     for identifying an agent which modulates memory consolidation. The method
CC
     is useful for conducting a drug and/or target discovery business, which
     comprises conducting therapeutic profiling of the agents (or their
CC
CC
     analogues) identified, for efficacy and toxicity in animals, and
CC
     formulating a pharmaceutical preparation including one or more agents
CC
     identified as having an acceptable therapeutic profile and/or licensing
CC
     to a third party the rights for further drug development of the
CC
     identified agents. The method of conducting drug discovery business
CC
     further comprises an additional step of establishing a distribution
CC
     system for distributing the preparation for sale and may optionally
CC
     include establishing a sales group for marketing the preparation. A
CC
     pharmaceutical composition containing the agent is useful for enhancing
CC
     memory consolidation in an animal, or for augmenting learning and memory,
CC
     or otherwise for enhancing the functional performance of central nervous
CC
     system neurons, where the agent is a cAMP elevating agent (agonist)
CC
     preferably a cAMP analogue or cAMP phosphodiesterase inhibitor, which
CC
     activates adenylate cyclase. The composition is useful for treating
CC
     diseases associated with learning disabilities, memory impairment e.g.
CC
     due to toxicant exposure, brain injury, epilepsy, mental retardation in
CC
     children and senile dementia, including Alzheimer's disease. The
CC
     present sequence represents human insulin-like growth factor, IGF1.
XX
SQ
     Sequence
                137 AA;
  Query Match
                          78.3%; Score 468; DB 22; Length 137;
  Best Local Similarity
                         100.0%; Pred. No. 1.2e-40;
```

```
Matches
           86; Conservative
                               0; Mismatches
                                                 0; Indels
                                                              0; Gaps
                                                                          0;
Qy
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
             Db
          33 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPOTGIVDECCFRSCDLRRLEMY 92
Qу
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
             93 CAPLKPAKSARSVRAQRHTDMPKTQK 118
Db
RESULT 13
AAR83803
ID
    AAR83803 standard; protein; 153 AA.
XX
    AAR83803;
AC
XX
DT
     15-FEB-1996 (first entry)
XX
DΕ
     Insulin-like growth factor 1.
XX
KW
     Insulin-like growth factor 1 receptor; IGF-1; synthetic peptide; cancer;
     autophosphorylation; cellular growth; proliferation; restenosis; asthma;
KW
    burn; wound; brain metastasis.
KW
XX
os
    Homo sapiens.
XX
FH
     Key
                    Location/Qualifiers
FT
     Peptide
                    49..118
                    /label= mature peptide
FT
FT
                    49..77
    Domain
                    /label= B domain
FT
FT
    Domain
                    78..89
                    /label= C domain
FT
FT
                    90..110
     Domain
FT
                    /label= A domain
                    111..118
FT
     Domain
FT
                    /label= D domain
XX
PN
    WO9516703-A1.
XX
PD
    22-JUN-1995.
XX
PF
    15-DEC-1994;
                   94WO-US14576.
XX
PR
    15-DEC-1993;
                   93US-0167653.
XX
PΑ
     (UYJE-) UNIV JEFFERSON THOMAS.
XX
PΙ
    Baserga R, Jameson BA;
XX
DR
    WPI; 1995-231515/30.
XX
PΤ
    New synthetic IGF-1 analogues comprising 5-25 amino acids - useful
PT
    in treatment of diseases associated with undesirable cell
PT
    proliferation
XX
```

```
PS
     Disclosure; Page 20-21; 28pp; English.
XX
CC
     The amino acid sequence of the insulin-like growth factor 1 pre-protein.
CC
     Processing of the protein results in a 70 amino acid mature protein. The
CC
     mature protein is split into 4 domains: the B domain has strong homology
CC
     to the B chain of insulin, the A domain similarly has homology to the A
CC
     chain of insulin. These domains are separated by a C domain and the
CC
     mature protein is terminated by a D domain at the C-terminus. The D
CC
     domain sequence was used to synthesis peptides (AAR83801-2) that
CC
     include amino acid residues 60-64 of the mature IGF-1 protein. IGF-1
CC
    binds to the IGF-1 receptor (IGF-1R) via the D domain and induces
CC
     activation of the IGF-1R by autophosphorylation of the IGF-1R.
CC
     Activated IGF-1R is associated with cellular growth and proliferation.
CC
    The synthetic peptides are useful as inhibitors of IGF-1 binding to
CC
     IGF-1R and thus may be used in the treatment of disorders characterised
CC
     by undesirable cell proliferation eg. cancer, restenosis, asthma, burns,
CC
    wounds or brain metastases.
XX
SQ
    Sequence
               153 AA;
 Query Match
                         78.3%; Score 468; DB 16; Length 153;
 Best Local Similarity
                         100.0%; Pred. No. 1.3e-40;
 Matches
           86; Conservative
                               0; Mismatches
                                                 0;
                                                     Indels
                                                                           0;
Qу
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
             Db
          49 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 108
         . 61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
Qy
             Dh
         109 CAPLKPAKSARSVRAORHTDMPKTOK 134
RESULT 14
AAW69733
ΤD
    AAW69733 standard; Protein; 153 AA.
XX
AC
    AAW69733:
XX
DТ
    26-OCT-1998 (first entry)
XX
DE
    Human IGF-1.
XX
KW
    Human; IGF-1; insulin-like growth factor 1; urinary incontinence;
KW
    gene therapy; neurotrophic factor.
XX
OS
    Homo sapiens.
XX
PN
    WO9833529-A1.
XX
PD
    06-AUG-1998.
XX
PF
    04-FEB-1998;
                   98WO-US02051.
XX
PR
    04-FEB-1997;
                   97US-0036862.
XX
PA
     (GENE-) GENEMEDICINE INC.
```

```
XX
PΙ
    Coleman M;
XX
DR
    WPI; 1998-437184/37.
    N-PSDB; AAV50425.
DR
XX
PT
    Treatment of urinary incontinence - by delivering nucleic acid
PT
    vector for expression of growth factor or neurotrophic factor in
РΤ
    tissue(s)
XX
PS
    Claim 12d; Page 108-109; 117pp; English.
XX
CC
    A method has been developed of treating urinary incontinence (UI) in
    mammals. The method comprises delivering a nucleic acid vector for the
CC
CC
     expression of a growth factor or neurotrophic factor in a tissue or
CC
     tissues. The present sequence represents human IGF-1 (insulin-like
CC
     growth factor 1) which is used in the method of the invention. Due to
CC
    the growth and stimulatory effects of growth factors and neurotrophic
     factors, introducing these factors to degenerated muscles in the
CC
CC
     urinary system can improve UI by enhancing both their integrity and
CC
    neural innervation.
XX
SQ
    Sequence
               153 AA;
                         78.3%; Score 468; DB 19; Length 153;
  Query Match
                        100.0%; Pred. No. 1.3e-40;
  Best Local Similarity
 Matches
                              0; Mismatches
                                                0;
                                                              0; Gaps
                                                                          0;
          86; Conservative
                                                    Indels
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qу
             49 GPETLCGAELVDALOFVCGDRGFYFNKPTGYGSSSRRAPOTGIVDECCFRSCDLRRLEMY 108
Db
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
Qу
             109 CAPLKPAKSARSVRAQRHTDMPKTQK 134
Db
RESULT 15
AAW57882
ID
    AAW57882 standard; Protein; 153 AA.
XX
AC
    AAW57882;
XX
DT
    23-SEP-1998 (first entry)
XX
DE
    Human IGF-I protein.
XX
KW
    IGF-I; insulin-like growth factor I; skeletal alpha-actin gene promoter;
KW
    muscle atrophy; diabetes; osteoporosis; growth disorder; therapy; AIDS;
KW
    Chacot-marie-tooth disease; atherogenesis; haemophilia; neuropathy.
XX
OS
    Homo sapiens.
XX
PN
    WO9824922-A1.
XX
PD
    11-JUN-1998.
XX
```

```
PF
     01-DEC-1997;
                   97WO-US21852.
XX
PR
     19-NOV-1997;
                   97US-0974572.
PR
     02-DEC-1996;
                   96US-0031539.
XX
PA
     (BAYU ) BAYLOR COLLEGE MEDICINE.
PΑ
     (GENE-) GENEMEDICINE INC.
XX
PΙ
    Coleman M, Demayo FJ, Schwartz R;
XX
DR
    WPI; 1998-333339/29.
DR
    N-PSDB; AAV40793, AAV40794.
XX
PT
     New vector for expression of insulin-like growth factor-I -
РΤ
     containing a skeletal alpha-actin gene promoter, IGF-I coding
PΤ
     sequences and a 3' region from growth hormone 3'-UTR
XX
PS
     Disclosure; Fig 13; 115pp; English.
XX
CC
     This sequence is the human insulin-like growth factor I (IGF-I). The
CC
     DNA can be used in the vector of the invention, for expression of a
CC
     nucleic acid sequence in a cell, which comprises: (a) a nucleic acid
CC
     cassette containing a sequence encoding IGF-I; (b) a 5' flanking region
CC
     including one or more sequences necessary for expression of the nucleic
CC
     acid cassette, including a promoter from a skeletal alpha-actin gene;
CC
     (c) a linker connecting the 5' flanking region to a nucleic acid, the
     linker having a position for inserting the nucleic acid cassette, and
CC
CC
     lacking the coding sequence of a gene with which it is naturally
     associated; and (d) a 3' flanking region, including a 3' untranslated
CC
     region or a 3' non coding region or both, where the 3' flanking region is
CC
     3' to the position for inserting the nucleic acid cassette and comprises
CC
CC
     a sequence from a growth hormone 3'-UTR. The vector can provide for
CC
     efficient IGF-I expression, particularly in gene therapy. It can be used
CC
     for the delivery of IGF-I for treating diseases such as muscle atrophy,
     diabetes, neuropathy, osteoporosis, and growth disorders. They can be
CC
CC
     used for treating peripheral neuropathies resulting from diabetes,
CC
     genetic disease such as Type I or Type II diabetes, genetic disease such
CC
     as Chacot-marie-tooth disease, AIDS, atherogenesis, atherosclerotic,
CC
     cardiovascular, cerebrovascular, or peripheral vascular disease,
CC
     haemophilia, inflammation and side-effects from anti-cancer and
CC
     anti-viral drugs. The vectors can also be used to create transgenic
CC
     animals for research or livestock improvement.
XX
SQ
     Sequence
               153 AA;
                         78.3%; Score 468; DB 19; Length 153;
  Query Match
  Best Local Similarity
                         100.0%; Pred. No. 1.3e-40;
                                0; Mismatches
                                                  0;
  Matches
          86; Conservative
                                                                           0;
                                                     Indels
                                                                   Gaps
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qу
             49 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 108
Db
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
Qу
             Db
         109 CAPLKPAKSARSVRAQRHTDMPKTOK 134
```

Search completed: December 12, 2003, 16:37:15 Job time : 36.1205 secs

# GenCore version 5.1.6 Copyright (c) 1993 - 2003 Compugen Ltd.

OM protein - protein search, using sw model

Run on: December 12, 2003, 16:35:22; Search time 14.247 Seconds

(without alignments)

326.679 Million cell updates/sec

Title: US-09-852-261-2

Perfect score: 598

Sequence: 1 GPETLCGAELVDALQFVCGD.....STNKNTKSQRRKGSTFEEHK 110

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 328717 seqs, 42310858 residues

Total number of hits satisfying chosen parameters: 328717

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Issued Patents AA:\*

1: /cgn2 6/ptodata/1/iaa/5A COMB.pep:\*

2: /cgn2\_6/ptodata/1/iaa/5B\_COMB.pep:\*

3: /cgn2\_6/ptodata/1/iaa/6A\_COMB.pep:\*

4: /cgn2\_6/ptodata/1/iaa/6B\_COMB.pep:\*

5: /cgn2\_6/ptodata/1/iaa/PCTUS COMB.pep:\*

6: /cgn2 6/ptodata/1/iaa/backfiles1.pep:\*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

#### SUMMARIES

	8				
	Query				
Score	Match	Length	DB	ID	Description
572.5	95.7	121	3	US-09-142-583A-4	Sequence 4, Appli
468	78.3	137	1	US-07-953-230A-10	Sequence 10, Appl
468	78.3	152	3	US-08-950-720A-9	Sequence 9, Appli
468	78.3	153	1	US-08-219-878A-1	Sequence 1, Appli
468	78.3	153	5	PCT-US93-04329-1	Sequence 1, Appli
468	78.3	156	3	US-09-142-583A-11	Sequence 11, Appl
461	77.1	119	6	5405942-1	Patent No. 5405942
457.5	76.5	191	3	US-08-989-251-41	Sequence 41, Appl
457.5	76.5	191	3	US-09-340-250-41	Sequence 41, Appl
457.5	76.5	191	4	US-09-528-108-41	Sequence 41, Appl
412	68.9	78	2	US-08-460-890A-47	Sequence 47, Appl
	572.5 468 468 468 468 461 457.5 457.5	572.5 95.7 468 78.3 468 78.3 468 78.3 468 78.3 468 78.3 461 77.1 457.5 76.5 457.5 76.5	Query Score Match Length  572.5 95.7 121 468 78.3 137 468 78.3 152 468 78.3 153 468 78.3 153 468 78.3 156 461 77.1 119 457.5 76.5 191 457.5 76.5 191 457.5 76.5 191	Query Score Match Length DB  572.5 95.7 121 3 468 78.3 137 1 468 78.3 152 3 468 78.3 153 1 468 78.3 153 5 468 78.3 153 5 468 78.3 156 3 461 77.1 119 6 457.5 76.5 191 3 457.5 76.5 191 3 457.5 76.5 191 4	Query Score Match Length DB ID  572.5 95.7 121 3 US-09-142-583A-4 468 78.3 137 1 US-07-953-230A-10 468 78.3 152 3 US-08-950-720A-9 468 78.3 153 1 US-08-219-878A-1 468 78.3 153 5 PCT-US93-04329-1 468 78.3 156 3 US-09-142-583A-11 461 77.1 119 6 5405942-1 457.5 76.5 191 3 US-08-989-251-41 457.5 76.5 191 3 US-09-340-250-41 457.5 76.5 191 4 US-09-528-108-41

12	412	68.9	78	3	US-08-167-641C-47	Sequence	47, Appl
13	412	68.9	78	3	US-08-460-971A-47	_	47, Appl
14	412	68.9	78	3	US-08-462-040-47	Sequence	47, Appl
15	398	66.6	176	1	US-07-953-230A-9		9, Appli
16	386	64.5	953	4	US-09-255-829-14		14, Appl
17	385	64.4	70	1	US-07-947-035-1	Sequence	1, Appli
18	385	64.4	70	1	US-07-776-272-17		17, Appl
19	385	64.4	70	1	US-07-958-903A-17	<del>-</del>	17, Appl
20	385	64.4	70	1	US-08-462-018-17	_	17, Appl
21	385	64.4	70	1	US-08-823-245-17	<del>-</del>	17, Appl
22	385	64.4	70	1	US-08-482-271-1	_	1, Appli
23	385	64.4	70	3	US-09-080-120A-1	<del>-</del>	1, Appli
24	385	64.4	70	3	US-08-432-517-1	_	1, Appli
25	385	64.4	70	4	US-07-963-329 <b>A</b> -1		1, Appli
26	385	64.4	70	4	US-09-477-924-1		1, Appli
27	385	64.4	70	4	US-09-723-981-1		1, Appli
28	385	64.4	70	4	US-09-723-896-1	_	1, Appli
29	385	64.4	. 70	5	PCT-US92-09443A-1		1, Appli
30	385	64.4	70	5	PCT-US93-11458-1		1, Appli
31	385	64.4	70	5	PCT-US95-08925-1	<del>-</del>	1, Appli
32	385	64.4	94	1	US-07-989-845-28	_	28, Appl
33	385	64.4	94	1	US-07-989-844-12	_	12, Appl
34	385	64.4	94	1	US-08-161-044-12		12, Appl
35	385	64.4	94	1	US-08-240-121-12		12, Appl
36	385	64.4	94	1	US-08-451-241-12	<del>-</del>	12, Appl
37	385	64.4	94	5	PCT-US93-11297-12	Sequence	12, Appl
38	385	64.4	94	5	PCT-US93-11298-28	Sequence	
39	385	64.4	118	3	US-09-029-267-14		14, Appl
40	385	64.4	155	1	US-08-328-961-8	Sequence	8, Appli
41	, 385	64.4	155	1	US-08-462-397-8	Sequence	8, Appli
42	385	64.4	155	3	US-08-989-251-39	Sequence	39, Appl
43	385	64.4	155	3	US-09-340-250-39	Sequence	
44	385	64.4	155	4	US-09-528-108-39	Sequence	39, Appl
45	382	63.9	70	1	US-08-180-572-5	Sequence	5, Appli

### ALIGNMENTS

```
RESULT 1
US-09-142-583A-4
; Sequence 4, Application US/09142583A
; Patent No. 6221842
   GENERAL INFORMATION:
        APPLICANT: GOLDSPINK, GEOFFREY
        TITLE OF INVENTION: METHOD OF TREATING MUSCULAR DISORDERS
        NUMBER OF SEQUENCES: 11
        CORRESPONDENCE ADDRESS:
             ADDRESSEE: NIXON & VANDERHYE P.C.
             STREET: 1100 NORTH GLEBE ROAD
             CITY: ARLINGTON
             STATE: VA
             COUNTRY: USA
             ZIP: 22201
       COMPUTER READABLE FORM:
             MEDIUM TYPE: Floppy disk
             COMPUTER: IBM PC compatible
```

```
OPERATING SYSTEM: PC-DOS/MS-DOS
             SOFTWARE: PatentIn Release #1.0, Version #1.25
        CURRENT APPLICATION DATA:
             APPLICATION NUMBER: US/09/142,583A
             FILING DATE: 29-Oct-1998
             CLASSIFICATION: <Unknown>
        PRIOR APPLICATION DATA:
             APPLICATION NUMBER: WO PCT/GB97/00658
             FILING DATE: 11-MAR-1997
             APPLICATION NUMBER: GB 9605124.8
             FILING DATE: 11-MAR-1996
        ATTORNEY/AGENT INFORMATION:
             NAME: SADOFF, B. J.
             REGISTRATION NUMBER: 36663
             REFERENCE/DOCKET NUMBER: 117-263
        TELECOMMUNICATION INFORMATION:
             TELEPHONE: 7038164000
             TELEFAX: 7038164100
   INFORMATION FOR SEQ ID NO: 4:
        SEQUENCE CHARACTERISTICS:
             LENGTH: 121 amino acids
             TYPE: amino acid
             TOPOLOGY: linear
        MOLECULE TYPE: protein
        SEQUENCE DESCRIPTION: SEQ ID NO: 4:
US-09-142-583A-4
  Query Match
                        95.7%; Score 572.5; DB 3; Length 121;
  Best Local Similarity 96.4%; Pred. No. 1.8e-60;
 Matches 107; Conservative 1; Mismatches
                                              2; Indels
Qу
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
             Db
          11 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 70
          61 CAPLKPAKSARSVRAQRHTDMPKTQKYQPPSTNKNTKSQ-RRKGSTFEEHK 110
Qy
             71 CAPLKPAKAARSVRAQRHTDMPKTQKYQPPSTNKKMKSQRRRKGSTFEEHK 121
Db
RESULT 2
US-07-953-230A-10
; Sequence 10, Application US/07953230A
; Patent No. 5476779
  GENERAL INFORMATION:
    APPLICANT: CHEN, Thomas T
    APPLICANT: SHAMBLOTT, Michael J
    TITLE OF INVENTION: INSULIN-LIKE GROWTH FACTORS ISOLATED
    TITLE OF INVENTION: FROM RAINBOW TROUT
    NUMBER OF SEQUENCES: 12
    CORRESPONDENCE ADDRESS:
      ADDRESSEE: Burns, Doane, Swecker & Mathis
      STREET: George Mason Bldg., Washington & Prince Sts.
      CITY: Alexandria
      STATE: Virginia
      COUNTRY: United States
      ZIP: 22313-1404
```

```
COMPUTER READABLE FORM:
       MEDIUM TYPE: Floppy disk
       COMPUTER: IBM PC compatible
       OPERATING SYSTEM: PC-DOS/MS-DOS
       SOFTWARE: PatentIn Release #1.0, Version #1.25
     CURRENT APPLICATION DATA:
      APPLICATION NUMBER: US/07/953,230A
       FILING DATE: 30-SEP-1992
      CLASSIFICATION: 435
    ATTORNEY/AGENT INFORMATION:
      NAME: Crane-Feury, Sharon E
      REGISTRATION NUMBER: 36,113
      REFERENCE/DOCKET NUMBER: 028755-010
     TELECOMMUNICATION INFORMATION:
      TELEPHONE: (703) 836-6620
      TELEFAX: (703) 836-2021
   INFORMATION FOR SEO ID NO: 10:
     SEQUENCE CHARACTERISTICS:
      LENGTH: 137 amino acids
      TYPE: amino acid
      STRANDEDNESS: single
      TOPOLOGY: linear
    MOLECULE TYPE: protein
    FEATURE:
      NAME/KEY: Peptide
      LOCATION: 7
      OTHER INFORMATION: /note= "Gap of 2 after 7."
    FEATURE:
      NAME/KEY: Peptide
      LOCATION:
      OTHER INFORMATION: /note= "Gap of 1 after 31."
    FEATURE:
      NAME/KEY: Peptide
      LOCATION:
      OTHER INFORMATION: /note= "Gap of 27 after 116."
US-07-953-230A-10
  Query Match
                        78.3%; Score 468; DB 1; Length 137;
  Best Local Similarity 100.0%; Pred. No. 5.2e-48;
 Matches 86; Conservative 0; Mismatches 0; Indels
                                                                         0;
Qy
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
             Db
          33 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 92
Qу
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
             1111111111111111111111111111
Db
          93 CAPLKPAKSARSVRAQRHTDMPKTQK 118
RESULT 3
US-08-950-720A-9
; Sequence 9, Application US/08950720A
; Patent No. 6046028
; GENERAL INFORMATION:
    APPLICANT: Conklin, Darrell C.
    APPLICANT: Lofton-Day, Catherine E.
```

```
APPLICANT: Lok, Si
    APPLICANT: Jaspers, Stephen R.
    TITLE OF INVENTION: INSULIN HOMOLOG
    NUMBER OF SEQUENCES: 17
    CORRESPONDENCE ADDRESS:
      ADDRESSEE: ZymoGenetics, Inc.
      STREET: 1201 Eastlake Avenue East
      CITY: Seattle
      STATE: WA
      COUNTRY: USA
      ZIP: 98102
    COMPUTER READABLE FORM:
      MEDIUM TYPE: Diskette
      COMPUTER: IBM Compatible
      OPERATING SYSTEM: DOS
      SOFTWARE: FastSEQ for Windows Version 2.0
    CURRENT APPLICATION DATA:
      APPLICATION NUMBER: US/08/950,720A
      FILING DATE:
      CLASSIFICATION: 435
    PRIOR APPLICATION DATA:
      APPLICATION NUMBER:
      FILING DATE:
    ATTORNEY/AGENT INFORMATION:
      NAME: Sawislak, Deborah A
      REGISTRATION NUMBER: 37,438
      REFERENCE/DOCKET NUMBER: 96-09
    TELECOMMUNICATION INFORMATION:
      TELEPHONE: 206-442-6672
      TELEFAX: 206-442-6678
      TELEX:
  INFORMATION FOR SEQ ID NO: 9:
    SEQUENCE CHARACTERISTICS:
      LENGTH: 152 amino acids
      TYPE: amino acid
      STRANDEDNESS: single
      TOPOLOGY: linear
    MOLECULE TYPE: No. 6046028e
US-08-950-720A-9
  Query Match
                        78.3%; Score 468; DB 3; Length 152;
  Best Local Similarity 100.0%; Pred. No. 5.9e-48;
          86; Conservative
                             0; Mismatches
                                              0; Indels
                                                            0; Gaps
                                                                       0;
Qу
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
             Db
          23 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 82
Qу
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
             83 CAPLKPAKSARSVRAQRHTDMPKTQK 108
RESULT 4
US-08-219-878A-1
; Sequence 1, Application US/08219878A
; Patent No. 5473054
```

```
GENERAL INFORMATION:
    APPLICANT: Bradford A. Jameson and Renato Baserga
    TITLE OF INVENTION: IGF-1 Analogs
;
    NUMBER OF SEQUENCES: 5
    CORRESPONDENCE ADDRESS:
      ADDRESSEE: Woodcock Washburn
      ADDRESSEE: Kurtz Mackiewicz & No. 5473054ris
      STREET: One Liberty Place - 46th Floor
      CITY: Philadelphia
      STATE: PA
      COUNTRY: USA
      ZIP: 19103
    COMPUTER READABLE FORM:
      MEDIUM TYPE: DISKETTE, 3.5 INCH, 1.44 Mb STORAGE
      COMPUTER: IBM PC compatible
      OPERATING SYSTEM: PC-DOS/MS-DOS
      SOFTWARE: WORDPERFECT 5.1
    CURRENT APPLICATION DATA:
      APPLICATION NUMBER: US/08/219,878A
      FILING DATE: 30-MAR-1994
      CLASSIFICATION: 514
    PRIOR APPLICATION DATA:
      APPLICATION NUMBER: US/07/881,524
      FILING DATE: 08-MAY-1992
    ATTORNEY/AGENT INFORMATION:
      NAME: Mark DeLuca
      REGISTRATION NUMBER: 33,229
      REFERENCE/DOCKET NUMBER: TJU-1240
    TELECOMMUNICATION INFORMATION:
      TELEPHONE: (215) 568-3100
      TELEFAX: (215) 568-3439
  INFORMATION FOR SEQ ID NO: 1:
    SEQUENCE CHARACTERISTICS:
      LENGTH: 153
      TYPE: amino acid
      TOPOLOGY: linear
US-08-219-878A-1
                        78.3%; Score 468; DB 1; Length 153;
 Query Match
 Best Local Similarity 100.0%; Pred. No. 5.9e-48;
          86; Conservative 0; Mismatches
 Matches
                                              0; Indels
                                                                Gaps
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qу
             Db
          49 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 108
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
Qу
             Db
         109 CAPLKPAKSARSVRAQRHTDMPKTQK 134
RESULT 5
PCT-US93-04329-1
; Sequence 1, Application PC/TUS9304329
; GENERAL INFORMATION:
    APPLICANT: Bradford A. Jameson and Renato Baserga
;
    TITLE OF INVENTION: IGF-1 Analogs
```

```
NUMBER OF SEQUENCES: 7
    CORRESPONDENCE ADDRESS:
      ADDRESSEE: Woodcock Washburn
      ADDRESSEE: Kurtz Mackiewicz & Norris
      STREET: One Liberty Place - 46th Floor
      CITY: Philadelphia
      STATE: PA
      COUNTRY: USA
      ZIP: 19103
    COMPUTER READABLE FORM:
      MEDIUM TYPE: DISKETTE, 3.5 INCH, 1.44 Mb STORAGE
      COMPUTER: IBM PS/2
      OPERATING SYSTEM: PC-DOS
      SOFTWARE: WORDPERFECT 5.0
    CURRENT APPLICATION DATA:
      APPLICATION NUMBER: PCT/US93/04329
      FILING DATE: 19930507
      CLASSIFICATION:
    PRIOR APPLICATION DATA:
      APPLICATION NUMBER: 07/881,524
      FILING DATE: 08-MAY-92,
    ATTORNEY/AGENT INFORMATION:
      NAME: Mark DeLuca
      REGISTRATION NUMBER: 33,229
      REFERENCE/DOCKET NUMBER: TJU-0649
    TELECOMMUNICATION INFORMATION:
      TELEPHONE: (215) 568-3100
      TELEFAX: (215) 568-3439
  INFORMATION FOR SEQ ID NO: 1:
    SEQUENCE CHARACTERISTICS:
      LENGTH: 153
      TYPE: AMINO ACID
      TOPOLOGY: linear
PCT-US93-04329-1
 Query Match
                        78.3%; Score 468; DB 5; Length 153;
 Best Local Similarity 100.0%; Pred. No. 5.9e-48;
 Matches 86; Conservative 0; Mismatches 0; Indels
                                                            0; Gaps
                                                                        0;
           1 GPETLCGAELVDALOFVCGDRGFYFNKPTGYGSSSRRAPOTGIVDECCFRSCDLRRLEMY 60
Qу
             Db
          49 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 108
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
Qy
             Dh
         109 CAPLKPAKSARSVRAQRHTDMPKTQK 134
RESULT 6
US-09-142-583A-11
; Sequence 11, Application US/09142583A
; Patent No. 6221842
   GENERAL INFORMATION:
        APPLICANT: GOLDSPINK, GEOFFREY
        TITLE OF INVENTION: METHOD OF TREATING MUSCULAR DISORDERS
        NUMBER OF SEQUENCES: 11
        CORRESPONDENCE ADDRESS:
```

```
ADDRESSEE: NIXON & VANDERHYE P.C.
             STREET: 1100 NORTH GLEBE ROAD
             CITY: ARLINGTON
             STATE: VA
             COUNTRY: USA
             ZIP: 22201
        COMPUTER READABLE FORM:
             MEDIUM TYPE: Floppy disk
             COMPUTER: IBM PC compatible
             OPERATING SYSTEM: PC-DOS/MS-DOS
             SOFTWARE: PatentIn Release #1.0, Version #1.25
        CURRENT APPLICATION DATA:
             APPLICATION NUMBER: US/09/142,583A
             FILING DATE: 29-Oct-1998
             CLASSIFICATION: <Unknown>
        PRIOR APPLICATION DATA:
             APPLICATION NUMBER: WO PCT/GB97/00658
             FILING DATE: 11-MAR-1997
             APPLICATION NUMBER: GB 9605124.8
             FILING DATE: 11-MAR-1996
        ATTORNEY/AGENT INFORMATION:
             NAME: SADOFF, B. J.
             REGISTRATION NUMBER: 36663
             REFERENCE/DOCKET NUMBER: 117-263
        TELECOMMUNICATION INFORMATION:
             TELEPHONE: 7038164000
             TELEFAX: 7038164100
   INFORMATION FOR SEQ ID NO: 11:
        SEQUENCE CHARACTERISTICS:
             LENGTH: 156 amino acids
             TYPE: amino acid
             TOPOLOGY: linear
        MOLECULE TYPE: protein
        SEQUENCE DESCRIPTION: SEQ ID NO: 11:
US-09-142-583A-11
                        78.3%; Score 468; DB 3; Length 156;
 Query Match
 Best Local Similarity 100.0%; Pred. No. 6.1e-48;
         86; Conservative 0; Mismatches 0; Indels
                                                                         0;
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qу
             Db
          52 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 111
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
Qу
             Db
         112 CAPLKPAKSARSVRAQRHTDMPKTQK 137
RESULT 7
5405942-1
; Patent No. 5405942
    APPLICANT: BELL, GRAEME I.; RALL, LESLIE B.; MERRYWEATHER,
; JAMES P.
    TITLE OF INVENTION: PREPRO INSULIN-LIKE GROWTH FACTORS
; I AND II
    NUMBER OF SEQUENCES: 16
```

```
CURRENT APPLICATION DATA:
      APPLICATION NUMBER: US/07/65,673
      FILING DATE: 16-JUN-1987
    PRIOR APPLICATION DATA:
      APPLICATION NUMBER: 630,557
      FILING DATE: 19-JUL-1984
;SEO ID NO:1:
      LENGTH: 119
5405942-1
 Query Match
                        77.1%; Score 461; DB 6; Length 119;
  Best Local Similarity
                        98.8%; Pred. No. 3e-47;
 Matches
          85; Conservative
                              0; Mismatches
                                                1; Indels
                                                             0;
                                                                Gaps
                                                                         0;
Qy
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
             15 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDHRRLEMY 74
Db
          61 CAPLKPAKSARSVRAORHTDMPKTQK 86
Qу
             75 CAPLKPAKSARSVRAQRHTDMPKTQK 100
Db
RESULT 8
US-08-989-251-41
; Sequence 41, Application US/08989251
; Patent No. 6017731
  GENERAL INFORMATION:
    APPLICANT: Tekamp-Olson, Patricia
    TITLE OF INVENTION: METHOD FOR EXPRESSION OF HETEROLOGOUS
    TITLE OF INVENTION: PROTEINS IN YEAST
    NUMBER OF SEQUENCES: 41
    CORRESPONDENCE ADDRESS:
      ADDRESSEE: Bell Seltzer IP Group of Alston & Bird, LLP
      STREET: 3605 Glenwood Ave. Suite 310
      CITY: Raleigh
      STATE: NC
      COUNTRY: US
      ZIP: 27622
    COMPUTER READABLE FORM:
      MEDIUM TYPE: Floppy disk
      COMPUTER: IBM PC compatible
      OPERATING SYSTEM: PC-DOS/MS-DOS
      SOFTWARE: PatentIn Release #1.0, Version #1.30
    CURRENT APPLICATION DATA:
      APPLICATION NUMBER: US/08/989,251
      FILING DATE:
      CLASSIFICATION:
    ATTORNEY/AGENT INFORMATION:
      NAME: Spruill, W. Murray
      REGISTRATION NUMBER: 32,943
      REFERENCE/DOCKET NUMBER: 5784-4
    TELECOMMUNICATION INFORMATION:
      TELEPHONE: 919 420 2202
      TELEFAX: 919 881 3175
  INFORMATION FOR SEQ ID NO: 41:
    SEQUENCE CHARACTERISTICS:
```

```
LENGTH: 191 amino acids
      TYPE: amino acid
      TOPOLOGY: linear
    MOLECULE TYPE: protein
US-08-989-251-41
 Query Match
                        76.5%; Score 457.5; DB 3; Length 191;
 Best Local Similarity
                        98.9%; Pred. No. 1.4e-46;
                               0; Mismatches
                                                                        1;
 Matches
          86; Conservative
                                                0;
                                                   Indels
                                                             1; Gaps
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qу
             Db
          86 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 145
          61 CAPLKPAKSA-RSVRAQRHTDMPKTQK 86
Qу
             Db
         146 CAPLKPAKSAKRSVRAQRHTDMPKTQK 172
RESULT 9
US-09-340-250-41
; Sequence 41, Application US/09340250
; Patent No. 6083723
  GENERAL INFORMATION:
    APPLICANT: Tekamp-Olson, Patricia
    TITLE OF INVENTION: METHOD FOR EXPRESSION OF HETEROLOGOUS
    TITLE OF INVENTION: PROTEINS IN YEAST
    NUMBER OF SEQUENCES: 41 '
    CORRESPONDENCE ADDRESS:
      ADDRESSEE: Bell Seltzer IP Group of Alston & Bird, LLP
      STREET: 3605 Glenwood Ave. Suite 310
      CITY: Raleigh
      STATE: NC
      COUNTRY: US
      ZIP: 27622
    COMPUTER READABLE FORM:
      MEDIUM TYPE: Floppy disk
      COMPUTER: IBM PC compatible
      OPERATING SYSTEM: PC-DOS/MS-DOS
      SOFTWARE: PatentIn Release #1.0, Version #1.30
    CURRENT APPLICATION DATA:
      APPLICATION NUMBER: US/09/340,250
      FILING DATE:
      CLASSIFICATION:
    PRIOR APPLICATION DATA:
      APPLICATION NUMBER: 08/989,251
      FILING DATE:
    ATTORNEY/AGENT INFORMATION:
      NAME: Spruill, W. Murray
      REGISTRATION NUMBER: 32,943
      REFERENCE/DOCKET NUMBER: 5784-4
    TELECOMMUNICATION INFORMATION:
      TELEPHONE: 919 420 2202
      TELEFAX: 919 881 3175
   INFORMATION FOR SEO ID NO: 41:
    SEQUENCE CHARACTERISTICS:
      LENGTH: 191 amino acids
```

```
TYPE: amino acid
      TOPOLOGY: linear
    MOLECULE TYPE: protein
US-09-340-250-41
 Query Match
                        76.5%; Score 457.5; DB 3; Length 191;
 Best Local Similarity 98.9%; Pred. No. 1.4e-46;
 Matches
         86; Conservative 0; Mismatches
                                               0; Indels
                                                             1; Gaps
                                                                        1;
Qу
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
             Db
          86 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 145
Qу
          61 CAPLKPAKSA-RSVRAQRHTDMPKTQK 86
             146 CAPLKPAKSAKRSVRAQRHTDMPKTQK 172
Db
RESULT 10
US-09-528-108-41
; Sequence 41, Application US/09528108
; Patent No. 6312923
  GENERAL INFORMATION:
    APPLICANT: Tekamp-Olson, Patricia
    TITLE OF INVENTION: METHOD FOR EXPRESSION OF HETEROLOGOUS
;
    TITLE OF INVENTION: PROTEINS IN YEAST
;
    NUMBER OF SEQUENCES: 41
;
    CORRESPONDENCE ADDRESS:
      ADDRESSEE: Bell Seltzer IP Group of Alston & Bird, LLP
      STREET: 3605 Glenwood Ave. Suite 310
      CITY: Raleigh
      STATE: NC
      COUNTRY: US
      ZIP: 27622
    COMPUTER READABLE FORM:
      MEDIUM TYPE: Floppy disk
      COMPUTER: IBM PC compatible
      OPERATING SYSTEM: PC-DOS/MS-DOS
      SOFTWARE: PatentIn Release #1.0, Version #1.30
    CURRENT APPLICATION DATA:
      APPLICATION NUMBER: US/09/528,108
      FILING DATE:
      CLASSIFICATION:
    PRIOR APPLICATION DATA:
      APPLICATION NUMBER: 08/989,251
      FILING DATE:
    ATTORNEY/AGENT INFORMATION:
      NAME: Spruill, W. Murray
      REGISTRATION NUMBER: 32,943
      REFERENCE/DOCKET NUMBER: 5784-4
    TELECOMMUNICATION INFORMATION:
      TELEPHONE: 919 420 2202
      TELEFAX: 919 881 3175
  INFORMATION FOR SEQ ID NO: 41:
    SEQUENCE CHARACTERISTICS:
      LENGTH: 191 amino acids
;
      TYPE: amino acid
```

```
TOPOLOGY: linear
    MOLECULE TYPE: protein
US-09-528-108-41
 Query Match
                        76.5%; Score 457.5; DB 4; Length 191;
 Best Local Similarity 98.9%; Pred. No. 1.4e-46;
          86; Conservative
                              0: Mismatches
                                               0; Indels
                                                                        1;
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qy
             Db
          86 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 145
Qу
          61 CAPLKPAKSA-RSVRAQRHTDMPKTQK 86
             Db
         146 CAPLKPAKSAKRSVRAQRHTDMPKTQK 172
RESULT 11
US-08-460-890A-47
; Sequence 47, Application US/08460890A
; Patent No. 5994109
  GENERAL INFORMATION:
    APPLICANT: Woo, Savio L.C.
    APPLICANT: Smith, Louis C.
    APPLICANT: Cristiano, Richard J.
    APPLICANT: Gottchalk, Stephen
    TITLE OF INVENTION: NUCLEIC ACID TRANSPORTER SYSTEMS AND
    TITLE OF INVENTION: METHODS OF USE
    NUMBER OF SEQUENCES: 65
    CORRESPONDENCE ADDRESS:
      ADDRESSEE: Lyon & Lyon
      STREET: 633 West Fifth Street
      STREET: Suite 4700
      CITY: Los Angeles
      STATE: California
      COUNTRY: U.S.A.
;
      ZIP: 90071-2066
    COMPUTER READABLE FORM:
      MEDIUM TYPE: 3.5" Diskette, 1.44 Mb
      MEDIUM TYPE: storage
      COMPUTER: IBM Compatible
      OPERATING SYSTEM: IBM P.C. DOS 5.0
      SOFTWARE: FastSEQ for Windows 2.0
    CURRENT APPLICATION DATA:
      APPLICATION NUMBER: US/08/460,890A
      FILING DATE: June 5, 1995
      CLASSIFICATION: 435
    PRIOR APPLICATION DATA:
      APPLICATION NUMBER: 08/167,641
      FILING DATE: December 14, 1993
      APPLICATION NUMBER: 07/855,389
      FILING DATE: March 20, 1992
      APPLICATION NUMBER: PCT/US93/02725
      FILING DATE: March 19, 1993
    ATTORNEY/AGENT INFORMATION:
      NAME: Warburg, Richard J.
      REGISTRATION NUMBER: 32,327
```

```
TELECOMMUNICATION INFORMATION:
      TELEPHONE: (213) 489-1600
      TELEFAX: (213) 955-0440
      TELEX: 67-3510
  INFORMATION FOR SEQ ID NO: 47:
    SEOUENCE CHARACTERISTICS:
      LENGTH: 78 amino acids
      TYPE: amino acid
      STRANDEDNESS: single
      TOPOLOGY: linear
    MOLECULE TYPE: peptide
US-08-460-890A-47
 Query Match
                        68.9%; Score 412; DB 2; Length 78;
 Best Local Similarity 97.4%; Pred. No. 1.1e-41;
           75; Conservative
                               2; Mismatches
 Matches
                                               0; Indels
                                                              0; Gaps
                                                                         0;
Qу
           4 TLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMYCAP 63
             Db
           2 TLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMYCAP 61
          64 LKPAKSARSVRAORHTD 80
Qу
             1:11:1111111111
          62 LRPARSARSVRAQRHTD 78
Db
RESULT 12
US-08-167-641C-47
; Sequence 47, Application US/08167641C
; Patent No. 6033884
  GENERAL INFORMATION:
    APPLICANT: Woo, Savio L.C.
    APPLICANT: Smith, Louis C.
    APPLICANT: Cristiano, Richard J.
    APPLICANT: Gottchalk, Stephen
    TITLE OF INVENTION: NUCLEIC ACID TRANSPORTER SYSTEMS AND
    TITLE OF INVENTION: METHODS OF USE
    NUMBER OF SEQUENCES: 65
    CORRESPONDENCE ADDRESS:
      ADDRESSEE: Lyon & Lyon
      STREET: 633 West Fifth Street
      STREET: Suite 4700
      CITY: Los Angeles
      STATE: California
      COUNTRY: U.S.A.
      ZIP: 90071-2066
    COMPUTER READABLE FORM:
      MEDIUM TYPE: 3.5" Diskette, 1.44 Mb
      MEDIUM TYPE: storage
      COMPUTER: IBM Compatible
      OPERATING SYSTEM: IBM P.C. DOS 5.0
      SOFTWARE: FastSEQ for Windows 2.0
    CURRENT APPLICATION DATA:
      APPLICATION NUMBER: US/08/167,641C
      FILING DATE: December 14, 1993
      CLASSIFICATION: ,435
```

REFERENCE/DOCKET NUMBER: 212/066

```
PRIOR APPLICATION DATA:
      APPLICATION NUMBER: 07/855,389
      FILING DATE: March 20, 1992
      APPLICATION NUMBER: PCT/US93/02725
      FILING DATE: March 19, 1993
    ATTORNEY/AGENT INFORMATION:
      NAME: Warburg, Richard J.
      REGISTRATION NUMBER: 32,327
      REFERENCE/DOCKET NUMBER: 205/012
;
    TELECOMMUNICATION INFORMATION:
      TELEPHONE: (213) 489-1600
      TELEFAX: (213) 955-0440
      TELEX: 67-3510
  INFORMATION FOR SEQ ID NO: 47:
    SEQUENCE CHARACTERISTICS:
      LENGTH: 78 amino acids
      TYPE: amino acid
      STRANDEDNESS: single
      TOPOLOGY: linear
    MOLECULE TYPE: peptide
US-08-167-641C-47
 Query Match
                        68.9%; Score 412; DB 3; Length 78;
 Best Local Similarity 97.4%; Pred. No. 1.1e-41;
 Matches 75; Conservative 2; Mismatches
                                               0; Indels
                                                              0; Gaps
                                                                         0;
           4 TLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMYCAP 63
Qy
             Db
           2 TLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMYCAP 61
          64 LKPAKSARSVRAQRHTD 80
Qv
             1:11:11111111111
Db
          62 LRPARSARSVRAQRHTD 78
RESULT 13
US-08-460-971A-47
; Sequence 47, Application US/08460971A
; Patent No. 6150168
  GENERAL INFORMATION:
    APPLICANT: Woo, Savio L.C.
    APPLICANT: Smith, Louis C.
    APPLICANT: Cristiano, Richard J.
;
    APPLICANT: Gottchalk, Stephen
;
    TITLE OF INVENTION: NUCLEIC ACID TRANSPORTER SYSTEMS AND
;
    TITLE OF INVENTION: METHODS OF USE
    NUMBER OF SEQUENCES: 65
    CORRESPONDENCE ADDRESS:
      ADDRESSEE: Lyon & Lyon
      STREET: 633 West Fifth Street
      STREET: Suite 4700
      CITY: Los Angeles
      STATE: California
      COUNTRY: U.S.A.
;
      ZIP: 90071-2066
;
    COMPUTER READABLE FORM:
;
      MEDIUM TYPE: 3.5" Diskette, 1.44 Mb
```

```
MEDIUM TYPE: storage
      COMPUTER: IBM Compatible
      OPERATING SYSTEM: IBM P.C. DOS 5.0
      SOFTWARE: FastSEQ for Windows 2.0
    CURRENT APPLICATION DATA:
      APPLICATION NUMBER: US/08/460,971A
      FILING DATE: June 5, 1995
      CLASSIFICATION: 435
    PRIOR APPLICATION DATA:
      APPLICATION NUMBER: 08/167,641
      FILING DATE: December 14, 1993
      APPLICATION NUMBER: 07/855,389
      FILING DATE: March 20, 1992
      APPLICATION NUMBER: PCT/US93/02725
      FILING DATE: March 19, 1993
    ATTORNEY/AGENT INFORMATION:
      NAME: Warburg, Richard J.
      REGISTRATION NUMBER: 32,327
      REFERENCE/DOCKET NUMBER: 212/063
    TELECOMMUNICATION INFORMATION:
      TELEPHONE: (213) 489-1600
      TELEFAX: (213) 955-0440
      TELEX: 67-3510
  INFORMATION FOR SEQ ID NO: 47:
    SEQUENCE CHARACTERISTICS:
      LENGTH: 78 amino acids
      TYPE: amino acid
;
      STRANDEDNESS: single
      TOPOLOGY: linear
    MOLECULE TYPE: peptide
US-08-460-971A-47
 Query Match
                        68.9%; Score 412; DB 3; Length 78;
 Best Local Similarity 97.4%; Pred. No. 1.1e-41;
                            2; Mismatches
 Matches 75; Conservative
                                               0; Indels
                                                             0; Gaps
                                                                         0;
           4 TLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMYCAP 63
Qу
             2 TLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMYCAP 61
Db
Qу
          64 LKPAKSARSVRAQRHTD 80
             1:11:111111111111
Db
          62 LRPARSARSVRAQRHTD 78
RESULT 14
US-08-462-040-47
; Sequence 47, Application US/08462040
; Patent No. 6177554
  GENERAL INFORMATION:
    APPLICANT: Woo, Savio L.C.
    APPLICANT: Smith, Louis C.
    APPLICANT: Cristiano, Richard J.
    APPLICANT: Gottchalk, Stephen
    TITLE OF INVENTION: NUCLEIC ACID TRANSPORTER SYSTEMS AND
    TITLE OF INVENTION: METHODS OF USE
    NUMBER OF SEQUENCES: 65
```

```
CORRESPONDENCE ADDRESS:
      ADDRESSEE: Lyon & Lyon
;
      STREET: 633 West Fifth Street
      STREET: Suite 4700
      CITY: Los Angeles
      STATE: California
      COUNTRY: U.S.A.
      ZIP: 90071-2066
    COMPUTER READABLE FORM:
      MEDIUM TYPE: 3.5" Diskette, 1.44 Mb
MEDIUM TYPE: storage
      COMPUTER: IBM Compatible
      OPERATING SYSTEM: IBM P.C. DOS 5.0
      SOFTWARE: FastSEQ for Windows 2.0
    CURRENT APPLICATION DATA:
      APPLICATION NUMBER: US/08/462,040
      FILING DATE: June 5, 1995
      CLASSIFICATION: 536
    PRIOR APPLICATION DATA:
      APPLICATION NUMBER: 08/167,641
      FILING DATE: December 14, 1993
      APPLICATION NUMBER: 07/855,389
      FILING DATE: March 20, 1992
      APPLICATION NUMBER: PCT/US93/02725
      FILING DATE: March 19, 1993
;
    ATTORNEY/AGENT INFORMATION:
      NAME: Warburg, Richard J.
      REGISTRATION NUMBER: 32,327
      REFERENCE/DOCKET NUMBER: 212/078
    TELECOMMUNICATION INFORMATION:
      TELEPHONE: (213) 489-1600
      TELEFAX: (213) 955-0440
      TELEX: 67-3510
  INFORMATION FOR SEQ ID NO: 47:
    SEQUENCE CHARACTERISTICS:
      LENGTH: 78 amino acids
;
      TYPE: amino acid
      STRANDEDNESS: single
      TOPOLOGY: linear
    MOLECULE TYPE: peptide
US-08-462-040-47
                        68.9%; Score 412; DB 3; Length 78;
 Query Match
                        97.4%; Pred. No. 1.1e-41;
 Best Local Similarity
          75; Conservative 2; Mismatches 0; Indels
 Matches
                                                              0; Gaps
                                                                         0;
           4 TLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMYCAP 63
Qу
             Db
           2 TLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMYCAP 61
          64 LKPAKSARSVRAQRHTD 80
Qу
             1:|1:|||||
Db
          62 LRPARSARSVRAQRHTD 78
```

RESULT 15 US-07-953-230A-9

```
; Sequence 9, Application US/07953230A
; Patent No. 5476779
  GENERAL INFORMATION:
    APPLICANT: CHEN, Thomas T
    APPLICANT: SHAMBLOTT, Michael J
    TITLE OF INVENTION: INSULIN-LIKE GROWTH FACTORS ISOLATED
    TITLE OF INVENTION: FROM RAINBOW TROUT
    NUMBER OF SEQUENCES: 12
    CORRESPONDENCE ADDRESS:
      ADDRESSEE: Burns, Doane, Swecker & Mathis
      STREET: George Mason Bldg., Washington & Prince Sts.
      CITY: Alexandria
      STATE: Virginia
      COUNTRY: United States
      ZIP: 22313-1404
    COMPUTER READABLE FORM:
      MEDIUM TYPE: Floppy disk
      COMPUTER: IBM PC compatible
      OPERATING SYSTEM: PC-DOS/MS-DOS
      SOFTWARE: PatentIn Release #1.0, Version #1.25
    CURRENT APPLICATION DATA:
      APPLICATION NUMBER: US/07/953,230A
      FILING DATE: 30-SEP-1992
      CLASSIFICATION: 435
    ATTORNEY/AGENT INFORMATION:
      NAME: Crane-Feury, Sharon E
      REGISTRATION NUMBER: 36,113
      REFERENCE/DOCKET NUMBER: 028755-010
    TELECOMMUNICATION INFORMATION:
      TELEPHONE: (703) 836-6620
      TELEFAX: (703) 836-2021
  INFORMATION FOR SEQ ID NO: 9:
    SEQUENCE CHARACTERISTICS:
      LENGTH: 176 amino acids
      TYPE: amino acid
      STRANDEDNESS: single
      TOPOLOGY: linear
    MOLECULE TYPE: protein
US-07-953-230A-9
                        66.6%; Score 398; DB 1; Length 176;
 Query Match
                       62.8%; Pred. No. 1.4e-39;
 Best Local Similarity
 Matches 76; Conservative 10; Mismatches 19; Indels
                                                                       1;
                                                           16; Gaps
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qу
             45 GPETLCGAELVDTLQFVCGERGFYFSKPTGYGPSSRRSHNRGIVDECCFQSCELRRLEMY 104
Db
          61 CAPLKPAKSARSVRAQRHTDMPKTQKY-----QPPSTNKNTKSQRRKGS 104
Qу
                                                    105 CAPVKSGKAARSVRAQRHTDMPRTPKVSTAVQSVDRGTERRTAQHPDKTKPKKEVHQKNS 164
Db
         105 T 105
QУ
         165 S 165
Search completed: December 12, 2003, 16:41:14
Job time: 16.247 secs
```

## GenCore version 5.1.6 Copyright (c) 1993 - 2003 Compugen Ltd.

OM protein - protein search, using sw model

Run on: December 12, 2003, 16:34:56; Search time 11.5964 Seconds

(without alignments)

912.229 Million cell updates/sec

Title: US-09-852-261-2

Perfect score: 598

Sequence: 1 GPETLCGAELVDALQFVCGD.....STNKNTKSQRRKGSTFEEHK 110

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 283308 seqs, 96168682 residues

Total number of hits satisfying chosen parameters: 283308

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database: PIR 76:\*

1: pir1:\*

2: pir2:\*

3: pir3:\*

4: pir4:\*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

#### SUMMARIES

					DOIMERCED	
D 1 t-		8				
Result		Query				
No.	Score	Match	Length	DB	ID	Description
1	 E C O	02.6	105	 1	TOULID	
1	560	93.6	195	1	IGHU1B	insulin-like growt
2	521.5	87.2	159	2	A26859	insulin-like growt
3	503.5	84.2	133	2	A40912	insulin-like growt
4	494	82.6	181	2	A27804	insulin-like growt
5	468	78.3	137	1	IGGP1	insulin-like growt
6	468	78.3	137	2	A36552	insulin-like growt
7	468	78.3	153	1	IGHU1	insulin-like growt
8	464.5	77.7	153	2	S12825	insulin-like growt
9	463	77.4	122	2	PN0622	insulin-like growt
10	463	77.4	153	1	IGBO1	insulin-like growt
11	459	76.8	154	2	JC2483	insulin-like growt
12	455	76.1	138	2	S22878	insulin-like growt
13	455	76.1	154	2	A33390	insulin-like growt

14	450	75.3	153	2	B27804	insulin-like grow	t
15	447	74.7	127	2	A25540	insulin-like grow	t
16	432	72.2	127	2	B40912	insulin-like grow	t
17	422	70.6	153	2	A41399	insulin-like grow	t
18	419.5	70.2	153	2	A36079	insulin-like grow	
19	403.5	67.5	161	2	C54270	insulin-like grow	t
20	401	67.1	155	2	C44012	insulin-like grow	t
21	401	67.1	176	2	A41396	insulin-like grow	t
22	401	67.1	188	2	A54270	insulin-like grow	
23	401	67.1	188	2	B54270	insulin-like grow	
24	399	66.7	149	2	D54270	insulin-like grow	t
25	398	66.6	176	2	A46244	insulin-like grow	t
26	298.5	49.9	126	2	S66485	insulin-like grow	t
27	293	49.0	193	2	A53697	insulin-like grow	t
28	264.5	44.2	214	2	B46244	insulin-like grow	t
29	248.5	41.6	187	2	T10897	insulin-like grow	t
30	241	40.3	179	2	S04858	insulin-like grow	t
31	235	39.3	128	2	I57671	insulin-like grow	t
32	235	39.3	155	1	IGBO2	insulin-like grow	t
33	233	39.0	180	2	A24913	insulin-like grow	t
34	231	38.6	180	1	IGHU2	insulin-like grow	t
35	229.5	38.4	180	1	IGRT2	insulin-like grow	t
36	228.5	38.2	93	2	153642	insulin-like grow	t
37	228	38.1	181	2	B60738	insulin-like grow	t
38	225.5	37.7	183	2	S02423	insulin-like grow	t
39	219.5	36.7	139	2	A38612	insulin-like grow	t
40	219.5	36.7	183	2	167610	insulin-like grow	t
41	212.5	35.5	79	2	I51240	insulin-like growt	t
42	207	34.6	210	2	S66484	insulin-like growt	t
43	200	33.4	66	2	A60740	insulin-like growt	t
44	178	29.8	44	2	A34049	insulin-like growt	t
45	159.5	26.7	50	1	INFIS	insulin - shorthor	r

#### ALIGNMENTS

#### RESULT 1

### IGHU1B

insulin-like growth factor I precursor, splice form B [validated] - human

N; Alternate names: IGF-IB; somatomedin C

N; Contains: insulin-like growth factor IB-E1 amide

C; Species: Homo sapiens (man)

C;Date: 30-Jun-1987 #sequence\_revision 30-Jun-1987 #text change 31-Dec-2000

C; Accession: A01611; A26181; S30540; B48960; A42664

R; Rotwein, P.; Pollock, K.M.; Didier, D.K.; Krivi, G.G.

J. Biol. Chem. 261, 4828-4832, 1986

A; Title: Organization and sequence of the human insulin-like growth factor I gene. Alternative RNA processing produces two insulin-like growth factor I precursor peptides.

A; Reference number: A92581; MUID: 86168194; PMID: 2937782

A;Accession: A01611 A;Molecule type: DNA A;Residues: 1-195 <ROT1>

A; Cross-references: GB: M14155; NID: g183106; PIDN: AAA52537.1; PID: g183109

R; Rotwein, P.

Proc. Natl. Acad. Sci. U.S.A. 83, 77-81, 1986

```
A; Title: Two insulin-like growth factor I messenger RNAs are expressed in human
liver.
A; Reference number: A26181; MUID: 86094355; PMID: 3455760
A; Accession: A26181
A; Molecule type: mRNA
A; Residues: 1-195 < ROT2>
A; Cross-references: GB:M11568; NID:q183111; PIDN:AAA52539.1; PID:q183112
R; Sandberg Nordqvist, A.C.; Stahlbom, P.A.; Lake, M.; Sara, V.R.
submitted to the EMBL Data Library, November 1990
A; Description: Nucleotide sequence of the human fetal brain IGF-1b.
A; Reference number: S30540
A; Accession: S30540
A; Molecule type: mRNA
A; Residues: 1-195 <SAN>
A; Cross-references: EMBL: X56774; NID: q32991; PIDN: CAA40093.1; PID: q32992
R; Sandberg-Nordqvist, A.C.; Stahlbom, P.A.; Reinecke, M.; Collins, V.P.; von
Holst, H.; Sara, V.
Cancer Res. 53, 2475-2478, 1993
A; Title: Characterization of insulin-like growth factor 1 in human primary brain
A; Reference number: A48960; MUID: 93265440; PMID: 8495408
A; Accession: B48960
A; Molecule type: mRNA
A; Residues: 1-195 <SA2>
A; Cross-references: GB: X56774; GB: S61860; NID: g32991; PIDN: CAA40093.1;
PID:g32992
A; Experimental source: anaplastic oligodendroglioma
A; Note: sequence modified after extraction from NCBI backbone
A; Note: the authors translated the codon CAG for residues 124 and 133 as Glu
A; Note: sequence extracted from NCBI backbone (NCBIN:133058)
R; Siegfried, J.M.; Kasprzyk, P.G.; Treston, A.M.; Mulshine, J.L.; Quinn, K.A.;
Cuttitta, F.
Proc. Natl. Acad. Sci. U.S.A. 89, 8107-8111, 1992
A; Title: A mitogenic peptide amide encoded within the E peptide domain of the
insulin-like growth factor IB prohormone.
A; Reference number: A42664; MUID: 92390398; PMID: 1325646
A; Contents: annotation; IBE-1; amidated carboxyl end
C; Comment: For an alternative splice form, see PIR: IGHU1.
C; Genetics:
A; Gene: GDB: IGF1
A; Cross-references: GDB:120081; OMIM:147440
A; Map position: 12q22-12q24.1
A; Introns: 21/3; 74/1; 134/3
C; Superfamily: insulin
C; Keywords: alternative splicing; amidated carboxyl end; growth factor; plasma
F;1-21/Domain: signal sequence #status predicted <SIG>
F;22-48/Domain: propeptide #status predicted <PRO>
F;49-118/Product: insulin-like growth factor I #status predicted <MAT>
F;49-77/Domain: insulin chain B-like #status predicted <CHB>
F;78-89/Domain: insulin connecting C peptide-like #status predicted <CHC>
F;90-110/Domain: insulin chain A-like #status predicted <CHA>
F;111-118/Domain: D peptide #status predicted <CHD>
F;119-195/Domain: carboxyl-terminal propeptide (E peptide) #status predicted
<CHE>
F:151-172/Product: insulin-like growth factor IB-E1 amide #status predicted
F;54-96,66-109,95-100/Disulfide bonds: #status predicted
```

```
F:172/Modified site: amidated carboxyl end (Arg) (amide in mature form from following glycine) #status predicted
```

```
Query Match
                       93.6%; Score 560; DB 1; Length 195;
 Best Local Similarity 100.0%; Pred. No. 5.3e-51;
 Matches 103; Conservative
                             0; Mismatches
                                             0; Indels
                                                           0: Gaps
                                                                      0;
Qу
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
             Db
          49 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPOTGIVDECCFRSCDLRRLEMY 108
Qу
          61 CAPLKPAKSARSVRAQRHTDMPKTQKYQPPSTNKNTKSQRRKG 103
            Db
         109 CAPLKPAKSARSVRAQRHTDMPKTQKYQPPSTNKNTKSQRRKG 151
RESULT 2
A26859
insulin-like growth factor IB precursor - rat
C; Species: Rattus norvegicus (Norway rat)
C;Date: 19-Nov-1988 #sequence revision 19-Nov-1988 #text_change 16-Jul-1999
C; Accession: A26859
R; Shimatsu, A.; Rotwein, P.
Nucleic Acids Res. 15, 7196, 1987
A; Title: Sequence of two rat insulin-like growth factor I mRNAs differing within
the 5' untranslated region.
A; Reference number: A26859; MUID: 88015572; PMID: 3658684
A; Accession: A26859
A; Molecule type: mRNA
A; Residues: 1-159 <SHI>
A; Cross-references: GB: X06107; GB: M32260; GB: Y00429; NID: q56424;
PIDN:CAA29480.1; PID:q56425
C; Superfamily: insulin
C; Keywords: alternative splicing; growth factor
 Query Match
                       87.2%; Score 521.5; DB 2; Length 159;
 Best Local Similarity
                       89.2%; Pred. No. 4.5e-47;
          99; Conservative
                             2; Mismatches
                                              9;
                                                 Indels
                                                           1; Gaps
                                                                     1;
Qy
          1 GPETLCGAELVDALOFVCGDRGFYFNKPTGYGSSSRRAPOTGIVDECCFRSCDLRRLEMY 60
            Db
          49 GPETLCGAELVDALQFVCGPRGFYFNKPTGYGSSIRRAPQTGIVDECCFRSCDLRRLEMY 108
         61 CAPLKPAKSARSVRAQRHTDMPKTQKYQPPSTNKNTKSQ-RRKGSTFEEHK 110
Qy
            Db
         109 CAPLKPTKSARSIRAQRHTDMPKTQKSQPLSTHKKRKLQRRRKGSTLEEHK 159
RESULT 3
A40912
insulin-like growth factor I precursor form 1 - rat
C; Species: Rattus norvegicus (Norway rat)
C;Date: 28-Feb-1992 #sequence revision 28-Feb-1992 #text change 16-Jul-1999
C; Accession: A40912
R; Roberts Jr., C.T.; Lasky, S.R.; Lowe Jr., W.L.; Seaman, W.T.; LeRoith, D.
Mol. Endocrinol. 1, 243-248, 1987
```

```
A; Title: Molecular cloning of rat insulin-like growth factor I complementary
deoxyribonucleic acids: differential messenger ribonucleic acid processing and
regulation by growth hormone in extrahepatic tissues.
A; Reference number: A40912; MUID: 88288198; PMID: 3453891
A; Accession: A40912
A; Status: preliminary
A; Molecule type: mRNA
A; Residues: 1-133 < ROB>
A;Cross-references: GB:M15480; NID:g204749; PIDN:AAA41385.1; PID:g204750
C; Superfamily: insulin
 Query Match
                         84.2%; Score 503.5; DB 2; Length 133;
  Best Local Similarity
                         86.5%; Pred. No. 2.8e-45;
 Matches
           96; Conservative
                               2; Mismatches
                                                12; Indels
                                                                          1;
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qγ
             Db
          23 GPETLCGAELVDALQFVCGPRGFYFNKPTGYGSSIRRAPQTGIVDECCFRSCDLRRLEMY 82
          61 CAPLKPAKSARSVRAQRHTDMPKTQKYQPPSTNKNTKSQ-RRKGSTFEEHK 110
Qу
                 Db
          83 CVRCKPTKSARSIRAQRHTDMPKTQKSQPLSTHKKRKLQRRRKGSTLEEHK 133
RESULT 4
A27804
insulin-like growth factor I precursor - rat
C; Species: Rattus norvegicus (Norway rat)
C;Date: 09-Jun-1988 #sequence revision 09-Jun-1988 #text change 16-Jul-1999
C; Accession: A27804; I65202
R; Shimatsu, A.; Rotwein, P.
J. Biol. Chem. 262, 7894-7900, 1987
A; Title: Mosaic evolution of the insulin-like growth factors. Organization,
sequence, and expression of the rat insulin-like growth factor I gene.
A; Reference number: A27804; MUID: 87222423; PMID: 3034909
A; Accession: A27804
A; Status: preliminary
A; Molecule type: DNA
A; Residues: 1-181 <SHI>
A; Cross-references: GB:M15650; GB:J02743; NID:q204296; PIDN:AAA41214.1;
PID: g204299
R; Roberts, C.T.
Biochem. Biophys. Res. Commun. 146, 1154-1159, 1987
A; Title: Rat IGF-I cDNA's contain multiple 5'-untranslated regions.
A; Reference number: I52218; MUID: 87298553; PMID: 3619921
A; Accession: I65202
A; Status: preliminary; translated from GB/EMBL/DDBJ
A; Molecule type: mRNA
A; Residues: 1-27 < RES>
A;Cross-references: GB:M17594; NID:g204759; PIDN:AAA41390.1; PID:g204760
C; Superfamily: insulin
C; Keywords: alternative splicing
 Query Match
                         82.6%; Score 494; DB 2; Length 181;
 Best Local Similarity
                         84.4%; Pred. No. 3.7e-44;
         92; Conservative
                              4; Mismatches 13; Indels
                                                              0; Gaps
                                                                          0;
```

```
1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qу
             49 GPETLCGAELVDALQFVCGPRGFYFNKPTGYGSSIRRAPQTGIVDECCFRSCDLRRLEMY 108
Db
          61 CAPLKPAKSARSVRAORHTDMPKTQKYQPPSTNKNTKSQRRKGSTFEEH 109
QУ
             Db
         109 CAPLKPTKSARSIRAQRHTDMPKTQKSQPLSTHKKRKLQRRRKGESKAH 157
RESULT 5
IGGP1
insulin-like growth factor I precursor - guinea pig
C; Species: Cavia porcellus (quinea pig)
C;Date: 30-Sep-1991 #sequence revision 30-Sep-1991 #text change 07-Nov-1997
C; Accession: S12719
R; Bell, G.I.; Stempien, M.M.; Fong, N.M.; Seino, S.
Nucleic Acids Res. 18, 4275, 1990
A; Title: Sequence of a cDNA encoding guinea pig IGF-I.
A; Reference number: S12719; MUID: 90332447; PMID: 2377480
A; Accession: S12719
A; Molecule type: mRNA
A; Residues: 1-137 <BEL>
A; Cross-references: EMBL: X52951
A; Note: it is uncertain whether Met-1 or Met-8 is the initiator
C; Superfamily: insulin
C; Keywords: glycoprotein; growth factor; plasma
F;1-32/Domain: signal sequence #status predicted <SIG>
F;33-102/Product: insulin-like growth factor I #status predicted <MAT>
F;33-61/Domain: insulin chain B-like #status predicted <CHB>
F;62-73/Domain: insulin connecting C peptide-like #status predicted <CHC>
F;74-94/Domain: insulin chain A-like #status predicted <CHA>
F;95-102/Domain: D peptide #status predicted <CHD>
F;103-137/Domain: carboxyl-terminal propeptide (E peptide) #status predicted
<CHE>
F;124/Binding site: carbohydrate (Asn) (covalent) #status predicted
                        78.3%; Score 468; DB 1; Length 137;
 Ouerv Match
 Best Local Similarity
                        100.0%; Pred. No. 1.5e-41;
 Matches
          86; Conservative 0; Mismatches 0; Indels
                                                                       0;
           1 GPETLCGAELVDALOFVCGDRGFYFNKPTGYGSSSRRAPOTGIVDECCFRSCDLRRLEMY 60
Qу
             Db
          33 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 92
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
Qу
             Db
          93 CAPLKPAKSARSVRAQRHTDMPKTQK 118
RESULT 6
A36552
insulin-like growth factor la precursor - human
C; Species: Homo sapiens (man)
C;Date: 12-Apr-1991 #sequence_revision 12-Apr-1991 #text_change 16-Jul-1999
C; Accession: A36552
R; Tobin, G.; Yee, D.; Bruenner, N.; Rotwein, P.
Mol. Endocrinol. 4, 1914-1920, 1990
```

```
A; Title: A novel human insulin-like growth factor I messenger RNA is expressed
in normal and tumor cells.
A; Reference number: A36552; MUID: 91187000; PMID: 2082190
A:Accession: A36552
A; Status: preliminary
A; Molecule type: mRNA
A; Residues: 1-137 <TOB>
A;Cross-references: GB:M37484; NID:q184833; PIDN:AAA52789.1; PID:q184834
C; Superfamily: insulin
  Query Match
                         78.3%; Score 468; DB 2; Length 137;
  Best Local Similarity
                         100.0%; Pred. No. 1.5e-41;
                                                                            0;
  Matches
           86; Conservative
                                0; Mismatches
                                                  0; Indels
                                                                0; Gaps
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qу
              33 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 92
Db
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
Qy
             93 CAPLKPAKSARSVRAORHTDMPKTOK 118
Db
RESULT 7
IGHU1
insulin-like growth factor I precursor, splice form A [validated] - human
N; Alternate names: IGF-I long splice form precursor; IGF-IA; somatomedin C
C; Species: Homo sapiens (man)
C;Date: 24-Apr-1984 #sequence revision 30-Jun-1987 #text change 31-Dec-2000
C; Accession: A92581; A23614; A93321; JT0571; A23622; A92226; A60483; S30519;
A48960; I57044; A01610
R; Rotwein, P.; Pollock, K.M.; Didier, D.K.; Krivi, G.G.
J. Biol. Chem. 261, 4828-4832, 1986
A; Title: Organization and sequence of the human insulin-like growth factor I
gene. Alternative RNA processing produces two insulin-like growth factor I
precursor peptides.
A; Reference number: A92581; MUID: 86168194; PMID: 2937782
A; Accession: A92581
A; Molecule type: DNA
A; Residues: 1-153 < ROT>
A;Cross-references: GB:M14156; NID:g183107; PIDN:AAA52538.1; PID:g183110
R; de Pagter-Holthuizen, P.; van Schaik, F.M.A.; Verduijn, G.M.; van Ommen,
G.J.B.; Bouma, B.N.; Jansen, M.; Sussenbach, J.S.
FEBS Lett. 195, 179-184, 1986
A; Title: Organization of the human genes for insulin-like growth factors I and
A; Reference number: A91356; MUID: 86108862; PMID: 3002851
A; Accession: A23614
A; Molecule type: DNA
A; Residues: 24-153 <DEP>
A; Cross-references: GB: X03420; GB: X00362; NID: g33020; PIDN: CAA27152.1;
PID:g33021; GB:X03421; NID:g33024; PID:g755741; GB:X03422; NID:g33027;
PID:q1335141
R; Jansen, M.; van Schaik, F.M.A.; Ricker, A.T.; Bullock, B.; Woods, D.E.;
Gabbay, K.H.; Nussbaum, A.L.; Sussenbach, J.S.; Van den Brande, J.L.
Nature 306, 609-611, 1983
A; Title: Sequence of cDNA encoding human insulin-like growth factor I precursor.
```

```
A; Reference number: A93321; MUID: 84068210; PMID: 6358902
A; Accession: A93321
A; Molecule type: mRNA
A; Residues: 1-153 < JAN>
A; Cross-references: GB: X00173; NID: g33015; PIDN: CAA24998.1; PID: g33016
A; Note: Met-24 is proposed as a likely initiator
R; Steenbergh, P.H.; Koonen-Reemst, A.M.C.B.; Cleutjens, C.B.J.M.; Sussenbach,
J.S.
Biochem. Biophys. Res. Commun. 175, 507-514, 1991
A; Title: Complete nucleotide sequence of the high molecular weight human IGF-I
A; Reference number: JT0571; MUID: 91207342; PMID: 2018498
A; Accession: JT0571
A; Molecule type: mRNA
A; Residues: 1-153 <STE>
A; Cross-references: EMBL: X57025; NID: g33007; PIDN: CAA40342.1; PID: g33008
R; Le Bouc, Y.; Dreyer, D.; Jaeger, F.; Binoux, M.; Sondermeyer, P.
FEBS Lett. 196, 108-112, 1986
A; Title: Complete characterization of the human IGF-I nucleotide sequence
isolated from a newly constructed adult liver cDNA library.
A; Reference number: A23622; MUID: 86108910; PMID: 2935423
A; Accession: A23622
A; Molecule type: mRNA
A; Residues: 1-153 <LEB>
A;Cross-references: GB:M27544; NID:q184829; PIDN:AAA52787.1; PID:q306927
R; Rinderknecht, E.; Humbel, R.E.
J. Biol. Chem. 253, 2769-2776, 1978
A; Title: The amino acid sequence of human insulin-like growth factor I and its
structural homology with proinsulin.
A; Reference number: A92226; MUID: 78130171; PMID: 632300
A; Accession: A92226
A; Molecule type: protein
A; Residues: 49-118 <RIN>
R; Karey, K.P.; Marquardt, H.; Sirbasku, D.A.
Blood 74, 1084-1092, 1989
A; Title: Human platelet-derived mitogens. Identification of insulinlike growth
factors I and II by purification and N(alpha) amino acid sequence analysis.
A; Reference number: A60483; MUID: 89323462; PMID: 2752153
A; Accession: A60483
A; Molecule type: protein
A; Residues: 49-53, 'X', 55-65, 'X', 67-75 < KAR>
A; Experimental source: platelet lysate
R; Nordqvist Sandberg, A.C.; Stahlbom, P.A.; Lake, M.; Sara, V.R.
submitted to the EMBL Data Library, November 1990
A; Description: Nucleotide sequence of the human fetal brain IGF-1a.
A; Reference number: S30519
A; Accession: S30519
A; Status: preliminary
A; Molecule type: mRNA
A; Residues: 1-153 < NOR>
A; Cross-references: EMBL: X56773; NID: q32989; PIDN: CAA40092.1; PID: q32990
R; Sandberg-Nordqvist, A.C.; Stahlbom, P.A.; Reinecke, M.; Collins, V.P.; von
Holst, H.; Sara, V.
Cancer Res. 53, 2475-2478, 1993
A; Title: Characterization of insulin-like growth factor 1 in human primary brain
tumors.
```

A; Reference number: A48960; MUID: 93265440; PMID: 8495408

```
A; Accession: A48960
A; Molecule type: mRNA
A; Residues: 1-123, 'E', 125-132, 'E', 134-153 <SAN>
A; Cross-references: GB: X56773; GB: S61841; NID: g32989
A; Experimental source: anaplastic oligodendroglioma
A; Note: sequence extracted from NCBI backbone (NCBIN:133056, NCBIP:133057)
A; Note: sequence inconsistent with the nucleotide translation
R; Rall, L.B.; Scott, J.; Bell, G.I.
Meth. Enzymol. 146, 239-248, 1987
A; Title: Human insulin-like growth factor I and II messenger RNA: isolation of
complementary DNA and analysis of expression.
A; Reference number: I57044; MUID: 88065102; PMID: 3683205
A; Accession: I57044
A; Status: preliminary; translated from GB/EMBL/DDBJ
A; Molecule type: mRNA
A; Residues: 24-153 < RAL>
A;Cross-references: GB:M29644; NID:q183119; PIDN:AAA52543.1; PID:q183120
C; Comment: The insulin-like growth factors, isolated from plasma, are
structurally and functionally related to insulin but have a much higher growth-
promoting activity.
C; Comment: For an alternative splice form, see PIR: IGHU1B.
C; Genetics:
A; Gene: GDB: IGF1
A; Cross-references: GDB:120081; OMIM:147440
A; Map position: 12q22-12q24.1
A; Introns: 21/3; 74/1; 134/3
C; Superfamily: insulin
C; Keywords: alternative splicing; growth factor; plasma
F;1-21/Domain: signal sequence #status predicted <SIG>
F;22-48/Domain: propeptide #status predicted <PRO>
F;49-118/Product: insulin-like growth factor I #status experimental <MAT>
F;49-77/Domain: insulin chain B-like #status experimental <CHB>
F;78-89/Domain: insulin connecting C peptide-like #status experimental <CHC>
F;90-110/Domain: insulin chain A-like #status experimental <CHA>
F;111-118/Domain: D peptide #status experimental <CHD>
F;119-153/Domain: carboxyl-terminal propeptide (E peptide) #status predicted
F;54-96,66-109,95-100/Disulfide bonds: #status predicted
  Query Match
                         78.3%; Score 468; DB 1; Length 153;
  Best Local Similarity
                         100.0%; Pred. No. 1.6e-41;
          86; Conservative
                              0; Mismatches
                                                                           0;
                                                 0; Indels
                                                                   Gaps
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qy
             Db
          49 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 108
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
Qу
             109 CAPLKPAKSARSVRAQRHTDMPKTQK 134
Db
RESULT 8
S12825
insulin-like growth factor I precursor - pig
N; Alternate names: somatomedin C
C; Species: Sus scrofa domestica (domestic pig)
```

```
C;Date: 13-Jan-1995 #sequence revision 13-Jan-1995 #text change 16-Jul-1999
C; Accession: S12825; S21488; A34938; A60738
R; Mueller, M.; Brem, G.
Nucleic Acids Res. 18, 364, 1990
A; Title: Nucleotide sequence of porcine insulin-like growth factor I: 5'
untranslated region, exons 1 and 2 and mRNA.
A; Reference number: S12825; MUID: 90221822; PMID: 2326169
A; Accession: S12825
A; Status: preliminary
A; Molecule type: DNA
A; Residues: 1-153 <MUE>
A; Cross-references: EMBL: X52388
R; Dickson, M.C.; Huskisson, N.S.; Gilmour, R.S.
submitted to the EMBL Data Library, November 1989
A; Description: Porcine Insulin-like growth factor gene: sequence of exon and 5'
non-coding region.
A; Reference number: S21488
A; Accession: S21488
A; Molecule type: DNA
A; Residues: 1-21 <DIC>
A; Cross-references: EMBL: X17638; NID: g1995; PIDN: CAA35632.1; PID: g1996
R; Tavakkol, A.; Simmen, F.A.; Simmen, R.C.M.
Mol. Endocrinol. 2, 674-681, 1988
A; Title: Porcine insulin-like growth factor-I (pIGF-I): complementary
deoxyribonucleic acid cloning and uterine expression of messenger ribonucleic
acid encoding evolutionarily conserved IGF-I peptides.
A; Reference number: A34938; MUID: 89096956; PMID: 3211153
A; Accession: A34938
A; Molecule type: mRNA
A; Residues: 'Y', 21-153 <TAV>
A; Cross-references: GB:M31175
R; Francis, G.L.; Owens, P.C.; McNeil, K.A.; Wallace, J.C.; Ballard, F.J.
J. Endocrinol. 122, 681-687, 1989
A; Title: Purification, amino acid sequences and assay cross-reactivities of
porcine insulin-like growth factor-I and -II.
A; Reference number: A60738; MUID: 90039035; PMID: 2809477
A; Accession: A60738
A; Molecule type: protein
A; Residues: 49-117, 'X' <FRA>
C; Genetics:
A; Introns: 21/3; 74/1
C; Superfamily: insulin
C; Keywords: growth factor
F;1-22/Domain: signal sequence #status predicted <SIG>
F;23-48/Domain: propeptide #status predicted <PRO>
F;49-153/Product: insulin-like growth factor IA #status experimental <MAT>
 Query Match
                         77.7%; Score 464.5; DB 2; Length 153;
  Best Local Similarity
                         87.3%; Pred. No. 3.8e-41;
 Matches
           89; Conservative
                               1; Mismatches
                                                  5; Indels
                                                                            1;
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qy
              Db
           49 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 108
          61 CAPLKPAKSARSVRAQRHTDMPKTQK-----YQPPSTNKN 95
Qу
              : | | | |
```

```
RESULT 9
PN0622
insulin-like growth factor Ia precursor - dog (fragment)
C; Species: Canis lupus familiaris (dog)
C; Date: 10-Mar-1994 #sequence revision 10-Mar-1994 #text change 07-May-1999
C; Accession: PN0622
R; Delafontaine, P.; Lou, H.; Harrison, D.G.; Bernstein, K.E.
Gene 130, 305-306, 1993
A; Title: Sequence of a cDNA encoding dog insulin-like growth factor I.
A; Reference number: PN0622; MUID: 93366192; PMID: 8359700
A; Accession: PN0622
A; Molecule type: mRNA
A; Residues: 1-122 < DEL>
C; Comment: This protein is a potent inducer of DNA synthesis in multiple cell
types, acting primarily by stimulating cell progression through G1 into S phase.
C; Genetics:
A;Gene: IGFIa
C; Superfamily: insulin
C; Keywords: growth factor
F;20-89/Product: insulin-like growth factor Ia (fragment) #status predicted
<TAM>
                         77.4%; Score 463; DB 2; Length 122;
  Query Match
  Best Local Similarity
                         98.8%; Pred. No. 4.3e-41;
  Matches
          85; Conservative
                                0; Mismatches
                                                 1; Indels
                                                               0; Gaps
                                                                           0;
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qy
              20 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 79
Db
Qу
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
              80 CAPLKPAKSARSVRAQRHTDMPKAQK 105
Db
RESULT 10
IGB01
insulin-like growth factor IA precursor - bovine (fragment)
N; Alternate names: IGF-I; somatomedin C
C; Species: Bos primigenius taurus (cattle)
C;Date: 31-Mar-1988 #sequence revision 28-Apr-1995 #text change 18-Jun-1999
C; Accession: S12672; A25623; S00465
R; Fotsis, T.; Murphy, C.; Gannon, F.
Nucleic Acids Res. 18, 676, 1990
A; Title: Nucleotide sequence of the bovine insulin-like growth factor 1 (IGF-1)
and its IGF-1A precursor.
A; Reference number: S12672; MUID: 90175014; PMID: 2308858
A; Accession: S12672
A; Molecule type: mRNA
A; Residues: 1-153 <FOT>
A; Cross-references: EMBL:X15726; NID:g454; PIDN:CAA33746.1; PID:g455
A; Experimental source: liver
R; Honegger, A.; Humbel, R.E.
J. Biol. Chem. 261, 569-575, 1986
```

```
A; Title: Insulin-like growth factors I and II in fetal and adult bovine serum.
Purification, primary structures, and immunological cross-reactivities.
A; Reference number: A92585; MUID: 86085881; PMID: 3941093
A; Accession: A25623
A; Molecule type: protein
A; Residues: 49-118 <HON>
R; Francis, G.L.; Upton, F.M.; Ballard, F.J.; McNeil, K.A.; Wallace, J.C.
Biochem. J. 251, 95-103, 1988
A; Title: Insulin-like growth factors 1 and 2 in bovine colostrum. Sequences and
biological activities compared with those of a potent truncated form.
A; Reference number: S00465; MUID: 88268820; PMID: 3390164
A; Accession: S00465
A; Molecule type: protein
A; Residues: 49-118 <FRA>
A; Experimental source: colostrum
A; Note: a form of IGF-I lacking the first three residues and possessing enhanced
biological activity compared with IGF-I was also sequenced
C; Superfamily: insulin
C; Keywords: alternative splicing; colostrum; growth factor; plasma
F;1-20/Domain: signal sequence (fragment) #status predicted <SIG>
F;22-48/Domain: propeptide #status predicted <PRO>
F;49-118/Product: insulin-like growth factor IA (active) #status experimental
<TAM>
F;49-77/Domain: insulin B chain-like #status experimental <DOB>
F;78-89/Domain: insulin connecting C peptide-like #status experimental <CHC>
F;90-110/Domain: insulin A chain-like #status experimental <DOA>
F;111-118/Domain: D peptide #status experimental <CHD>
F;119-153/Domain: carboxyl-terminal propeptide (E peptide) #status predicted
F;54-96,66-109,95-100/Disulfide bonds: #status predicted
  Query Match
                         77.4%; Score 463; DB 1; Length 153;
  Best Local Similarity
                         98.8%; Pred. No. 5.4e-41;
           85; Conservative
                                0; Mismatches
                                                  1; Indels
                                                                0;
                                                                            0;
Qу
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
             49 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 108
Db
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
QУ
              109 CAPLKPAKSARSVRAQRHTDMPKAQK 134
Db
RESULT 11
JC2483
insulin-like growth factor-I precursor - goat
C; Species: Capra aegagrus hircus (domestic goat)
C;Date: 16-Mar-1995 #sequence revision 26-May-1995 #text change 17-Mar-1999
C; Accession: JC2483
R; Mikawa, S.; Yoshikawa, G.; Aoki, H.; Yamano, Y.; Sakai, H.; Komano, T.
Biosci. Biotechnol. Biochem. 59, 87-92, 1995
A; Title: Dynamic aspects in the expression of the goat insulin-like growth
factor-I (IGF-I) gene: Diversity in transcription and post-transcription.
A; Reference number: JC2483; MUID: 95201385; PMID: 7765981
A; Accession: JC2483
A; Molecule type: mRNA
```

```
A; Residues: 1-154 <MIK>
A;Cross-references: GB:S11378; DDBJ:D26116; DDBJ:D26117; DDBJ:D26118;
DDBJ:D26119
C; Genetics:
A; Introns: 21/3; 75/1; 135/3
C; Superfamily: insulin
F;1-49/Domain: signal sequence #status predicted <SIG>
F;50-119/Product: insulin-like growth factor-I #status predicted <MAT>
F;120-154/Region: E domain
                         76.8%; Score 459; DB 2; Length 154;
  Query Match
                         97.7%; Pred. No. 1.4e-40;
  Best Local Similarity
                                                                           0;
                                0; Mismatches
                                                2; Indels
                                                               0; Gaps
          84; Conservative
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qу
             50 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 109
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
Qy
              Db
         110 CAPLKPTKSARSVRAQRHTDMPKAQK 135
RESULT 12
S22878
insulin-like growth factor I precursor, splice form 2 - sheep
C; Species: Ovis orientalis aries, Ovis ammon aries (domestic sheep)
C;Date: 23-Apr-1999 #sequence_revision 23-Apr-1999 #text_change 23-Jul-1999
C; Accession: S22878; S07198
R; Dickson, M.C.; Saunders, J.C.; Gilmour, R.S.
J. Mol. Endocrinol. 6, 17-31, 1991
A; Title: The ovine insulin-like growth factor-I gene: characterization,
expression and identification of a putative promoter.
A; Reference number: S22877; MUID: 91197361; PMID: 2015053
A; Accession: S22878
A; Status: preliminary
A; Molecule type: DNA
A; Residues: 1-138 <DIC>
A; Cross-references: EMBL: X51358
R; Francis, G.L.; McNeil, K.A.; Wallace, J.C.; Ballard, F.J.; Owens, P.C.
Endocrinology 124, 1173-1183, 1989
A; Title: Sheep insulin-like growth factors I and II: sequences, activities and
assays.
A; Reference number: S07198; MUID: 89136887; PMID: 2537174
A; Accession: S07198
A; Molecule type: protein
A; Residues: 34-103 <FRA>
A; Experimental source: fetal plasma
C; Genetics:
A; Introns: 5/3; 59/1; 119/3
C; Superfamily: insulin
C; Keywords: alternative splicing; growth factor; plasma
F;7-33/Domain: propeptide #status predicted <PRO>
F;34-103/Product: insulin-like growth factor I (active) #status experimental
<MAT>
F;34-62/Domain: insulin chain B-like #status predicted <DOB>
F;63-74/Domain: insulin connecting peptide-like #status predicted <CHC>
```

```
F;75-95/Domain: insulin chain A-like #status predicted <DOA>
F;96-103/Domain: peptide D #status predicted <CHD>
F;104-138/Domain: carboxyl-terminal propeptide (E peptide) #status predicted
F;39-81,51-94,80-85/Disulfide bonds: #status predicted
                         76.1%; Score 455; DB 2; Length 138;
  Query Match
                         97.7%; Pred. No. 3.3e-40;
  Best Local Similarity
                                                                0; Gaps
                                                                           0;
           84; Conservative
                                0; Mismatches
                                                 2; Indels
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qy
              34 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 93
Db
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
Qy
             94 CAPLKAAKSARSVRAQRHTDMPKAQK 119
Db
RESULT 13
A33390
insulin-like growth factor I precursor, splice form 1 - sheep
N; Alternate names: somatomedin C
C; Species: Ovis orientalis aries, Ovis ammon aries (domestic sheep)
C; Date: 09-Mar-1990 #sequence revision 27-Feb-1997 #text change 23-Jul-1999
C; Accession: S22877; A33390; S07965; S07198
R; Dickson, M.C.; Saunders, J.C.; Gilmour, R.S.
J. Mol. Endocrinol. 6, 17-31, 1991
A; Title: The ovine insulin-like growth factor-I gene: characterization,
expression and identification of a putative promoter.
A; Reference number: S22877; MUID: 91197361; PMID: 2015053
A; Accession: S22877
A; Molecule type: DNA
A; Residues: 1-154 <DIC>
A; Cross-references: EMBL:X51358
R; Wong, E.A.; Ohlsen, S.M.; Godfredson, J.A.; Dean, D.M.; Wheaton, J.E.
DNA 8, 649-657, 1989
A; Title: Cloning of ovine insulin-like growth factor-I cDNAs: heterogeneity in
the mRNA population.
A; Reference number: A33390; MUID: 90126234; PMID: 2575490
A; Accession: A33390
A: Molecule type: mRNA
A; Residues: 1-43, 'SS', 46-154 <WON>
A;Cross-references: GB:M30653; NID:g165929; PIDN:AAA80532.1; PID:g165930
R; Hey, A.W.; Browne, C.A.; Simpson, R.J.; Thorburn, G.D.
Biochim. Biophys. Acta 997, 27-35, 1989
A; Title: Simultaneous isolation of insulin-like growth factors I and II from
adult sheep serum.
A; Reference number: S04972; MUID: 89323215; PMID: 2752053
A; Accession: S07965
A; Molecule type: protein
A; Residues: 50-79 <HEY>
R; Francis, G.L.; McNeil, K.A.; Wallace, J.C.; Ballard, F.J.; Owens, P.C.
Endocrinology 124, 1173-1183, 1989
A; Title: Sheep insulin-like growth factors I and II: sequences, activities and
A; Reference number: S07198; MUID: 89136887; PMID: 2537174
```

```
A: Accession: S07198
A; Molecule type: protein
A; Residues: 50-119 <FRA>
A; Experimental source: fetal plasma
C; Genetics:
A; Introns: 21/3; 75/1; 135/3
C; Superfamily: insulin
C; Keywords: alternative splicing; growth factor; plasma
F;1-21/Domain: signal sequence #status predicted <SIG>
F;22-49/Domain: propeptide #status predicted <PRO>
F;50-119/Product: insulin-like growth factor I (active) #status experimental
F;50-78/Domain: insulin chain B-like #status predicted <DOB>
F;79-90/Domain: insulin connecting peptide-like #status predicted <CHC>
F;91-111/Domain: insulin chain A-like #status predicted <DOA>
F:112-119/Domain: peptide D #status predicted <CHD>
F;120-154/Domain: carboxyl-terminal propeptide (E peptide) #status predicted
<CTP>
F;55-97,67-110,96-101/Disulfide bonds: #status predicted
                         76.1%; Score 455; DB 2; Length 154;
  Query Match
                         97.7%; Pred. No. 3.7e-40;
  Best Local Similarity
                                                2; Indels
                                0; Mismatches
                                                               0; Gaps
          84; Conservative
 Matches
           1 GPETLCGAELVDALOFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qу
             50 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 109
Db
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
Qу
             110 CAPLKAAKSARSVRAQRHTDMPKAQK 135
Db
RESULT 14
B27804
insulin-like growth factor IA precursor - rat
N; Alternate names: IGF-IA; somatomedin C
C; Species: Rattus norvegicus (Norway rat)
C;Date: 16-Mar-1989 #sequence revision 16-Mar-1989 #text change 21-Jul-2000
C; Accession: B27804; A27849; JH0133; A28504; JN0088; A32857; A61096
R; Shimatsu, A.; Rotwein, P.
J. Biol. Chem. 262, 7894-7900, 1987
A; Title: Mosaic evolution of the insulin-like growth factors. Organization,
sequence, and expression of the rat insulin-like growth factor I gene.
A; Reference number: A27804; MUID: 87222423; PMID: 3034909
A; Accession: B27804
A; Molecule type: DNA
A; Residues: 1-153 <SHI>
A; Cross-references: GB:M15651; GB:J02743; NID:g204297; PIDN:AAA41215.1;
PID:g204300
R; Casella, S.J.; Smith, E.P.; Van Wyk, J.J.; Joseph, D.R.; Hynes, M.A.; Hoyt,
E.C.; Lund, P.K.
DNA 6, 325-330, 1987
A; Title: Isolation of rat testis cDNAs encoding an insulin-like growth factor I
precursor.
A; Reference number: A27849; MUID: 88003970; PMID: 3652906
A; Accession: A27849
```

```
A; Molecule type: mRNA
A; Residues: 27-153 <CAS>
A;Cross-references: GB:M17335; NID:g204751; PIDN:AAA41386.1; PID:g204752
R; Kato, H.; Okoshi, A.; Miura, Y.; Noguchi, T.
Agric. Biol. Chem. 54, 1599-1601, 1990
A; Title: A new cDNA clone relating to larger molecular species of rat insulin-
like growth factor-I mRNA.
A; Reference number: JH0133; MUID: 91103966; PMID: 1368571
A; Accession: JH0133
A; Molecule type: mRNA
A; Residues: 27-153 <KAT>
A;Cross-references: GB:D00698; NID:g220780; PIDN:BAA00604.1; PID:g220781
A; Experimental source: liver
R; Murphy, L.J.; Bell, G.I.; Duckworth, M.L.; Friesen, H.G.
Endocrinology 121, 684-691, 1987
A; Title: Identification, characterization, and regulation of a rat complementary
deoxyribonucleic acid which encodes insulin-like growth factor-I.
A; Reference number: A28504; MUID: 87246437; PMID: 3595538
A; Accession: A28504
A; Molecule type: mRNA
A; Residues: 46-153 < MUR>
A;Cross-references: GB:M17714; NID:g204324; PIDN:AAA41227.1; PID:g204325
R; Kato, H.; Takenaka, A.; Miura, Y.; Nishiyama, M.; Noguchi, T.
Agric. Biol. Chem. 54, 2225-2230, 1990
A; Title: Evidence of introduction by molecular cloning of artificial inverted
sequence at the 5'terminus of the sense strand of rat insulin-like growth
factor-I cDNA.
A; Reference number: JN0088; MUID: 91136779; PMID: 1368576
A; Accession: JN0088
A; Molecule type: mRNA
A; Residues: 'MSAPP', 22-153 <KA2>
A; Experimental source: liver
A; Note: the authors present evidence that this mRNA may contain an artifactual
inversion
R; Tamura, K.; Kobayashi, M.; Ishii, Y.; Tamura, T.; Hashimoto, K.; Nakamura, S.;
Niwa, M.; Zapf, J.
J. Biol. Chem. 264, 5616-5621, 1989
A; Title: Primary structure of rat insulin-like growth factor-I and its
biological activities.
A; Reference number: A32857; MUID: 89174609; PMID: 2538424
A:Accession: A32857
A; Molecule type: protein
A; Residues: 49-118 <TAM>
R; Canalis, E.; McCarthy, T.; Centrella, M.
Endocrinology 122, 22-27, 1988
A; Title: Isolation and characterization of insulin-like growth factor I
(somatomedin-C) from cultures of fetal rat calvariae.
A; Reference number: A61096; MUID: 88082445; PMID: 3335205
A; Accession: A61096
A; Molecule type: protein
A; Residues: 49-53, 'X', 55-65 < CAN>
C; Superfamily: insulin
C; Keywords: alternative splicing; growth factor
F;49-118/Product: insulin-like growth factor I #status experimental <ILG>
                          75.3%; Score 450; DB 2; Length 153;
  Query Match
  Best Local Similarity 95.3%; Pred. No. 1.2e-39;
```

```
3: Indels
                                                                            0;
 Matches
           82; Conservative
                                1; Mismatches
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qy
              49 GPETLCGAELVDALQFVCGPRGFYFNKPTGYGSSIRRAPQTGIVDECCFRSCDLRRLEMY 108
Db
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
Qу
              Db
         109 CAPLKPTKSARSIRAQRHTDMPKTQK 134
RESULT 15
A25540
insulin-like growth factor IA precursor - mouse
N; Alternate names: IGF-IA; somatomedin C
C; Species: Mus musculus (house mouse)
C;Date: 30-Jun-1988 #sequence revision 30-Jun-1988 #text change 16-Jul-1999
C; Accession: A25540; I55295; I59090; B25540
R; Bell, G.I.; Stempien, M.M.; Fong, N.M.; Rall, L.B.
Nucleic Acids Res. 14, 7873-7882, 1986
A; Title: Sequences of liver cDNAs encoding two different mouse insulin-like
growth factor I precursors.
A; Reference number: A93643; MUID: 87040760; PMID: 3774549
A; Accession: A25540
A; Molecule type: mRNA
A; Residues: 1-127 <BEL>
A;Cross-references: GB:X04480; NID:g51801; PIDN:CAA28168.1; PID:g51802
R; Tollefsen, S.E.; Lajara, R.; McCusker, R.H.; Clemmons, D.R.; Rotwein, P.
J. Biol. Chem. 264, 13810-13817, 1989
A; Title: Insulin-like growth factors (IGF) in muscle development. Expression of
IGF-I, the IGF-I receptor, and an IGF binding protein during myoblast
differentiation.
A; Reference number: I55295; MUID: 89340472; PMID: 2474537
A; Accession: I55295
A; Status: preliminary; translated from GB/EMBL/DDBJ
A; Molecule type: DNA
A; Residues: 49-108 < RES>
A;Cross-references: GB:M28139; NID:g341835; PIDN:AAA74553.1; PID:g550489
R; Mathews, L.S.; Norstedt, G.; Palmiter, R.D.
Proc. Natl. Acad. Sci. U.S.A. 83, 9343-9347, 1986
A; Title: Regulation of insulin-like growth factor I gene expression by growth
hormone.
A; Reference number: I59090; MUID: 87092249; PMID: 3467309
A; Accession: I59090
A; Status: preliminary; translated from GB/EMBL/DDBJ
A; Molecule type: DNA
A; Residues: 49-108 < RE2>
A; Cross-references: GB:M14983; NID:q194495; PIDN:AAA37925.1; PID:q194496
C; Genetics:
A; Gene: iqf1
C; Superfamily: insulin
C; Keywords: alternative splicing; growth factor
F;1-22/Domain: signal sequence #status predicted <SIG>
F;23-127/Product: insulin-like growth factor IA (active) #status predicted <MAT>
F;23-51/Domain: insulin chain B-like #status predicted <DOB>
F;52-63/Domain: insulin connecting C peptide-like #status predicted <DOC>
F;64-84/Domain: insulin chain A-like #status predicted <DOA>
```

F;85-92/Domain: D peptide #status predicted <DOD>
F;93-127/Domain: carboxyl-terminal propeptide (E peptide) #status predicted <CTP>

Query Ma					Length	127;			
Best Loca									
Matches	81; Conserva	tive 2	2; Mis	smatche	es 3	3; Inde	ls 0;	Gaps	0;
QУ	1 GPETLCGAELV	DALQFVCGI	ORGFYFN	VKPTGY(	SSSSRR	APQTGIVD	ECCFRSCD	LRRLEMY	60
			11111				$H \cap H \cap H$		
Db	23 GPETLCGAELV	DALQFVCGE	RGFYF	KPTGY(	GSSIRRA	APQTGIVD	ECCFRSCD	LRRLEMY	82
Qy	61 CAPLKPAKSAR	SVRAQRHTI	MPKTQI	K 86					
		1:111111							
Db	83 CAPLKPTKAAR	SIRAQRHTI	MPKTQI	X 108					

Search completed: December 12, 2003, 16:40:19 Job time: 12.5964 secs

# GenCore version 5.1.6 Copyright (c) 1993 - 2003 Compugen Ltd.

OM protein - protein search, using sw model

Run on: December 12, 2003, 16:39:37; Search time 23.8554 Seconds

(without alignments)

857.591 Million cell updates/sec

Title: US-09-852-261-2

Perfect score: 598

Sequence: 1 GPETLCGAELVDALQFVCGD.....STNKNTKSQRRKGSTFEEHK 110

Scoring table: BLOSUM62

Gapop 10.0, Gapext 0.5

Searched: 684280 seqs, 185983659 residues

Total number of hits satisfying chosen parameters: 684280

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0% Maximum Match 100%

Listing first 45 summaries

Database: Published Applications AA:\*

1: /cgn2 6/ptodata/2/pubpaa/US07 PUBCOMB.pep:\*

2: /cgn2 6/ptodata/2/pubpaa/PCT NEW PUB.pep:\*

3: /cgn2 6/ptodata/2/pubpaa/US06 NEW PUB.pep:\*

4: /cgn2 6/ptodata/2/pubpaa/US06 PUBCOMB.pep:\*

5: /cgn2\_6/ptodata/2/pubpaa/US07\_NEW\_PUB.pep:\*

6: /cgn2 6/ptodata/2/pubpaa/PCTUS PUBCOMB.pep:\*

7: /cgn2 6/ptodata/2/pubpaa/US08 NEW PUB.pep:\*

8: /cgn2 6/ptodata/2/pubpaa/US08 PUBCOMB.pep:\*

o. /cgiiz\_0/pcodaca/2/pdbpaa/0500\_robcomb.pep.

9: /cgn2\_6/ptodata/2/pubpaa/US09A\_PUBCOMB.pep:\*

10: /cgn2\_6/ptodata/2/pubpaa/US09B\_PUBCOMB.pep:\*

11: /cgn2 6/ptodata/2/pubpaa/US09C PUBCOMB.pep:\*

12: /cgn2 6/ptodata/2/pubpaa/US09 NEW PUB.pep:\*

13: /cgn2\_6/ptodata/2/pubpaa/US10A\_PUBCOMB.pep:\*

14: /cgn2\_6/ptodata/2/pubpaa/US10B\_PUBCOMB.pep:\*

15: /cgn2\_6/ptodata/2/pubpaa/US10C\_PUBCOMB.pep:\*
16: /cgn2\_6/ptodata/2/pubpaa/US10\_NEW\_PUB.pep:\*

17: /cgn2 6/ptodata/2/pubpaa/US60 NEW PUB.pep:\*

18: /cgn2\_6/ptodata/2/pubpaa/US60\_PUBCOMB.pep:\*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

ક

Result Query

No. Score Match Length DB ID

Description

1	598	100.0	110	9	US-09-852-261-2	Sequence 2, Appli
2	572.5	95.7	111	9	US-09-852-261-6	Sequence 6, Appli
3	521.5	87.2	133	15	US-10-161-088-2	Sequence 2, Appli
4	494.5	82.7	111	9	US-09-852-261-4	Sequence 4, Appli
5	468	78.3	105	9	US-09-852-261-10	Sequence 10, Appl
6	468	78.3	137	12	US-10-251-661-8	Sequence 8, Appli
7	468	78.3	153	10	US-09-919-497-74	Sequence 74, Appl
8	468	78.3	153	15	US-10-136-639-3	Sequence 3, Appli
9	468	78.3	153	15	US-10-207-655-55	Sequence 55, Appl
10	465	77.8	105	9	US-09-852-261-14	Sequence 14, Appl
11	463	77.4	105	15	US-10-238-114-3	Sequence 3, Appli
12	463	77.4	153	15	US-10-238-114-2	Sequence 2, Appli
13	457.5	76.5	191	9	US-09-921-398-41	Sequence 41, Appl
14	457.5	76.5	191	15	US-10-280-826-41	Sequence 41, Appl
15	423	70.7	105	9	US-09-852-261-12	Sequence 12, Appl
16	386	64.5	953	12	US-10-241-596-14	Sequence 14, Appl
17	385	64.4	70	10	US-09-848-664-29	Sequence 29, Appl
18	385	64.4	70	10	US-09-848-664-30	Sequence 30, Appl
19	385	64.4	70	10	US-09-903-327A-8	Sequence 8, Appli
20	385	64.4	70	11	US-09-858-935B-3	Sequence 3, Appli
21	385	64.4	70	12	US-10-444-326-1	Sequence 1, Appli
22	385	64.4	70	14	US-10-028-410-1	Sequence 1, Appli
23	385	64.4	70	14	US-10-066-009A-1	Sequence 1, Appli
24	385	64.4	70	15	US-10-136-639-1	Sequence 1, Appli
25	385	64.4	70	15	US-10-136-841-7	Sequence 7, Appli
26	385	64.4	118	15	US-10-179-046-14	Sequence 14, Appl
27	385	64.4	155	9	US-09-921-398-39	Sequence 39, Appl
28	385	64.4	155	15	US-10-280-826-39	Sequence 39, Appl
29	385	64.4	510	10	US-09-903-327A-12	Sequence 12, Appl
30	378	63.2	91	12	US-10-323-046-42	Sequence 42, Appl
31	317	53.0	68	12	US-10-339-740-218	Sequence 218, App
32	300	50.2	56	14	US-10-066-009A-5	Sequence 5, Appli
33	237	39.6	180	15	US-10-207-655-57	Sequence 57, Appl
34	231	38.6	156	10	US-09-972-809-7	Sequence 7, Appli
35	231	38.6	180	15	US-10-081-119-38	Sequence 38, Appl
36	231	38.6	180	15	US-10-136-841-2	Sequence 2, Appli
37	231	38.6	180	15	US-10-097-340-145	Sequence 145, App
38	223.5	37.4	46	9	US-09-205-658-138	Sequence 138, App
39	223.5	37.4	46	9	US-09-205-658-139	Sequence 139, App
40	223.5	37.4	46	12	US-09-963-693-138	Sequence 138, App
41	223.5	37.4	46	12	US-09-963-693-139	Sequence 139, App
42	223	37.3	67	14	US-10-066-009A-2	Sequence 2, Appli
43	223	37.3	67	15	US-10-136-639-2	Sequence 2, Appli
44	223	37.3	67	15	US-10-136-841-8	Sequence 8, Appli
45	223	37.3	70	15	US-10-136-841-4	Sequence 4, Appli

## ALIGNMENTS

# RESULT 1 US-09-852-261-2

- ; Sequence 2, Application US/09852261
- ; Patent No. US20020083477A1
- ; GENERAL INFORMATION:
- ; APPLICANT: GOLDSPINK, GEOFFREY

```
; APPLICANT: TERENGHI, GIORGIO
  TITLE OF INVENTION: REPAIR OF NERVE DAMAGE
  FILE REFERENCE: 117-351
  CURRENT APPLICATION NUMBER: US/09/852,261
  CURRENT FILING DATE: 2001-05-10
  PRIOR APPLICATION NUMBER: GB 0011278.9
  PRIOR FILING DATE: 2000-05-10
 NUMBER OF SEQ ID NOS: 14
  SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 2
   LENGTH: 110
   TYPE: PRT
   ORGANISM: Homo sapiens
US-09-852-261-2
 Query Match
                       100.0%; Score 598; DB 9; Length 110;
 Best Local Similarity 100.0%; Pred. No. 1.8e-61;
 Matches 110; Conservative 0; Mismatches
                                           0; Indels
                                                          0; Gaps
                                                                     0;
Qу
          1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
            Db
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qy
          61 CAPLKPAKSARSVRAQRHTDMPKTQKYQPPSTNKNTKSQRRKGSTFEEHK 110
            Db
          61 CAPLKPAKSARSVRAQRHTDMPKTQKYQPPSTNKNTKSQRRKGSTFEEHK 110
RESULT 2
US-09-852-261-6
; Sequence 6, Application US/09852261
; Patent No. US20020083477A1
; GENERAL INFORMATION:
  APPLICANT: GOLDSPINK, GEOFFREY
  APPLICANT: TERENGHI, GIORGIO
  TITLE OF INVENTION: REPAIR OF NERVE DAMAGE
  FILE REFERENCE: 117-351
  CURRENT APPLICATION NUMBER: US/09/852,261
  CURRENT FILING DATE: 2001-05-10
  PRIOR APPLICATION NUMBER: GB 0011278.9
 PRIOR FILING DATE: 2000-05-10
  NUMBER OF SEQ ID NOS: 14
  SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 6
   LENGTH: 111
   TYPE: PRT
   ORGANISM: Oryctolagus cuniculus
US-09-852-261-6
 Query Match
                       95.7%; Score 572.5; DB 9; Length 111;
 Best Local Similarity 96.4%; Pred. No. 1.6e-58;
 Matches 107; Conservative
                            1; Mismatches
                                             2; Indels
                                                          1; Gaps
                                                                     1;
          1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qу
            Db
          1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
```

```
Qу
          61 CAPLKPAKSARSVRAQRHTDMPKTQKYQPPSTNKNTKSQ-RRKGSTFEEHK 110
             Db
          61 CAPLKPAKAARSVRAQRHTDMPKTOKYOPPSTNKKMKSORRRKGSTFEEHK 111
RESULT 3
US-10-161-088-2
; Sequence 2, Application US/10161088
; Publication No. US20030077761A1
; GENERAL INFORMATION:
  APPLICANT: Parrow, Vendela
  APPLICANT: Rosengren, Linda
; TITLE OF INVENTION: NEW METHODS
  FILE REFERENCE: 13425-111001
  CURRENT APPLICATION NUMBER: US/10/161,088
  CURRENT FILING DATE: 2002-05-31
  PRIOR APPLICATION NUMBER: SE 0101934-8
  PRIOR FILING DATE: 2001-06-01
  NUMBER OF SEQ ID NOS: 3
  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 2
   LENGTH: 133
   TYPE: PRT
   ORGANISM: Homo sapiens
US-10-161-088-2
 Query Match
                       87.2%; Score 521.5; DB 15; Length 133;
 Best Local Similarity
                       89.2%; Pred. No. 1.6e-52;
 Matches 99; Conservative 2; Mismatches 9; Indels
                                                                     1:
Qy
          1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
            23 GPETLCGAELVDALQFVCGPRGFYFNKPTGYGSSIRRAPQTGIVDECCFRSCDLRRLEMY 82
Qу
          61 CAPLKPAKSARSVRAQRHTDMPKTOKYOPPSTNKNTKSO-RRKGSTFEEHK 110
            Db
         83 CAPLKPTKAARSIRAQRHTDMPKTQKSPSLSTNKKTKLQRRRKGSTFEEHK 133
RESULT 4
US-09-852-261-4
; Sequence 4, Application US/09852261
; Patent No. US20020083477A1
; GENERAL INFORMATION:
  APPLICANT: GOLDSPINK, GEOFFREY
  APPLICANT: TERENGHI, GIORGIO
  TITLE OF INVENTION: REPAIR OF NERVE DAMAGE
  FILE REFERENCE: 117-351
  CURRENT APPLICATION NUMBER: US/09/852,261
  CURRENT FILING DATE: 2001-05-10
  PRIOR APPLICATION NUMBER: GB 0011278.9
  PRIOR FILING DATE: 2000-05-10
  NUMBER OF SEQ ID NOS: 14
  SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 4
  LENGTH: 111
   TYPE: PRT
```

```
; ORGANISM: Rattus sp.
US-09-852-261-4
 Query Match
                       82.7%; Score 494.5; DB 9; Length 111;
 Best Local Similarity 85.6%; Pred. No. 1.7e-49;
         95; Conservative
                             2: Mismatches 13: Indels
                                                         1; Gaps
                                                                    1:
Qy
          1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
            Db
          1 GPETLCGAELVDALQFVCGPRGFYFNKPTVYGSSIRRAPQTGIVDECCFRSCDLRRLEMY 60
Qу
         61 CAPLKPAKSARSVRAQRHTDMPKTQKYQPPSTNKNTKSQ-RRKGSTFEEHK 110
                Db
          61 CVRCKPTKSARSIRAQRHTDMPKTQKSQPLSTHKKRKLQRRRKGSTLEEHK 111
RESULT 5
US-09-852-261-10
; Sequence 10, Application US/09852261
; Patent No. US20020083477A1
; GENERAL INFORMATION:
  APPLICANT: GOLDSPINK, GEOFFREY
  APPLICANT: TERENGHI, GIORGIO
  TITLE OF INVENTION: REPAIR OF NERVE DAMAGE
  FILE REFERENCE: 117-351
  CURRENT APPLICATION NUMBER: US/09/852,261
  CURRENT FILING DATE: 2001-05-10
  PRIOR APPLICATION NUMBER: GB 0011278.9
  PRIOR FILING DATE: 2000-05-10
  NUMBER OF SEO ID NOS: 14
  SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 10
   LENGTH: 105
   TYPE: PRT
   ORGANISM: Homo sapiens
US-09-852-261-10
 Query Match
                      78.3%; Score 468; DB 9; Length 105;
 Best Local Similarity 100.0%; Pred. No. 1.9e-46;
          86; Conservative 0; Mismatches
                                           0; Indels
                                                         0; Gaps
                                                                   0:
Qу
          1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
            Db
          1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
         61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
Qу
            Db
         61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
RESULT 6
US-10-251-661-8
; Sequence 8, Application US/10251661
; Publication No. US20030166555A1
; GENERAL INFORMATION:
; APPLICANT: Alberini, Cristina M.
 APPLICANT: Bear, Mark F.
```

```
TITLE OF INVENTION: Methods and Compositions for Regulating
  TITLE OF INVENTION: Memory Consolidation
  FILE REFERENCE: 3499.1001-003
  CURRENT APPLICATION NUMBER: US/10/251,661
  CURRENT FILING DATE: 2002-09-20
  PRIOR APPLICATION NUMBER: 60/193.614
  PRIOR FILING DATE: 2000-03-31
 PRIOR APPLICATION NUMBER: PCT/US01/10661
 PRIOR FILING DATE: 2001-04-02
 NUMBER OF SEO ID NOS: 12
  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 8
   LENGTH: 137
   TYPE: PRT
   ORGANISM: Homo sapiens
US-10-251-661-8
  Query Match 78.3%; Score 468; DB 12; Length 137; Best Local Similarity 100.0%; Pred. No. 2.6e-46;
          86; Conservative 0; Mismatches 0; Indels 0; Gaps
                                                                        0;
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qу
             Db
          33 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 92
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
Qу
             1111111111111111111111111111
Db
          93 CAPLKPAKSARSVRAQRHTDMPKTQK 118
RESULT 7
US-09-919-497-74
; Sequence 74, Application US/09919497
; Patent No. US20020106662A1
; GENERAL INFORMATION:
 APPLICANT: Mutter, George L.
  TITLE OF INVENTION: PROGNOSTIC CLASSIFICATION OF ENDOMETRIAL CANCER
  FILE REFERENCE: B0801/7225
; CURRENT APPLICATION NUMBER: US/09/919,497
; CURRENT FILING DATE: 2001-07-31
  PRIOR APPLICATION NUMBER: US 60/221,735
 PRIOR FILING DATE: 2000-07-31
; NUMBER OF SEQ ID NOS: 100
  SOFTWARE: PatentIn version 3.0
; SEO ID NO 74
   LENGTH: 153
   TYPE: PRT
   ORGANISM: Homo sapiens
US-09-919-497-74
 Query Match
                        78.3%; Score 468; DB 10; Length 153;
 Best Local Similarity 100.0%; Pred. No. 3e-46;
 Matches 86; Conservative
                            0; Mismatches 0; Indels
                                                             0; Gaps
                                                                        0;
Qу
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPOTGIVDECCFRSCDLRRLEMY 60
             49 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 108
```

```
Qу
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
              Db
         109 CAPLKPAKSARSVRAQRHTDMPKTQK 134
RESULT 8
US-10-136-639-3
; Sequence 3, Application US/10136639
; Publication No. US20030072761A1
; GENERAL INFORMATION:
; APPLICANT: LeBowitz, Jonathan
; TITLE OF INVENTION: METHODS AND COMPOSITIONS FOR TARGETING PROTEINS ACROSS
THE BLOOD BRAIN
; TITLE OF INVENTION: BARRIER
 FILE REFERENCE: SYM-008
  CURRENT APPLICATION NUMBER: US/10/136,639
  CURRENT FILING DATE: 2002-09-06
  PRIOR APPLICATION NUMBER: US 60/329,650
   PRIOR FILING DATE: 2001-10-16
  NUMBER OF SEQ ID NOS: 4
  SOFTWARE: PatentIn version 3.0
; SEQ ID NO 3
   LENGTH: 153
   TYPE: PRT
   ORGANISM: Homo sapiens
US-10-136-639-3
  Query Match
                         78.3%; Score 468; DB 15; Length 153;
  Best Local Similarity 100.0%; Pred. No. 3e-46;
 Matches 86; Conservative 0; Mismatches
                                                0; Indels
                                                              0; Gaps
                                                                          0:
           1 \ \ \mathsf{GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY} \ \ \mathbf{60}
Qу
             Db
          49 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPOTGIVDECCFRSCDLRRLEMY 108
Qν
          61 CAPLKPAKSARSVRAORHTDMPKTOK 86
             1111111111111111111111111111111
Db
         109 CAPLKPAKSARSVRAQRHTDMPKTQK 134
RESULT 9
US-10-207-655-55
; Sequence 55, Application US/10207655
; Publication No. US20030118592A1
; GENERAL INFORMATION:
; APPLICANT: Ledbetter, Jeffrey A.
; APPLICANT: Hayden-Ledbetter, Martha S.
  TITLE OF INVENTION: BINDING DOMAIN-IMMUNOGLOBULIN FUSION PROTEINS
  FILE REFERENCE: 390069.401C1
  CURRENT APPLICATION NUMBER: US/10/207,655
  CURRENT FILING DATE: 2002-07-25
  NUMBER OF SEQ ID NOS: 426
  SOFTWARE: PatentIn version 3.0
; SEQ ID NO 55
   LENGTH: 153
   TYPE: PRT
```

```
; ORGANISM: Homo sapiens
US-10-207-655-55
  Query Match
                        78.3%; Score 468; DB 15; Length 153;
  Best Local Similarity 100.0%; Pred. No. 3e-46;
  Matches
          86; Conservative 0; Mismatches
                                               0; Indels
                                                            0; Gaps
                                                                       0;
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qy
             Db
          49 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 108
Qу
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
             11111111111111111111111
Db
         109 CAPLKPAKSARSVRAQRHTDMPKTQK 134
RESULT 10
US-09-852-261-14
; Sequence 14, Application US/09852261
; Patent No. US20020083477A1
; GENERAL INFORMATION:
  APPLICANT: GOLDSPINK, GEOFFREY
  APPLICANT: TERENGHI, GIORGIO
  TITLE OF INVENTION: REPAIR OF NERVE DAMAGE
  FILE REFERENCE: 117-351
  CURRENT APPLICATION NUMBER: US/09/852,261
  CURRENT FILING DATE: 2001-05-10
  PRIOR APPLICATION NUMBER: GB 0011278.9
  PRIOR FILING DATE: 2000-05-10
; NUMBER OF SEQ ID NOS: 14
  SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 14
   LENGTH: 105
   TYPE: PRT
   ORGANISM: Oryctolagus cuniculus
US-09-852-261-14
  Query Match
                        77.8%; Score 465; DB 9; Length 105;
  Best Local Similarity
                        98.8%; Pred. No. 4.2e-46;
 Matches
          85; Conservative
                              1; Mismatches
                                              0; Indels
                                                            0; Gaps
                                                                       0;
Qу
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
             1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Db
Qу
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
             11111111:1111111111111111111
Db
          61 CAPLKPAKAARSVRAQRHTDMPKTQK 86
RESULT 11
US-10-238-114-3
; Sequence 3, Application US/10238114
; Publication No. US20030100073A1
; GENERAL INFORMATION:
; APPLICANT: Merial
; APPLICANT: ANDREONI , Christine Michele
```

```
; TITLE OF INVENTION: IGF-1 AS FELINE VACCINE ADJUVANT, IN PARTICULAR AGAINST
FELINE RETROVIRUS
; FILE REFERENCE: 454313-3165.1
   CURRENT APPLICATION NUMBER: US/10/238,114
  CURRENT FILING DATE: 2002-09-10
  PRIOR APPLICATION NUMBER: FR 01 11736
  PRIOR FILING DATE: 2001-09-11
; PRIOR APPLICATION NUMBER: US 60/318,666
  PRIOR FILING DATE: 2001-09-12
; NUMBER OF SEQ ID NOS: 20
  SOFTWARE: PatentIn version 3.1
; SEQ ID NO 3
   LENGTH: 105
   TYPE: PRT
   ORGANISM: Felis catus
US-10-238-114-3
  Query Match
                        77.4%; Score 463; DB 15; Length 105;
  Best Local Similarity 98.8%; Pred. No. 7.1e-46;
          85; Conservative 0; Mismatches 1; Indels
Qу
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
             Db
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qу
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
             Db
          61 CAPLKPAKSARSVRAQRHTDMPKAQK 86
RESULT 12
US-10-238-114-2
; Sequence 2, Application US/10238114
; Publication No. US20030100073A1
; GENERAL INFORMATION:
; APPLICANT: Merial
  APPLICANT: ANDREONI , Christine Michele
  TITLE OF INVENTION: IGF-1 AS FELINE VACCINE ADJUVANT, IN PARTICULAR AGAINST
FELINE RETROVIRUS
; FILE REFERENCE: 454313-3165.1
  CURRENT APPLICATION NUMBER: US/10/238,114
; CURRENT FILING DATE: 2002-09-10
; PRIOR APPLICATION NUMBER: FR 01 11736
; PRIOR FILING DATE: 2001-09-11
  PRIOR APPLICATION NUMBER: US 60/318,666
; PRIOR FILING DATE: 2001-09-12
; NUMBER OF SEQ ID NOS: 20
  SOFTWARE: PatentIn version 3.1
; SEQ ID NO 2
   LENGTH: 153
   TYPE: PRT
   ORGANISM: Felis catus
US-10-238-114-2
 Query Match
                        77.4%; Score 463; DB 15; Length 153;
 Best Local Similarity 98.8%; Pred. No. 1.1e-45;
 Matches 85; Conservative 0; Mismatches 1; Indels
                                                           0; Gaps
```

```
Qу
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPOTGIVDECCFRSCDLRRLEMY 60
             Db
          49 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 108
Qу
          61 CAPLKPAKSARSVRAQRHTDMPKTOK 86
             Db
         109 CAPLKPAKSARSVRAQRHTDMPKAQK 134
RESULT 13
US-09-921-398-41
; Sequence 41, Application US/09921398
; Patent No. US20020055169A1
    GENERAL INFORMATION:
        APPLICANT: Tekamp-Olson, Patricia
        TITLE OF INVENTION: METHOD FOR EXPRESSION OF HETEROLOGOUS
                           PROTEINS IN YEAST
        NUMBER OF SEQUENCES: 41
        CORRESPONDENCE ADDRESS:
             ADDRESSEE: Bell Seltzer IP Group of Alston & Bird, LLP
             STREET: 3605 Glenwood Ave. Suite 310
             CITY: Raleigh
             STATE: NC
             COUNTRY: US
             ZIP: 27622
        COMPUTER READABLE FORM:
             MEDIUM TYPE: Floppy disk
             COMPUTER: IBM PC compatible
             OPERATING SYSTEM: PC-DOS/MS-DOS
             SOFTWARE: PatentIn Release #1.0, Version #1.30
        CURRENT APPLICATION DATA:
             APPLICATION NUMBER: US/09/921,398
             FILING DATE: 02-Aug-2001
             CLASSIFICATION: <Unknown>
        ATTORNEY/AGENT INFORMATION:
             NAME: Spruill, W. Murray
             REGISTRATION NUMBER: 32,943
             REFERENCE/DOCKET NUMBER: 5784-4
        TELECOMMUNICATION INFORMATION:
             TELEPHONE: 919 420 2202
             TELEFAX: 919 881 3175
   INFORMATION FOR SEQ ID NO: 41:
        SEQUENCE CHARACTERISTICS:
             LENGTH: 191 amino acids
             TYPE: amino acid
            TOPOLOGY: linear
        MOLECULE TYPE: protein
        SEQUENCE DESCRIPTION: SEQ ID NO: 41:
US-09-921-398-41
 Query Match
                        76.5%; Score 457.5; DB 9; Length 191;
 Best Local Similarity
                       98.9%; Pred. No. 6.3e-45;
 Matches
          86; Conservative
                              0; Mismatches
                                              0; Indels
                                                            1; Gaps
                                                                       1:
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qу
```

```
Db
           86 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 145
Qу
           61 CAPLKPAKSA-RSVRAQRHTDMPKTQK 86
              11111111111
          146 CAPLKPAKSAKRSVRAQRHTDMPKTQK 172
Db
RESULT 14
US-10-280-826-41
; Sequence 41, Application US/10280826
; Publication No. US20030077831A1
    GENERAL INFORMATION:
         APPLICANT: Tekamp-Olson, Patricia
         TITLE OF INVENTION: METHOD FOR EXPRESSION OF HETEROLOGOUS
                            PROTEINS IN YEAST
         NUMBER OF SEQUENCES: 41
         CORRESPONDENCE ADDRESS:
             ADDRESSEE: Bell Seltzer IP Group of Alston & Bird, LLP
             STREET: 3605 Glenwood Ave. Suite 310
             CITY: Raleigh
             STATE: NC
             COUNTRY: US
             ZIP: 27622
         COMPUTER READABLE FORM:
             MEDIUM TYPE: Floppy disk
             COMPUTER: IBM PC compatible
             OPERATING SYSTEM: PC-DOS/MS-DOS
             SOFTWARE: PatentIn Release #1.0, Version #1.30
        CURRENT APPLICATION DATA:
             APPLICATION NUMBER: US/10/280,826
             FILING DATE: 25-Oct-2002
             CLASSIFICATION: <Unknown>
         PRIOR APPLICATION DATA:
             APPLICATION NUMBER: US/08/989,251
             FILING DATE: <Unknown>
        ATTORNEY/AGENT INFORMATION:
             NAME: Spruill, W. Murray
             REGISTRATION NUMBER: 32,943
             REFERENCE/DOCKET NUMBER: 5784-4
        TELECOMMUNICATION INFORMATION:
             TELEPHONE: 919 420 2202
             TELEFAX: 919 881 3175
    INFORMATION FOR SEQ ID NO: 41:
        SEQUENCE CHARACTERISTICS:
             LENGTH: 191 amino acids
             TYPE: amino acid
             TOPOLOGY: linear
        MOLECULE TYPE: protein
        SEQUENCE DESCRIPTION: SEQ ID NO: 41:
US-10-280-826-41
  Query Match
                        76.5%; Score 457.5; DB 15; Length 191;
 Best Local Similarity 98.9%; Pred. No. 6.3e-45;
 Matches 86; Conservative 0; Mismatches 0; Indels
                                                              1; Gaps
                                                                         1;
Qу
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
```

```
Db
         86 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 145
Qу
         61 CAPLKPAKSA-RSVRAQRHTDMPKTQK 86
            Db
         146 CAPLKPAKSAKRSVRAQRHTDMPKTQK 172
RESULT 15
US-09-852-261-12
; Sequence 12, Application US/09852261
; Patent No. US20020083477A1
; GENERAL INFORMATION:
; APPLICANT: GOLDSPINK, GEOFFREY
; APPLICANT: TERENGHI, GIORGIO
  TITLE OF INVENTION: REPAIR OF NERVE DAMAGE
; FILE REFERENCE: 117-351
; CURRENT APPLICATION NUMBER: US/09/852,261
  CURRENT FILING DATE: 2001-05-10
  PRIOR APPLICATION NUMBER: GB 0011278.9
  PRIOR FILING DATE: 2000-05-10
 NUMBER OF SEQ ID NOS: 14
 SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 12
   LENGTH: 105
   TYPE: PRT
   ORGANISM: Rattus sp.
US-09-852-261-12
 Query Match
                       70.7%; Score 423; DB 9; Length 105;
 Best Local Similarity 90.7%; Pred. No. 3e-41;
 Matches 78; Conservative 1; Mismatches
                                            7; Indels
                                                                     0;
Qу
          1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
            Db
          1 GPETLCGAELVDALQFVCGPRGFYFNKPTVYGSSIRRAPQTGIVDECCFRSCDLRRLEMY 60
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
Qy
                Db
         61 CVRCKPTKSARSIRAQRHTDMPKTQK 86
Search completed: December 12, 2003, 16:51:59
Job time : 25.8554 secs
```

## GenCore version 5.1.6 Copyright (c) 1993 - 2003 Compugen Ltd.

OM protein - protein search, using sw model

December 12, 2003, 16:34:01; Search time 28.494 Seconds Run on:

(without alignments)

996.203 Million cell updates/sec

US-09-852-261-2

Perfect score: 598

1 GPETLCGAELVDALQFVCGD.....STNKNTKSQRRKGSTFEEHK 110 Sequence:

Scoring table: BLOSUM62

Gapop 10.0, Gapext 0.5

830525 segs, 258052604 residues Searched:

Total number of hits satisfying chosen parameters: 830525

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

SPTREMBL 23:\* Database :

1: sp\_archea:\*

2: sp\_bacteria:\*
3: sp\_fungi:\*

4: sp human:\*

5: sp invertebrate:\*

6: sp mammal:\*

7: sp mhc:\*

8: sp\_organelle:\*

9: sp phage:\*

10: sp plant:\*

11: sp\_rodent:\*
12: sp\_virus:\*

13: sp\_vertebrate:\*

14: sp unclassified:\*

15: sp rvirus:\*

16: sp\_bacteriap:\*

17: sp archeap:\*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

#### SUMMARIES

ક

Result Query

No. Score Match Length DB ID Description

1	590	98.7	139	4	Q13429	Q13429 homo sapien
2	486	81.3	165	11	Q8CAR0	Q8car0 mus musculu
3	468	78.3	130	4	Q9NP10	Q9np10 homo sapien
4	468	78.3	137	4	Q14620	Q14620 homo sapien
5	463	77.4	133	6	Q9N1C1	Q9n1c1 bos taurus
6	458	76.6	139	6	P79167	P79167 equus cabal
7	450	75.3	127	11	P9789;9	P97899 rattus sp.
8	447	74.7	153	11	Q8C4U6	Q8c4u6 mus musculu
9	422	70.6	153	13	093380	O93380 meleagris g
10	403.5	67.5	161	13	Q91230	Q91230 oncorhynchu
11	401	67.1	145	13	Q91475	Q91475 salmo salar
12	401	67.1	155	13	Q91162	Q91162 oncorhynchu
13	401	67.1	188	13	P81268	P81268 oncorhynchu
14	401	67.1	188	13	Q91965	Q91965 oncorhynchu
15	399.5	66.8	178	13	Q9IBI0	Q9ibi0 cyprinus ca
16	399	66.7	116	13	Q91161	Q91161 oncorhynchu
17	399	66.7	149	13	Q91231	Q91231 oncorhynchu
18	392	65.6	117	13	Q91476	Q91476 salmo salar
19	390.5	65.3	161	13	Q90VV9	Q90vv9 brachydanio
20	382.5	64.0	117	13	Q9I9I4	Q9i9i4 ctenopharyn
21	381	63.7	161	13	Q9PWK2	Q9pwk2 carassius a
22	379.5	63.5	161	13	Q98SR6	Q98sr6 megalobrama
23	378	63.2	161	13	Q9YI82	Q9yi82 carassius a
24	377	63.0	185	13	057436	057436 paralichthy
25	377	63.0	186	13	093527	093527 paralichthy
26	376.5	63.0	159	13	093607	093607 paralichthy
27	376	62.9	182	13	073720	073720 oreochromis
28	376	62.9	182	13	042289	O42289 oreochromis
29	376	62.9	182	13	P79824	P79824 oreochromis
30	370	61.9	186	13	Q9PSX5	Q9psx5 paralichthy
31	355.5	59.4	185	13	Q9YI57	Q9yi57 acanthopagr
32	355	59.4	66	6	Q9N1S6	Q9n1s6 capreolus c
33	351	58.7	184	13	042336	O42336 myoxocephal
34	333.5	55.8	69	6	002807	002807 bubalus bub
35	302	50.5	57	6	Q28236	Q28236 cervus elap
36	298.5	49.9	126	13	Q91442	Q91442 squalus aca
37	278	46.5	62	13	Q9IAA0	Q9iaa0 carassius a
38	264	44.1	215	13	073721	073721 tilapia sp.
39	261	43.6	215	13	042429	O42429 lates calca
40	256.5	42.9	207	13	Q90XD0	Q90xd0 cyprinus ca
41	255.5	42.7	187	13	o57687	O57687 taenopygia
42	250.5	41.9	217	13	Q90WW4	Q90ww4 xenopus lae
43	248.5	41.6	187	13	P79890	P79890 gallus gall
44	248.5	41.6	212	13	Q8JIE4	Q8jie4 brachydanio
45	247	41.3	132	13	Q8AV14	Q8av14 petromyzon
_					~	2 · · · · · · · · · · · · · · · · · · ·

## ALIGNMENTS

```
RESULT 1
Q13429

ID Q13429

AC Q13429;

DT 01-NOV-1996 (TrEMBLrel. 01, Created)

DT 01-NOV-1996 (TrEMBLrel. 01, Last sequence update)

DT 01-MAR-2003 (TrEMBLrel. 23, Last annotation update)
```

```
DE
     Insulin-like growth factor-I (Fragment).
GN
     IGF-I.
OS
    Homo sapiens (Human).
     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
     Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OC
ΟX
    NCBI TaxID=9606;
RN
     [1]
RP
     SEQUENCE FROM N.A.
RC
     TISSUE=Liver:
RX
    MEDLINE=95237119; PubMed=7720641;
     Chew S.L., Lavender P., Clark A.J., Ross R.J.;
RA
RT
     "An alternatively spliced human insulin-like growth factor-I
     transcript with hepatic tissue expression that diverts away from the
RT
RT
    mitogenic IBE1 peptide.";
     Endocrinology 136:1939-1944(1995).
RL
     -!- SUBCELLULAR LOCATION: SECRETED (BY SIMILARITY).
CC
    -!- SIMILARITY: BELONGS TO THE INSULIN/IGF/RELAXIN FAMILY.
CC
    EMBL; U40870; AAA96152.1; -.
DR
    HSSP; P01343; 2GF1.
DR
    InterPro; IPR004825; Ins/IGF/relax.
DR
    Pfam; PF00049; Insulin; 1.
DR
    SMART; SM00078; IlGF; 1.
DR
    PROSITE; PS00262; INSULIN; 1.
DR
FT
    NON TER
                        1
                  1
     SEOUENCE
               139 AA; 15611 MW; A62271872CA29DE4 CRC64;
SO
                         98.7%; Score 590; DB 4; Length 139;
 Query Match
                         99.1%; Pred. No. 1.4e-62;
 Best Local Similarity
 Matches 109; Conservative
                               0; Mismatches
                                                1: Indels
                                                               0; Gaps
                                                                          0;
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qу
             Db
          30 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 89
          61 CAPLKPAKSARSVRAQRHTDMPKTQKYQPPSTNKNTKSQRRKGSTFEEHK 110
Qу
             Db
          90 CAPLKPAKSARSVRAQRHTDMPKTQKYQPPSTNKNTKSQRRKGSTFEERK 139
RESULT 2
Q8CAR0
ID
                PRELIMINARY;
                                 PRT;
                                        165 AA.
    Q8CAR0
AC
    Q8CAR0;
DT
    01-MAR-2003 (TrEMBLrel. 23, Created)
DT
    01-MAR-2003 (TrEMBLrel. 23, Last sequence update)
DT
    01-MAR-2003 (TrEMBLrel. 23, Last annotation update)
DE
    Unknown EST.
OS
    Mus musculus (Mouse).
OC
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX
    NCBI TaxID=10090;
RN
    [1]
RP
    SEQUENCE FROM N.A.
RC
    STRAIN=C57BL/6J; TISSUE=Thymus;
RX
    MEDLINE=22354683; PubMed=12466851;
RA
    The FANTOM Consortium,
RA
    the RIKEN Genome Exploration Research Group Phase I & II Team;
```

```
"Analysis of the mouse transcriptome based on functional annotation of
     60,770 full-length cDNAs.";
RT
     Nature 420:563-573(2002).
RL
     EMBL; AK038119; BAC29934.1; -.
DR
              165 AA; 18473 MW; 2CE0D3DA981C93F8 CRC64;
SO
                         81.3%; Score 486; DB 11; Length 165;
  Query Match
  Best Local Similarity
                         83.5%; Pred. No. 4.6e-50;
  Matches
           91: Conservative
                                4; Mismatches
                                                 14; Indels
                                                                           0:
                                                                0; Gaps
            1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qy
              Db
           33 GPETLCGAELVDALQFVCGPRGFYFNKPTGYGSSIRRAPQTGIVDECCFRSCDLRRLEMY 92
           61 CAPLKPAKSARSVRAQRHTDMPKTQKYQPPSTNKNTKSQRRKGSTFEEH 109
Qу
              93 CAPLKPTKAARSIRAQRHTDMPKTQKSPSLSTNKKTKLQRRRKGEPKTH 141
Db
RESULT 3
Q9NP10
ID
                PRELIMINARY:
                                  PRT;
                                         130 AA.
     Q9NP10
AC
     Q9NP10;
     01-OCT-2000 (TrEMBLrel. 15, Created)
DT
     01-OCT-2000 (TrEMBLrel. 15, Last sequence update) 01-MAR-2003 (TrEMBLrel. 23, Last annotation update)
DT
DT
DE
     IGF1 protein precursor.
GN
     IGF1.
OS
     Homo sapiens (Human).
     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
OC
    Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX
    NCBI TaxID=9606;
RN
     [1]
     SEOUENCE FROM N.A.
RP
RX
    MEDLINE=88065102; PubMed=3683205;
RA
     Rall L.B., Scott J., Bell G.I.;
RT
     "Human insulin-like growth factor I and II messenger RNA: isolation of
RT
     complementary DNA and analysis of expression.";
RL
    Meth. Enzymol. 146:239-248(1987).
CC
    -!- SUBCELLULAR LOCATION: SECRETED (BY SIMILARITY).
CC
     -!- SIMILARITY: BELONGS TO THE INSULIN/IGF/RELAXIN FAMILY.
DR
     EMBL; M29644; AAA52543.1; -.
    HSSP; P01343; 2GF1.
DR
DR
    InterPro; IPR004825; Ins/IGF/relax.
DR
    Pfam; PF00049; Insulin; 1.
DR
    PRINTS; PRO0277; INSULINB.
DR
    SMART; SM00078; IlGF; 1.
DR
    PROSITE; PS00262; INSULIN; 1.
KW
    Signal.
FT
    SIGNAL
                  1
                        25
                                 POTENTIAL.
FT
    CHAIN
                 26
                        95
                                 POTENTIAL.
SO
    SEQUENCE 130 AA; 14406 MW; 970FBAAECFA0352D CRC64;
 Query Match
                         78.3%; Score 468; DB 4; Length 130;
  Best Local Similarity 100.0%; Pred. No. 5e-48;
                              0; Mismatches
                                               0; Indels
 Matches 86; Conservative
                                                               0; Gaps
                                                                           0;
```

RT

```
1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qv
             Db
          26 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 85
          61 CAPLKPAKSARSVRAORHTDMPKTOK 86
Qy
             Db
          86 CAPLKPAKSARSVRAQRHTDMPKTQK 111
RESULT 4
014620
TD
    Q14620
               PRELIMINARY;
                                PRT;
                                       137 AA.
AC
    Q14620;
DT
    01-NOV-1996 (TrEMBLrel. 01, Created)
DΤ
    01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
    01-MAR-2003 (TrEMBLrel. 23, Last annotation update)
DT
DE
    Insulin-like growth factor I precursor.
GN
    IGF1.
os
    Homo sapiens (Human).
OC
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX
    NCBI TaxID=9606;
RN
    [1]
RP
    SEQUENCE FROM N.A.
    MEDLINE=91187000; PubMed=2082190;
RX
RA
    Tobin G., Yee D., Brunner N., Rotwein P.;
RT
    "A novel human insulin-like growth factor I messenger RNA is expressed
    in normal and tumor cells.";
RT
    Mol. Endocrinol. 4:1914-1920(1990).
RL
    -!- SUBCELLULAR LOCATION: SECRETED (BY SIMILARITY).
CC
    -!- SIMILARITY: BELONGS TO THE INSULIN/IGF/RELAXIN FAMILY.
CC
DR
    EMBL; M37484; AAA52789.1; -.
    HSSP; P01343; 2GF1.
DR
DR
    InterPro; IPR004825; Ins/IGF/relax.
    Pfam; PF00049; Insulin; 1.
DR
DR
    PRINTS; PR00277; INSULINB.
DR
    SMART; SM00078; IlGF; 1.
DR
    PROSITE; PS00262; INSULIN; 1.
KW
    Signal.
FT
    SIGNAL
                 1
                       32
                               POTENTIAL.
FТ
    CHAIN
                33
                      137
                               INSULIN-LIKE GROWTH FACTOR I.
SQ
    SEQUENCE
              137 AA; 15177 MW; BFCC0D11E32AB75D CRC64;
 Query Match
                        78.3%; Score 468; DB 4; Length 137;
 Best Local Similarity
                       100.0%; Pred. No. 5.3e-48;
 Matches
          86; Conservative
                              0; Mismatches
                                               0; Indels
                                                            0; Gaps
                                                                       0;
Qу
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
             Db
          33 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPOTGIVDECCFRSCDLRRLEMY 92
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
Qу
             Db
          93 CAPLKPAKSARSVRAQRHTDMPKTQK 118
```

```
Q9N1C1
ID
     Q9N1C1
                PRELIMINARY:
                                  PRT;
                                         133 AA.
AC
     Q9N1C1;
DT
     01-OCT-2000 (TrEMBLrel. 15, Created)
     01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DΤ
     01-MAR-2003 (TrEMBLrel. 23, Last annotation update)
DΤ
DE
     Insulin-like growth factor I (Fragment).
GN
     IGF1.
OS
     Bos taurus (Bovine).
OC
     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
     Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
OC
     Bovidae; Bovinae; Bos.
OC
OX
     NCBI TaxID=9913;
RN
     [1]
     SEQUENCE FROM N.A.
RP
     Lien S., Karlsen A., Klemetsdal G., Vage D.I., Olsaker I.,
RA
     Klungland H., Aasland M., Heringstad B., Ruane J., Gomez-Raya L.;
RA
RT
     "A primary screen of the bovine genome for quantitative trait loci
RT
     affecting twinning rate.";
     Submitted (DEC-1999) to the EMBL/GenBank/DDBJ databases.
RL
CC
     -!- SUBCELLULAR LOCATION: SECRETED (BY SIMILARITY).
     -!- SIMILARITY: BELONGS TO THE INSULIN/IGF/RELAXIN FAMILY.
CC
     EMBL; AF210387; AAF72409.1; -.
DR
     EMBL; AF210385; AAF72409.1; JOINED.
DR
DR
     EMBL; AF210386; AAF72409.1; JOINED.
    HSSP; P01343; 2GF1.
DR
DR
     InterPro; IPR004825; Ins/IGF/relax.
DR
    Pfam; PF00049; Insulin; 1.
DR
    PRINTS; PR00277; INSULINB.
DR
     SMART: SM00078; IlGF: 1.
DR
    PROSITE; PS00262; INSULIN; 1.
FT
    NON TER
                  1
                         1
    SEQUENCE
SO
               133 AA; 14674 MW; A6991DBCB75C103B CRC64;
 Query Match
                         77.4%; Score 463; DB 6; Length 133;
  Best Local Similarity
                         98.8%; Pred. No. 2e-47;
 Matches
          85; Conservative
                                0; Mismatches
                                                 1; Indels
                                                                   Gaps
                                                                           0;
Qy
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
             Db
          29 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 88
Qy
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
             Db
          89 CAPLKPAKSARSVRAQRHTDMPKAQK 114
RESULT 6
P79167
ID
    P79167
                PRELIMINARY;
                                  PRT;
                                         139 AA.
AC
    P79167;
DT
    01-MAY-1997 (TrEMBLrel. 03, Created)
DT
    01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DT
    01-MAR-2003 (TrEMBLrel. 23, Last annotation update)
DE
    Insulin-like growth factor IB precursor (IGF-IB) (Somatomedin C)
DΕ
     (Fragments).
GN
    IGF1.
```

```
OS
     Equus caballus (Horse).
     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
OC
     Mammalia; Eutheria; Perissodactyla; Eguidae; Eguus.
OX
     NCBI TaxID=9796;
RN
     SEQUENCE OF 1-122 FROM N.A.
RP
RC
     TISSUE=LIVER:
RX
     MEDLINE=97013467; PubMed=8860303;
     Otte K., Rozell B., Gessbo A., Engstrom W.;
RA
     "Cloning and sequencing of an equine insulin-like growth factor I cDNA
RT
RT
     and its expression in fetal and adult tissues.";
RL
     Gen. Comp. Endocrinol. 102:11-15(1996).
RN
     [2]
     SEQUENCE OF 123-139 FROM N.A.
RP
     Nixon A.J., Toland B.D., Sandell L.J.;
RΑ
     Submitted (JAN-1997) to the EMBL/GenBank/DDBJ databases.
RL
CC
     -!- FUNCTION: THE INSULIN-LIKE GROWTH FACTORS, ISOLATED FROM PLASMA,
CC
         ARE STRUCTURALLY AND FUNCTIONALLY RELATED TO INSULIN BUT HAVE A
         MUCH HIGHER GROWTH-PROMOTING ACTIVITY.
CC
CC
     -!- SUBCELLULAR LOCATION: SECRETED.
CC
     -!- ALTERNATIVE PRODUCTS: TWO ISOFORMS; ISOFORM IGF-IA (P51458) AND
         ISOFORM IGF-IB (SHOWN HERE); ARE PRODUCED BY ALTERNATIVE SPLICING
CC
CC
         (BY SIMILARITY).
CC
     -!- SIMILARITY: BELONGS TO THE INSULIN/IGF/RELAXIN FAMILY.
     EMBL; U28070; AAA68952.1; -.
DR
DR
     EMBL; U85271; AAB47484.1; -.
DR
     HSSP; P01343; 2GF1.
DR
     InterPro; IPR004825; Ins/IGF/relax.
DR
     PRINTS; PR00277; INSULINB.
DR
     SMART; SM00078; IlGF; 1.
     PROSITE; PS00262; INSULIN; 1.
DR
KW
     Insulin family; Growth factor; Signal.
FT
     SIGNAL
                         ?
                  1
                  ?
FT
     PROPEP
                        48
                                 BY SIMILARITY.
     CHAIN
                  49
FT
                        118
                                 INSULIN-LIKE GROWTH FACTOR IB.
FT
    DOMAIN
                  49
                        77
                                 В.
FΤ
    DOMAIN
                 78
                        89
                                 c.
FT
    DOMAIN
                 90
                       110
                                 A.
FT
    DOMAIN
                111
                       118
                                 D.
FT
    PROPEP
                119
                      >139
                                 E PEPTIDE.
FT
    NON CONS
                122
                       123
FT
    DISULFID
                 54
                        96
                                 BY SIMILARITY.
FT
    DISULFID
                  66
                        109
                                 BY SIMILARITY.
FT
    DISULFID
                 95
                       100
                                 BY SIMILARITY.
FT
    NON TER
                139
                       139
    SEQUENCE
SQ
               139 AA; 15612 MW; CDC0E8F19C261A2C CRC64;
 Query Match
                         76.6%; Score 458; DB 6; Length 139;
  Best Local Similarity
                         85.3%; Pred. No. 8.4e-47;
  Matches
          87; Conservative
                                1; Mismatches
                                                  2; Indels
                                                               12; Gaps
                                                                            1:
Qу
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
              Db
           49 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPOTGIVDECCFRSCDLRRLEMY 108
          61 CAPLKPAKSARSVRAQRHTDMPKTQKYQPPSTNKNTKSQRRK 102
Qу
              1111111 | | | | | | | |
```

```
RESULT 7
P97899
                PRELIMINARY;
                                 PRT:
                                         127 AA.
ΙD
    P97899
AC
    P97899;
     01-MAY-1997 (TrEMBLrel. 03, Created)
DT
DT
     01-MAY-1997 (TrEMBLrel. 03, Last sequence update)
    01-MAR-2003 (TrEMBLrel. 23, Last annotation update)
DΤ
    Insulin-like growth factor I.
DE
OS
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
OC
    Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX
    NCBI TaxID=10118;
RN
    PARTIAL SEQUENCE FROM N.A.
RP
RX
    MEDLINE=87222423; PubMed=3034909;
    Shimatsu A., Rotwein P.;
RA
     "Mosaic evolution of the insulin-like growth factors.";
RT
    J. Biol. Chem. 262:7894-7900(1987).
RI.
RN
    [2]
    SEQUENCE FROM N.A.
RP
    MEDLINE=91103966; PubMed=1368571;
RX
    Kato H., Okoshi A., Miura Y., Noguchi T.;
RA
    "A new cDNA clone relating to larger molecular species of rat insulin-
RT
    like growth factor-I mRNA.";
RT
    Agric. Biol. Chem. 54:1599-1601(1990).
RL
    -!- SUBCELLULAR LOCATION: SECRETED (BY SIMILARITY).
CC
    -!- SIMILARITY: BELONGS TO THE INSULIN/IGF/RELAXIN FAMILY.
CC
    EMBL; D00698; BAA00604.1; -.
DR
    HSSP; P01343; 2GF1.
DR
    InterPro; IPR004825; Ins/IGF/relax.
DR
    Pfam; PF00049; Insulin; 1.
DR
DR
    PRINTS; PRO0277; INSULINB.
    SMART; SM00078; IlGF; 1.
DR
    PROSITE; PS00262; INSULIN; 1.
DR
                                 POTENTIAL.
FT
                 23
                        92
SO
    SEQUENCE
               127 AA; 14106 MW; 104E126BCFCA5CB7 CRC64;
  Query Match
                         75.3%; Score 450; DB 11; Length 127;
 Best Local Similarity 95.3%; Pred. No. 6.9e-46;
           82; Conservative
                              1; Mismatches
                                                3; Indels
                                                                           0:
                                                               0; Gaps
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qу
             Db
          23 GPETLCGAELVDALQFVCGPRGFYFNKPTGYGSSIRRAPQTGIVDECCFRSCDLRRLEMY 82
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
Qу
             11111 1111: 1111111111111111
Db
          83 CAPLKPTKSARSIRAQRHTDMPKTQK 108
RESULT 8
08C4U6
ID
                PRELIMINARY;
    Q8C4U6
                             PRT;
                                         153 AA.
AC
    Q8C4U6;
```

```
DT
     01-MAR-2003 (TrEMBLrel. 23, Created)
DT
    01-MAR-2003 (TrEMBLrel. 23, Last sequence update)
DT
     01-MAR-2003 (TrEMBLrel. 23, Last annotation update)
DΕ
    Unknown EST.
OS
    Mus musculus (Mouse).
OC
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX
    NCBI TaxID=10090;
RN
    [1]
RP
    SEQUENCE FROM N.A.
RC
    STRAIN=C57BL/6J; TISSUE=Cerebellum;
    MEDLINE=22354683; PubMed=12466851;
RX
    The FANTOM Consortium,
RA
RA
     the RIKEN Genome Exploration Research Group Phase I & II Team;
RT
     "Analysis of the mouse transcriptome based on functional annotation of
RT
     60,770 full-length cDNAs.";
    Nature 420:563-573(2002).
RL
DR
    EMBL; AK081019; BAC38117.1; -.
SO
    SEQUENCE
              153 AA; 17093 MW; 967596AEAC0CA387 CRC64;
 Query Match
                         74.7%; Score 447; DB 11; Length 153;
 Best Local Similarity 94.2%; Pred. No. 1.9e-45;
                               2; Mismatches
 Matches 81; Conservative
                                                 3; Indels
                                                               0; Gaps
                                                                           0;
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qу
             Db
          49 GPETLCGAELVDALQFVCGPRGFYFNKPTGYGSSIRRAPQTGIVDECCFRSCDLRRLEMY 108
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
Qу
             Db
         109 CAPLKPTKAARSIRAQRHTDMPKTQK 134
RESULT 9
093380
ID
    093380
                PRELIMINARY;
                                  PRT;
                                        153 AA.
AC
    093380;
DT
   01-NOV-1998 (TrEMBLrel. 08, Created)
     01-NOV-1998 (TrEMBLrel. 08, Last sequence update)
DT
    01-MAR-2003 (TrEMBLrel. 23, Last annotation update)
DT
DE
    Insulin-like growth factor-I precursor.
GN
    IGFI.
OS
    Meleagris gallopavo (Common turkey).
OC
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Archosauria; Aves; Neognathae; Galliformes; Meleagrididae; Meleagris.
OX
    NCBI TaxID=9103;
RN
    [1]
RP
    SEQUENCE FROM N.A.
RC
    STRAIN=Big 6 ML Tom; TISSUE=Liver;
RA
    Czerwinski S.M., Ashwell C.M., McMurtry J.P.;
RT
    "Cloning of turkey insulin-like growth factor-I (IGF-I).";
RL
    Submitted (JUN-1998) to the EMBL/GenBank/DDBJ databases.
    -!- SUBCELLULAR LOCATION: SECRETED (BY SIMILARITY).
CC
    -!- SIMILARITY: BELONGS TO THE INSULIN/IGF/RELAXIN FAMILY.
CC
DR
    EMBL; AF074980; AAC26006.1; -.
DR
    HSSP; P01343; 2GF1.
    InterPro; IPR004825; Ins/IGF/relax.
DR
```

```
DR
     Pfam; PF00049; Insulin; 1.
DR
     PRINTS; PR00277; INSULINB.
DR
     SMART; SM00078; IlGF; 1.
DR
     PROSITE: PS00262: INSULIN: 1.
KW
     Signal.
FT
     SIGNAL
                  1
                        48
                                 POTENTIAL.
FT
     CHAIN
                 49
                       118
                                 INSULIN-LIKE GROWTH FACTOR-I.
               153 AA; 17295 MW; 5AF1E5B8D13C70B5 CRC64;
SO
     SEOUENCE
  Query Match
                         70.6%; Score 422; DB 13; Length 153;
  Best Local Similarity
                         89.5%; Pred. No. 1.9e-42;
                                3; Mismatches
                                                                            0:
 Matches
           77; Conservative
                                                  6; Indels
                                                                0; Gaps
Qy
            1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
              49 GPETLCGAELVDALQFVCGDRGFYFSKPTGYGSSSRRLHHKGIVDECCFQSCDLRRLEMY 108
Db
Qy
           61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
              111:11 111111111111111
Db
          109 CAPIKPPKSARSVRAORHTDMPKAOK 134
RESULT 10
091230
    Q91230
TD
                PRELIMINARY;
                                  PRT:
                                         161 AA.
AC
     091230;
     01-NOV-1996 (TrEMBLrel. 01, Created)
DT
     01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
DТ
     01-MAR-2003 (TrEMBLrel. 23, Last annotation update)
DT
     Insulin-like growth factor-I.
DE
GN
     IGF-I.
     Oncorhynchus tschawytscha (Chinook salmon) (King salmon).
OS
OC
     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
     Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC
     Protacanthopteryqii; Salmoniformes; Salmonidae; Oncorhynchus.
OX
    NCBI TaxID=74940;
RN
     [1]
RP
     SEQUENCE FROM N.A.
     STRAIN=Big Qualicum River; TISSUE=Liver;
RC
     MEDLINE=93247592; PubMed=7683374;
RX
RA
     Wallis A.E., Devlin R.H.;
RT
     "Duplicate insulin-like growth factor-I genes in salmon display
RT
     alternative splicing pathways.";
    Mol. Endocrinol. 7:409-422(1993).
RL
RN
     [2]
RP
     SEQUENCE FROM N.A.
     STRAIN=Big Qualicum River; TISSUE=Liver;
RC
RA
     Devlin R.H.;
RL
     Submitted (OCT-1994) to the EMBL/GenBank/DDBJ databases.
     -!- SUBCELLULAR LOCATION: SECRETED (BY SIMILARITY).
CC
     -!- SIMILARITY: BELONGS TO THE INSULIN/IGF/RELAXIN FAMILY.
CC
     EMBL; U15961; AAA67267.1; -.
DR
     HSSP; P01343; 2GF1.
DR
     InterPro; IPR004825; Ins/IGF/relax.
DR
DR
     Pfam; PF00049; Insulin; 1.
DR
     PRINTS; PRO0277; INSULINB.
     SMART; SM00078; IlGF; 1.
DR
```

```
PROSITE; PS00262; INSULIN; 1.
DR
SO
    SEQUENCE 161 AA; 17763 MW; A5A85D121377BF67 CRC64;
 Ouery Match
                         67.5%; Score 403.5; DB 13; Length 161;
  Best Local Similarity
                         72.0%; Pred. No. 3.2e-40;
           77; Conservative 12; Mismatches 15; Indels
 Matches
                                                              3; Gaps
                                                                          2:
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qy
             11111111:11:111111
Db
          45 GPETLCGAELVDTLQFVCGERGFYFSKPTGYGPSSRRSHNRGIVDECCFQSCELRRLEMY 104
          61 CAPLKPAKSARSVRAQRHTDMPKTQKYQPPSTNKNT--KSQRRKGST 105
Qу
             Db
         105 CAPVKSGKAARSVRAQRHTDMPRTPK-KPLSGNSHTSCKEVHQKNSS 150
RESULT 11
Q91475
ID
    Q91475
                PRELIMINARY;
                                 PRT;
                                        145 AA.
    Q91475;
AC
DT
    01-NOV-1996 (TrEMBLrel. 01, Created)
    01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
DT
    01-MAR-2003 (TrEMBLrel. 23, Last annotation update)
DT
DE
    Insulin-like growth factor I precursor (Fragment).
    Salmo salar (Atlantic salmon).
OS
OC
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Actinopterygii; Neopterygii; Teleostei; Euteleostei;
    Protacanthopterygii; Salmoniformes; Salmonidae; Salmo.
OC
OX
    NCBI TaxID=8030;
RN
    [1]
    SEQUENCE FROM N.A.
RP
    TISSUE=Liver;
RC.
RX
    MEDLINE=93024477; PubMed=1406698;
RA
    Duguay S.J., Park L.K., Samadpour M., Dickhoff W.W.;
RT
    "Nucleotide sequence and tissue distribution of three insulin-like
RT
    growth factor I prohormones in salmon.";
RL
    Mol. Endocrinol. 6:1202-1210(1992).
CC
    -!- SUBCELLULAR LOCATION: SECRETED (BY SIMILARITY).
CC
    -!- SIMILARITY: BELONGS TO THE INSULIN/IGF/RELAXIN FAMILY.
DR
    EMBL; M81904; AAA18211.1; -.
    HSSP; P01343; 2GF1.
DR
DR
    InterPro; IPR004825; Ins/IGF/relax.
DR
    Pfam; PF00049; Insulin; 1.
DR
    PRINTS; PR00277; INSULINB.
DR
    SMART; SM00078; IlGF; 1.
DR
    PROSITE; PS00262; INSULIN; 1.
KW
    Signal.
FT
    NON TER
                 1
                        1
    SIGNAL
FΤ
                 <1
                        18
                                POTENTIAL.
FT
    CHAIN
                 19
                       >88
                                INSULIN-LIKE GROWTH FACTOR I.
FT
    NON TER
                145
                       145
SQ
    SEQUENCE
             145 AA; 15885 MW; 3D94EDF477268FC4 CRC64;
 Query Match
                         67.1%; Score 401; DB 13; Length 145;
 Best Local Similarity 72.3%; Pred. No. 5.7e-40;
 Matches 73; Conservative 11; Mismatches
                                               17; Indels
                                                              0; Gaps
                                                                          0;
```

```
1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qу
             Db
          19 GPETLCGAELVDTLQFVCGERGFYFSKPTGYGPSSRRSHNRGIVDECCFQSCELRRLEMY 78
Qу
          61 CAPLKPAKSARSVRAQRHTDMPKTQKYQPPSTNKNTKSQRR 101
             1:::11
Db
          79 CAPVKSGKAARSVRAQRHTDMPRTPKVSTAVQNVDRGTERR 119
RESULT 12
Q91162
                PRELIMINARY;
ID
    091162
                                  PRT;
                                        155 AA.
AC
    Q91162;
    01-NOV-1996 (TrEMBLrel. 01, Created)
DT
    01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
DΤ
    01-MAR-2003 (TrEMBLrel. 23, Last annotation update)
DT
    Insulin-like growth factor I precursor (Fragment).
DE
    Oncorhynchus kisutch (Coho salmon).
OS
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC
    Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
OC
    NCBI TaxID=8019;
OX
RN
    [1]
    SEOUENCE FROM N.A.
RP
RC
    TISSUE=Liver:
    MEDLINE=90190659; PubMed=2628735;
RX
    Cao Q.P, Duguay S.J, Plisetskaya E., Steiner D.F., Chan S.J.;
RA
    "Nucleotide sequence and growth hormone regulated expression of salmon
RT
RT
    insulin-like growth factor I mRNA.";
    Mol. Endocrinol. 3:2005-2010(1989).
RL
RN
    [2]
    SEOUENCE FROM N.A.
RP
RC
    TISSUE=Liver;
ВX
    MEDLINE=93024477; PubMed=1406698;
    Duguay S.J, Park L.K., Samadpour M., Dickhoff W.W.;
RA
    "Nucleotide sequence and tissue distribution of three insulin-like
RT
    growth factor I prohormones in salmon.";
RT
RL
    Mol. Endocrinol. 6:1202-1210(1992).
CC
    -!- SUBCELLULAR LOCATION: SECRETED (BY SIMILARITY).
    -!- SIMILARITY: BELONGS TO THE INSULIN/IGF/RELAXIN FAMILY.
CC
DR
    EMBL; M81913; AAA49413.1; -.
    HSSP; P01343; 2GF1.
DR
    InterPro; IPR004825; Ins/IGF/relax.
DR
    Pfam; PF00049; Insulin; 1.
DR
DR
    SMART; SM00078; IlGF; 1.
    PROSITE; PS00262; INSULIN; 1.
DR
KW
    Signal.
                  1
    NON TER
FT
                         1
    SIGNAL
                 <1
                        18
FT
                                 POTENTIAL.
FT
    CHAIN
                 19
                       >88
                                 INSULIN-LIKE GROWTH FACTOR I.
                 73
FT
    CONFLICT
                        73
                                 R \rightarrow X (IN REF. 1).
                155
FT
    NON TER
                       155
    SEQUENCE 155 AA; 16968 MW; 022FD3CA39CA3160 CRC64;
SO
 Query Match
                         67.1%; Score 401; DB 13; Length 155;
 Best Local Similarity 72.3%; Pred. No. 6.1e-40;
 Matches 73; Conservative 11; Mismatches 17; Indels
                                                               0; Gaps
                                                                           0:
```

```
Qy
            1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
              Db
           19 GPETLCGAELVDTLOFVCGERGFYFSKPTGYGPSSRRSHNRGIVDECCFOSCELRRLEMY 78
Qу
           61 CAPLKPAKSARSVRAQRHTDMPKTQKYQPPSTNKNTKSQRR 101
              1:::11
Db
           79 CAPVKSGKAARSVRAQRHTDMPRTPKVSTAVQNVDRGTERR 119
RESULT 13
P81268
ID
     P81268
                 PRELIMINARY:
                                  PRT:
                                         188 AA.
AC
     P81268;
     01-AUG-1998 (TrEMBLrel. 07, Created)
DТ
     01-AUG-1998 (TrEMBLrel. 07, Last sequence update)
DT
     01-MAR-2003 (TrEMBLrel. 23, Last annotation update)
DT
DĒ
     Insulin-like growth factor I precursor.
GN
     IGF-I.1.
OS
     Oncorhynchus keta (Chum salmon).
OC
     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
     Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC
     Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
OX
     NCBI TaxID=8018;
RN
     [1]
RP
     SEQUENCE FROM N.A.
RA
     Kavsan V.M., Koval A.P., Grebenjuk V.A., Chan S.J., Steiner D.F.,
     Roberts C.T. Jr., Leroith D.;
RA
     "Structure of the Chum Salmon Insulin-Like Growth Factor I Gene.";
RТ
RL
     DNA Cell Biol. 11:729-737(1993).
RN
     [2]
     SEQUENCE FROM N.A.
RP
RX
    MEDLINE=94296559; PubMed=8024699;
RA
     Kavsan V.M., Grebenjuk V.A., Koval A.P., Skorokhod A.S.,
     Roberts C.T.Jr., Leroith D.;
RΑ
RT
     "Isolation of a second nonallelic insulin-like growth factor I gene
RТ
     from the salmon genome.";
RL
    DNA Cell Biol. 13:555-559(1994).
RN
     [3]
ŘР
    SEQUENCE FROM N.A.
RX
    MEDLINE=95032736;
RA
     Koval A., Kulik V., Duguay S., Plisetskaya E., Adamo M.L.,
RA
     Roberts C.T.Jr., Leroith D., Kavsan V.;
RT
     "Characterization of a salmon insulin-like growth factor I promoter.";
RL
    DNA Cell Biol. 13:1057-1062(1994).
RN
     [4]
RP
    SEQUENCE FROM N.A.
    Gebenjuk V.A., Skorokhod A.S., Anoprienko O.V., Koval A.P.;
RA
RL
    Submitted (MAY-1998) to the EMBL/GenBank/DDBJ databases.
CC
     -!- SUBCELLULAR LOCATION: SECRETED (BY SIMILARITY).
CC
    -!- SIMILARITY: BELONGS TO THE INSULIN/IGF/RELAXIN FAMILY.
DR
    EMBL; AF063216; AAC18833.1; -.
DR
    HSSP; P01343; 2GF1.
    InterPro; IPR004825; Ins/IGF/relax.
DR
DR
    Pfam; PF00049; Insulin; 1.
DR
    PRINTS; PR00277; INSULINB.
DR
    SMART; SM00078; IlGF; 1.
```

```
DR
     PROSITE; PS00262; INSULIN; 1.
SQ
    SEQUENCE 188 AA; 20792 MW; F4CEB6D05E0F24B8 CRC64;
 Query Match
                         67.1%; Score 401; DB 13; Length 188;
 Best Local Similarity
                         72.3%; Pred. No. 7.6e-40;
 Matches
           73; Conservative 11; Mismatches
                                               17; Indels
                                                               0; Gaps
                                                                          0:
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qv
             Db
          45 GPETLCGAELVDTLQFVCGERGFYFSKPTGYGPSSRRSHNRGIVDECCFQSCELRRLEMY 104
          61 CAPLKPAKSARSVRAORHTDMPKTOKYOPPSTNKNTKSORR 101
Qу
             | : ::||
Db
         105 CAPVKSGKAARSVRAQRHTDMPRTPKISTAVQNVDRGTERR 145
RESULT 14
Q91965
ID
    Q91965
                PRELIMINARY;
                                 PRT;
                                        188 AA.
AC
    Q91965;
DT
    01-NOV-1996 (TrEMBLrel. 01, Created)
    01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
DT
    01-MAR-2003 (TrEMBLrel. 23, Last annotation update)
DT
DΕ
    Insulin-like growth factor-I.
GN
    IGF-I.
    Oncorhynchus tschawytscha (Chinook salmon) (King salmon).
OS
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
OC
    Actinopteryqii; Neopteryqii; Teleostei; Euteleostei;
    Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
OC
OX
    NCBI TaxID=74940;
RN
    [1]
    SEQUENCE FROM N.A.
RP
RC
    TISSUE=Liver;
RX
    MEDLINE=93247592; PubMed=7683374;
RA
    Wallis A.E., Devlin R.H.;
RT
    "Duplicate insulin-like growth factor-I genes in salmon display
RT
    alternative splicing pathways.";
    Mol. Endocrinol. 7:409-422(1993).
RL
RN
    [2]
    SEQUENCE FROM N.A.
RP
RC
    TISSUE=Liver;
RA
    Devlin R.H.;
RL
    Submitted (OCT-1994) to the EMBL/GenBank/DDBJ databases.
RN
RP
    SEQUENCE FROM N.A.
RC
    TISSUE=Liver;
RA
    Devlin R.H.;
    Submitted (SEP-1994) to the EMBL/GenBank/DDBJ databases.
RL
CC
    -!- SUBCELLULAR LOCATION: SECRETED (BY SIMILARITY).
    -!- SIMILARITY: BELONGS TO THE INSULIN/IGF/RELAXIN FAMILY.
CC
DR
    EMBL; U15960; AAA67266.1; -.
DR
    EMBL; U14536; AAA67263.1; -.
DR
    HSSP; P01343; 2GF1.
DR
    InterPro; IPR004825; Ins/IGF/relax.
DR
    Pfam; PF00049; Insulin; 1.
DR
    PRINTS; PRO0277; INSULINB.
    SMART; SM00078; IlGF; 1.
DR
```

```
DR
    PROSITE; PS00262; INSULIN; 1.
    SEQUENCE 188 AA; 20782 MW; F4D705BA811024B8 CRC64;
SO
  Query Match
                        67.1%; Score 401; DB 13; Length 188;
  Best Local Similarity
                        72.3%; Pred. No. 7.6e-40;
 Matches
           73; Conservative 11; Mismatches
                                             17; Indels
                                                             0; Gaps
                                                                        0;
Qу
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
             Db
          45 GPETLCGAELVDTLQFVCGERGFYFSKPTGYGPSSRRSHNRGIVDECCFQSCELRRLEMY 104
          61 CAPLKPAKSARSVRAQRHTDMPKTQKYQPPSTNKNTKSQRR 101
Qу
             | : ::||
         105 CAPVKSGKAARSVRAQRHTDMPRTPKVSTAVQNVDRGTERR 145
Db
RESULT 15
Q9IBI0
ID
    09IBI0
                PRELIMINARY;
                                PRT;
                                       178 AA.
AC
    09IBI0;
DT
    01-OCT-2000 (TrEMBLrel. 15, Created)
    01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DT
    01-MAR-2003 (TrEMBLrel. 23, Last annotation update)
DT
DE
    Insulin-like growth factor I subtype Ea2.
GN
    IGF-IEA2.
OS
    Cyprinus carpio (Common carp).
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
OC
    Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;
OC
    Cyprinidae; Cyprinus.
OX
    NCBI TaxID=7962;
RN
    [1]
    SEQUENCE FROM N.A.
RP
RC.
    TISSUE=Liver;
RX
    MEDLINE=96241923; PubMed=8680527;
RΑ
    Liang Y.H., Cheng C.H., Chan K.M.;
    "Insulin-like growth factor IEa2 is the predominantly expressed form
RT
RT
    of IGF in common carp (Cyprinus carpio).";
    Mol. Mar. Biol. Biotechnol. 5:145-152(1996).
RL
    -!- SUBCELLULAR LOCATION: SECRETED (BY SIMILARITY).
CC
    -!- SIMILARITY: BELONGS TO THE INSULIN/IGF/RELAXIN FAMILY.
CC
DR
    EMBL; $82374; AAB37702.2; -.
    HSSP; P01343; 2GF1.
DR
DR
    InterPro; IPR004825; Ins/IGF/relax.
DR
    Pfam; PF00049; Insulin; 1.
DR
    PRINTS; PR00277; INSULINB.
    SMART; SM00078; IlGF; 1.
DR
    PROSITE; PS00262; INSULIN; 1.
DR
    SEQUENCE 178 AA; 19687 MW; 7075A34FF379C459 CRC64;
SO
 Query Match
                        66.8%; Score 399.5; DB 13; Length 178;
                        69.8%; Pred. No. 1.1e-39;
 Best Local Similarity
 Matches 74; Conservative 13; Mismatches
                                             18; Indels
                                                             1;
                                                                Gaps
                                                                        1;
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qу
             Db
          62 GPETLCGAELVDTLQFVCGDRGFYFSKPTGYGPSSRRSHNRGIVDECCFQSCELRRLEMY 121
```

QУ	61	CAPLKPAKSARSVRAQRHTDMPKT-QKYQPPSTNKNTKSQRRKGST 105	5
Db	122	CAPVKPGKTPRSVRAQRHTDSPRTAKKPLPGQSHSSYKEVHQKNSS 16	7

Search completed: December 12, 2003, 16:39:30 Job time : 30.494 secs

## GenCore version 5.1.6 Copyright (c) 1993 - 2003 Compugen Ltd.

OM protein - protein search, using sw model

Run on: December 12, 2003, 16:33:21; Search time 7.62048 Seconds

(without alignments)

678.820 Million cell updates/sec

Title: US-09-852-261-2

Perfect score: 598

Sequence: 1 GPETLCGAELVDALQFVCGD.....STNKNTKSQRRKGSTFEEHK 110

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 127863 seqs, 47026705 residues

Total number of hits satisfying chosen parameters: 127863

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database: SwissProt 41:\*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

## SUMMARIES

		ક					
Result		Query					
No.	Score	Match	Length	DB	ID	Descrip	otion
1	572.5	95.7	143	1	IGF1_RABIT	Q95222	oryctolagus
2	560	93.6	195	1	IGFB HUMAN	P05019	homo sapien
3	521.5	87.2	133	1	IGFB_MOUSE	P05018	mus musculu
4	494	82.6	181	1	IGFB RAT	P08024	rattus norv
5	468	78.3	130	1	IGF1 CAVPO	P17647	cavia porce
6	468	78.3	153	1	IGFA HUMAN	P01343	homo sapien
- 7	464.5	77.7	153	1	IGF1 PIG	P16545	sus scrofa
8	463	77.4	122	1	IGF1 CANFA	P33712	canis famil
9	463	77.4	154	1	IGF1 BOVIN	P07455	bos taurus
10	459	76.8	154	1	IGF1 CAPHI	P51457	capra hircu
11	455	76.1	154	1	IGF1 SHEEP	P10763	ovis aries
12	450	75.3	153	1	IGFA RAT	P08025	rattus norv
13	447	74.7	127	1	IGFA MOUSE	P05017	mus musculu
14	422	70.6	124	1	IGF1 COTJA	P51462	coturnix co
15	422	70.6	153	1	IGF1 CHICK	P18254	gallus gall
16	419.5	70.2	153	1	IGF1 XENLA	P16501	xenopus lae
17	414	69.2	81	1	IGF1_SUNMU	Q28933	suncus muri

18	403	67.4	122	1	IGF1 HORSE	P51458 e	quus cabal
19	401	67.1	176	1	IGF1 ONCKI	P17085 o	ncorhynchu
20	399.5	66.8	161	1	IGFB CYPCA	Q90326 c	yprinus ca
21	398	66.6	176	1	IGF1 ONCMY	Q02815 o	ncorhynchu
22	393.5	65.8	161	1	IGFA CYPCA	Q90325 c	yprinus ca
23	264.5	44.2	214	1	IGF2 ONCMY	Q02816 o	ncorhynchu
24	241	40.3	179	1	IGF2 SHEEP	P10764 o	vis aries
25	235	39.3	128	1	IGF2 CAVPO	Q08279 c	avia porce
26	235	39.3	155	1	IGF2 BOVIN	P07456 b	os taurus
27	233	39.0	180	1	IGF2 MOUSE	P09535 m	us musculu
28	232.5	38.9	129	1	IGF2 MUSVI	P41694 m	ustela vis
29	231	38.6	180	1	IGF2 HUMAN	P01344 h	omo sapien
30	229.5	38.4	180	1	IGF2 RAT	P01346 r	attus norv
31	229	38.3	181	1	IGF2 HORSE	P51459 e	quus cabal
32	228	38.1	181	1	IGF2_PIG	P23695 s	us scrofa
33	222	37.1	66	1	IGF2_CHICK	P33717 g	allus gall
34	219.5	36.7	139	1	IGF_MYXGL	P22618 m	yxine glut
35	159.5	26.7	50	1	INS_MYOSC	P07453 m	yoxocephal
36	158.5	26.5	51	1	INS_GADCA	P01336 g	adus calla
37	155.5	26.0	51	1	INS1_BATSP	P01337 b	atrachoidi
38	154	25.8	50	1	INS2_BATSP	P01338 b	atrachoidi
39	151	25.3	59	1	INS_HYDCO	P09536 h	ydrolagus
40	149	24.9	51	1	INS_CHIBR	P01327 c	hinchilla
41	149	24.9	51	1	INS_ZAODH		aocys dhum
42	148	24.7	51	1	INS_ALLMI	P12703 a	lligator m
43	146.5	24.5	51	1	INS2_THUTH	P01339 t	hunnus thy
44	146	24.4	51	1	INS_ANSAN	P07454 a	nser anser
45	146	24.4	51	1	INS_CROAT	P01334 c	rotalus at

## ALIGNMENTS

```
RESULT 1
IGF1 RABIT
                     STANDARD;
                                     PRT;
ID
     IGF1 RABIT
                                             143 AA.
AC
     Q95222; 018846;
     01-NOV-1997 (Rel. 35, Created)
DT
     16-OCT-2001 (Rel. 40, Last sequence update) 28-FEB-2003 (Rel. 41, Last annotation update)
DT
DT
     Insulin-like growth factor I precursor (IGF-I) (Somatomedin).
DE
GN
     IGF1 OR IGF-1.
OS
     Oryctolagus cuniculus (Rabbit).
OC
     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
     Mammalia; Eutheria; Lagomorpha; Leporidae; Oryctolagus.
OX
     NCBI TaxID=9986;
RN
     [1]
RP
     SEQUENCE FROM N.A. (ISOFORM IGF-IA).
RC
     STRAIN=ZIKA;
RA
     Flekna G., Brem G., Mueller M.;
     Submitted (NOV-1996) to the EMBL/GenBank/DDBJ databases.
RL
RN
     SEQUENCE FROM N.A. (ISOFORM IGF-IB).
RP
     STRAIN=ZIKA; TISSUE=Liver;
RC
RA
     Flekna G., Brem G., Mueller M.;
ŔĹ
     Submitted (SEP-1997) to the EMBL/GenBank/DDBJ databases.
CC
     -!- FUNCTION: THE INSULIN-LIKE GROWTH FACTORS, ISOLATED FROM PLASMA,
```

```
CC
       ARE STRUCTURALLY AND FUNCTIONALLY RELATED TO INSULIN BUT HAVE A
CC
       MUCH HIGHER GROWTH-PROMOTING ACTIVITY.
CC
    -!- SUBCELLULAR LOCATION: Secreted.
CC
    -!- ALTERNATIVE PRODUCTS:
CC
       Event=Alternative splicing; Named isoforms=2;
CC
       Name=IGF-IB;
CC
         IsoId=Q95222-1; Sequence=Displayed;
CC
       Name=IGF-IA;
CC
         IsoId=Q95222-2; Sequence=VSP 002705;
CC
    -!- SIMILARITY: BELONGS TO THE INSULIN/IGF/RELAXIN FAMILY.
CC
    ______
CC
    This SWISS-PROT entry is copyright. It is produced through a collaboration
CC
    between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC
    the European Bioinformatics Institute. There are no restrictions on its
CC
    use by non-profit institutions as long as its content is in no way
CC
    modified and this statement is not removed. Usage by and for commercial
CC
    entities requires a license agreement (See http://www.isb-sib.ch/announce/
    or send an email to license@isb-sib.ch).
CC
    _____
CC
DR
    EMBL; U75390; AAB48032.1; -.
DR
    EMBL; AF022961; AAB80950.1; -.
DR
    HSSP; P01343; 1GF1.
DR
    InterPro; IPR004825; Ins/IGF/relax.
    Pfam; PF00049; Insulin; 1.
DR
    SMART; SM00078; IlGF; 1.
DR
DR
    PROSITE; PS00262; INSULIN; 1.
KW
    Insulin family; Growth factor; Plasma; Signal; Alternative splicing.
FT
               1
                    32
                            POTENTIAL.
               33
                    102
                            INSULIN-LIKE GROWTH FACTOR I.
FT
    CHAIN
    PROPEP
              103
                    143
                             E PEPTIDE.
FT
FT
    DOMAIN
               33
                     61
                             В.
                   73
94
FT
    DOMAIN
               62
                             c.
               74
FT
    DOMAIN
                             Α.
              95 102
                            D.
FT
    DOMAIN
              38 80
FT
   DISULFID
                            BY SIMILARITY.
   DISULFID
               50
                    93
                            BY SIMILARITY.
             79
FT
   DISULFID
                    84
                            BY SIMILARITY.
    VARSPLIC 119
                             YQPPSTNKKMKSQRRRKGSTFEEHK -> EVHLKNTSRGSA
FT
                    143
                             GNKNYRM (in isoform IGF-IA).
FT
                             /FTId=VSP 002705.
FT
    SEQUENCE 143 AA; 16091 MW; 819AF577800A1B1A CRC64;
SO
                      95.7%; Score 572.5; DB 1; Length 143;
 Query Match
 Best Local Similarity 96.4%; Pred. No. 7.3e-54;
 Matches 107; Conservative 1; Mismatches 2; Indels
                                                        1; Gaps
                                                                   1:
          1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qу
            Db
         33 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 92
         61 CAPLKPAKSARSVRAQRHTDMPKTQKYQPPSTNKNTKSQ-RRKGSTFEEHK 110
Qy
            Db
         93 CAPLKPAKAARSVRAQRHTDMPKTQKYQPPSTNKKMKSQRRRKGSTFEEHK 143
```

```
ID
     IGFB HUMAN
                    STANDARD;
                                    PRT;
                                           195 AA.
AC
     P05019;
DT
     13-AUG-1987 (Rel. 05, Created)
DT
     13-AUG-1987 (Rel. 05, Last sequence update)
DT
     15-SEP-2003 (Rel. 42, Last annotation update)
DE
     Insulin-like growth factor IB precursor (IGF-IB) (Somatomedin C).
GN
     IGF1 OR IBP1.
OS
     Homo sapiens (Human).
     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
OC
     Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX
     NCBI TaxID=9606;
RN
     [1]
RP
     SEQUENCE FROM N.A.
RX
     MEDLINE=86168194; PubMed=2937782;
RA
     Rotwein P., Pollock K.M., Didier D.K., Krivi G.G.;
RT
     "Organization and sequence of the human insulin-like growth factor I
RT
     gene. Alternative RNA processing produces two insulin-like growth
RT
     factor I precursor peptides.";
RL
     J. Biol. Chem. 261:4828-4832(1986).
RN
     [2]
RP
     SEQUENCE FROM N.A.
RX
    MEDLINE=86094355; PubMed=3455760;
RA
     Rotwein P.;
RT
     "Two insulin-like growth factor I messenger RNAs are expressed in
RT
    human liver.";
RL
     Proc. Natl. Acad. Sci. U.S.A. 83:77-81(1986).
RN
     SEQUENCE FROM N.A.
RP
RX
    MEDLINE=86108862; PubMed=3002851;
     de Pagter-Holthuizen P., van Schaik F.M.A., Verduijn G.M.,
RA
RA
     van Ommen G.J.B., Bouma B.N., Jansen M., Sussenbach J.S.;
RT
     "Organization of the human genes for insulin-like growth factors I
RT
     and II.";
RL
     FEBS Lett. 195:179-184(1986).
RN
RP
     SEQUENCE OF 22-50 FROM N.A.
RX
    MEDLINE=84295593; PubMed=6382022;
RA
     Dull T.J., Gray A., Hayflick J.S., Ullrich A.;
     "Insulin-like growth factor II precursor gene organization in
RT
RT
     relation to insulin gene family.";
RL
    Nature 310:777-781(1984).
RN
     [5]
RP
    SEQUENCE OF 49-118.
RX
    MEDLINE=78130171; PubMed=632300;
RA
    Rinderknecht E., Humbel R.E.;
RT
     "The amino acid sequence of human insulin-like growth factor I and
RT
     its structural homology with proinsulin.";
RL
    J. Biol. Chem. 253:2769-2776(1978).
RN
    3D-STRUCTURE MODELING.
RP
RX
    MEDLINE=83210259; PubMed=6189745;
RA
     Blundell T.L., Bedarkar S., Humbel R.E.;
RT
     "Tertiary structures, receptor binding, and antigenicity of
RT
     insulinlike growth factors.";
RL
    Fed. Proc. 42:2592-2597(1983).
RN
     [7]
RP
    STRUCTURE BY NMR.
```

```
RX
    MEDLINE=91242464; PubMed=2036417;
RA
    Cooke R.M., Harvey T.S., Campbell I.D.;
RT
     "Solution structure of human insulin-like growth factor 1: a nuclear
RT
    magnetic resonance and restrained molecular dynamics study.";
RL
    Biochemistry 30:5484-5491(1991).
RN
RP
    STRUCTURE BY NMR.
RX
    MEDLINE=92316903; PubMed=1319992;
RA
    Sato A., Nishimura S., Ohkubo T., Kyoqoku Y., Koyama S., Kobayashi M.,
    Yasuda T., Kobayashi Y.;
RA
     "1H-NMR assignment and secondary structure of human insulin-like
RT
    growth factor-I (IGF-I) in solution.";
RT
    J. Biochem. 111:529-536(1992).
RL
RN
    [9]
    DISULFIDE BONDS.
RP
    MEDLINE=89207850; PubMed=3242681;
RX
RA
    Raschdorf F., Dahinden R., Maerki W., Richter W.J., Merryweather J.P.;
     "Location of disulphide bonds in human insulin-like growth factors
RT
     (IGFs) synthesized by recombinant DNA technology.";
RT
    Biomed. Environ. Mass Spectrom. 16:3-8(1988).
RL
RN
    VARIANT ASP-187.
RP
RX
    MEDLINE=99318093; PubMed=10391209;
RA
    Cargill M., Altshuler D., Ireland J., Sklar P., Ardlie K., Patil N.,
RA
    Shaw N., Lane C.R., Lim E.P., Kalyanaraman N., Nemesh J., Ziaugra L.,
RA
    Friedland L., Rolfe A., Warrington J., Lipshutz R., Daley G.Q.,
RA
    Lander E.S.;
RT
    "Characterization of single-nucleotide polymorphisms in coding regions
RT
    of human genes.";
RL
    Nat. Genet. 22:231-238(1999).
RN
    [11]
    ERRATUM.
RP
RA
    Cargill M., Altshuler D., Ireland J., Sklar P., Ardlie K., Patil N.,
RA
    Shaw N., Lane C.R., Lim E.P., Kalyanaraman N., Nemesh J., Ziaugra L.,
    Friedland L., Rolfe A., Warrington J., Lipshutz R., Daley G.Q.,
RA
RA
    Lander E.S.;
RL
    Nat. Genet. 23:373-373(1999).
    -!- FUNCTION: THE INSULIN-LIKE GROWTH FACTORS, ISOLATED FROM PLASMA,
CC
CC
        ARE STRUCTURALLY AND FUNCTIONALLY RELATED TO INSULIN BUT HAVE A
CC
        MUCH HIGHER GROWTH-PROMOTING ACTIVITY.
    -!- SUBCELLULAR LOCATION: Secreted.
CC
CC
    -!- ALTERNATIVE PRODUCTS:
CC
        Event=Alternative splicing; Named isoforms=2;
CC
        Name=IGF-IB;
CC
          IsoId=P05019-1; Sequence=Displayed;
CC
        Name=IGF-IA;
CC
          IsoId=P01343-1; Sequence=External;
    -!- SIMILARITY: BELONGS TO THE INSULIN/IGF/RELAXIN FAMILY.
CC
    CC
CC
    This SWISS-PROT entry is copyright. It is produced through a collaboration
    between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC
CC
    the European Bioinformatics Institute. There are no restrictions on its
CC
    use by non-profit institutions as long as its content is in no way
CC
    modified and this statement is not removed. Usage by and for commercial
    entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC
    or send an email to license@isb-sib.ch).
CC
```

CC

```
EMBL; M14155; AAA52537.1; -.
DR
DR
     EMBL; M12659; AAA52537.1; JOINED.
DR
     EMBL; M14153; AAA52537.1; JOINED.
DR
     EMBL; M14154; AAA52537.1; JOINED.
     EMBL; M11568; AAA52539.1; -.
DR
DR
     EMBL; X03563; CAA27250.1; ALT SEQ.
DR
     EMBL; X03420; CAA27152.1; -.
DR
     EMBL; X03421; CAA27153.1; -.
     EMBL; X03422; CAA27154.1; -.
DR
DR
     PIR; A01611; IGHU1B.
DR
     PDB; 1GF1; 15-OCT-94.
DR
     PDB; 2GF1; 15-APR-93.
     PDB; 3GF1; 15-APR-93.
DR
DR
     PDB; 1BQT; 18-MAY-99.
DR
     Genew; HGNC:5464; IGF1.
DR
     MIM; 147440; -.
DR
     MIM; 265850; -.
DR
     GO; GO:0005159; F:insulin-like growth factor receptor binding. . .; TAS.
DR
     GO; GO:0005180; F:peptide hormone; TAS.
DR
     GO; GO:0006928; P:cell motility; TAS.
DR
     GO; GO:0006260; P:DNA replication; TAS.
DR
     GO; GO:0009441; P:glycolate metabolism; TAS.
DR
     GO; GO:0007517; P:muscle development; TAS.
DR
     GO; GO:0008284; P:positive regulation of cell proliferation; TAS.
DR
     GO; GO:0007265; P:RAS protein signal transduction; TAS.
DR
     GO; GO:0007165; P:signal transduction; TAS.
DR
     GO; GO:0001501; P:skeletal development; TAS.
DR
     InterPro; IPR004825; Ins/IGF/relax.
     Pfam; PF00049; Insulin; 1.
DR
     SMART; SM00078; IlGF; 1.
DR
DR
     PROSITE; PS00262; INSULIN; 1.
KW
     Insulin family; Growth factor; 3D-structure; Plasma;
KW
     Alternative splicing; Signal; Polymorphism.
FT
     SIGNAL
                   1
                          21
                                    POTENTIAL.
FT
     PROPEP
                   22
                          48
FΤ
     CHAIN
                                    INSULIN-LIKE GROWTH FACTOR IB.
                   49
                         118
FT
     DOMAIN
                   49
                          77
                                    В.
                  78
FT
                                    c.
     DOMAIN
                          89
FT
     DOMAIN
                   90
                         110
                                    A.
FT
     DOMAIN
                  111
                         118
                                    D.
FT
     PROPEP
                  119
                         195
                                    E PEPTIDE.
FT
                  54
                         96
     DISULFID
FT
     DISULFID
                   66
                         109
                  95
                         100
FT
     DISULFID
FT
     VARIANT
                  187
                         187
                                   A \rightarrow D (IN dbSNP:6213).
                                    /FTId=VAR 013945.
FT
                   51
FT
     STRAND
                          51
     TURN
                   55
                          55
FT
FT
     HELIX
                   56
                          69
                   87
                          88
FT
     TURN
FT
     HELIX
                   91
                          95
FT
                          97
     TURN
                   96
FT
                   99
                          99
     STRAND
FT
     HELIX
                  106
                         109
SO
     SEQUENCE
                195 AA; 21841 MW;
                                      E88A8CFBD1CD1873 CRC64;
```

93.6%; Score 560; DB 1; Length 195;

Query Match

```
Best Local Similarity 100.0%; Pred. No. 2.2e-52;
 Matches 103; Conservative 0; Mismatches 0; Indels
                                                                       0;
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qy
             Db
          49 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 108
          61 CAPLKPAKSARSVRAQRHTDMPKTQKYQPPSTNKNTKSQRRKG 103
Qу
             109 CAPLKPAKSARSVRAQRHTDMPKTQKYQPPSTNKNTKSQRRKG 151
Db
RESULT 3
IGFB MOUSE
    IGFB MOUSE
                  STANDARD;
                           PRT; 133 AA.
    P05018;
AC
DT
    13-AUG-1987 (Rel. 05, Created)
    13-AUG-1987 (Rel. 05, Last sequence update)
    28-FEB-2003 (Rel. 41, Last annotation update)
DT
    Insulin-like growth factor IB precursor (IGF-IB) (Somatomedin).
DE
GN
    IGF1 OR IGF-1.
    Mus musculus (Mouse).
OS
OC
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX
    NCBI TaxID=10090;
RN
    [1]
RP
    SEQUENCE FROM N.A.
RC
    TISSUE=Liver;
RX
    MEDLINE=87040760; PubMed=3774549;
    Bell G.I., Stempien M.M., Fong N.M., Rall L.B.;
RA
    "Sequences of liver cDNAs encoding two different mouse insulin-like
RT
RT
    growth factor I precursors.";
RL
    Nucleic Acids Res. 14:7873-7882(1986).
CC
    -!- FUNCTION: THE INSULIN-LIKE GROWTH FACTORS, ISOLATED FROM PLASMA,
CC
        ARE STRUCTURALLY AND FUNCTIONALLY RELATED TO INSULIN BUT HAVE A
CC
        MUCH HIGHER GROWTH-PROMOTING ACTIVITY.
CC
    -!- SUBCELLULAR LOCATION: Secreted.
    -!- ALTERNATIVE PRODUCTS:
CC
CC
        Event=Alternative splicing; Named isoforms=2;
CC
        Name=IGF-IB;
CC
          IsoId=P05018-1; Sequence=Displayed;
CC
        Name=IGF-IA;
CC
          IsoId=P05017-1; Sequence=External;
    -!- SIMILARITY: BELONGS TO THE INSULIN/IGF/RELAXIN FAMILY.
CC
    _____
CC
    This SWISS-PROT entry is copyright. It is produced through a collaboration
CC
CC
    between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC
    the European Bioinformatics Institute. There are no restrictions on its
    use by non-profit institutions as long as its content is in no way
CC
CC
    modified and this statement is not removed. Usage by and for commercial
CC
    entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC
    or send an email to license@isb-sib.ch).
CC
    EMBL; X04482; CAA28170.1; -.
DR
DR
   HSSP; P01343; 1GF1.
DR
    MGD; MGI:96432; Igf1.
DR
    GO; GO:0009887; P:organogenesis; IMP.
```

```
InterPro; IPR004825; Ins/IGF/relax.
DR
     Pfam; PF00049; Insulin; 1.
DR
     SMART; SM00078; IlGF; 1.
DR
     PROSITE; PS00262; INSULIN; 1.
DR
     Insulin family; Growth factor; Plasma; Alternative splicing; Signal.
KW
FT
    SIGNAL
                 1
                        22
                 23
                        92
                                 INSULIN-LIKE GROWTH FACTOR IB.
FT
    CHAIN
                 23
                        51
    DOMAIN
FT
                                 В.
                 52
                        63
                                 c.
FT
    DOMAIN
FT
    DOMAIN
                 64
                        84
                                 A.
                 85
FT
                        92
    DOMAIN
                                 D.
                 93
                                 E PEPTIDE.
FT
    PROPEP
                       133
FT
    DISULFID
                 28
                        70
                                 BY SIMILARITY.
FT
    DISULFID
                 40
                        83
                                 BY SIMILARITY.
                 69
    DISULFID
                        74
                                 BY SIMILARITY.
FT
               133 AA; 14915 MW; B8E5C05B88D62502 CRC64;
SO
    SEQUENCE
                         87.2%; Score 521.5; DB 1; Length 133;
 Query Match
 Best Local Similarity
                         89.2%; Pred. No. 1.7e-48;
           99; Conservative
                                2; Mismatches
                                                 9; Indels
                                                                   Gaps
 Matches
                                                               1;
                                                                           1:
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qy
             23 GPETLCGAELVDALQFVCGPRGFYFNKPTGYGSSIRRAPQTGIVDECCFRSCDLRRLEMY 82
Db
          61 CAPLKPAKSARSVRAORHTDMPKTOKYOPPSTNKNTKSQ-RRKGSTFEEHK 110
Qу
             Db
          83 CAPLKPTKAARSIRAQRHTDMPKTQKSPSLSTNKKTKLQRRRKGSTFEEHK 133
RESULT 4
IGFB RAT
ID
    IGFB RAT
                   STANDARD;
                                  PRT;
                                        181 AA.
AC.
    P08024;
DT
    01-AUG-1988 (Rel. 08, Created)
     01-FEB-1991 (Rel. 17, Last sequence update)
DT
    28-FEB-2003 (Rel. 41, Last annotation update)
DT
    Insulin-like growth factor IB precursor (IGF-IB) (Somatomedin).
DΕ
    IGF1 OR IGF-1.
GN
OS
    Rattus norvegicus (Rat).
OC
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
    Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OC
ΟX
    NCBI TaxID=10116;
RN
     [1]
    SEQUENCE FROM N.A.
RP
RX
    MEDLINE=87222423; PubMed=3034909;
    Shimatsu A., Rotwein P.;
RA
RT
     "Mosaic evolution of the insulin-like growth factors. Organization,
    sequence, and expression of the rat insulin-like growth factor I
RT
RT
    gene.";
    J. Biol. Chem. 262:7894-7900(1987).
RL
    [2]
RN
RP
    SEQUENCE FROM N.A.
RX
    MEDLINE=88015572; PubMed=3658684;
RA
    Shimatsu A., Rotwein P.;
    "Sequence of two rat insulin-like growth factor I mRNAs differing
RT
    within the 5' untranslated region.";
RT
```

```
RL
     Nucleic Acids Res. 15:7196-7196(1987).
RN
RP
     SEQUENCE FROM N.A.
RX
     MEDLINE=89127259; PubMed=3221878;
RA
     Roberts C.T., Lasky S.R., Lowe W.L., Seaman W.T., Leroith D.;
RT
     "Structure of the rat insulin-like growth factor II transcriptional
RT
     unit: heterogeneous transcripts are generated from two promoters by
RT
     use of multiple polyadenylation sites and differential ribonucleic
RT
     acid splicing.";
RL
     Mol. Endocrinol. 2:1115-1126(1988).
RN
RP
     SEQUENCE OF 49-118.
RX
     MEDLINE=89174609; PubMed=2538424;
RA
     Tamura K., Kobayashi M., Ishii Y., Tamura T., Hashimoto K.,
RA
     Nakamura S., Niwa M., Zapf J.;
RT
     "Primary structure of rat insulin-like growth factor-I and its
RT
    biological activities.";
RL
     J. Biol. Chem. 264:5616-5621(1989).
     -!- FUNCTION: THE INSULIN-LIKE GROWTH FACTORS, ISOLATED FROM PLASMA,
CC
CC
        ARE STRUCTURALLY AND FUNCTIONALLY RELATED TO INSULIN BUT HAVE A
CC
        MUCH HIGHER GROWTH-PROMOTING ACTIVITY.
CC
     -!- SUBCELLULAR LOCATION: Secreted.
CC
     -!- ALTERNATIVE PRODUCTS:
CC
        Event=Alternative splicing; Named isoforms=2;
CC
        Name=IGF-IB;
CC
          IsoId=P08024-1; Sequence=Displayed;
CC
        Name=IGF-IA;
CC
          IsoId=P08025-1; Sequence=External;
    -!- SIMILARITY: BELONGS TO THE INSULIN/IGF/RELAXIN FAMILY.
CC
CC
     ______
CC
    This SWISS-PROT entry is copyright. It is produced through a collaboration
    between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC
CC
    the European Bioinformatics Institute. There are no restrictions on its
CC
    use by non-profit institutions as long as its content is in no way
CC
    modified and this statement is not removed. Usage by and for commercial
CC
    entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC
    or send an email to license@isb-sib.ch).
CC
    EMBL; M15650; AAA41214.1; -.
DR
DR
    EMBL; M15647; AAA41214.1; JOINED.
    EMBL; M15648; AAA41214.1; JOINED.
DR
DR
    EMBL; M15649; AAA41214.1; JOINED.
DR
    EMBL; X06107; CAA29480.1; ALT SEQ.
DR
    EMBL; M15480; AAA41385.1; ALT SEQ.
DR
    PIR; A27804; A27804.
DR
    HSSP; P01343; 1GF1.
    InterPro; IPR004825; Ins/IGF/relax.
DR
DR
    Pfam; PF00049; Insulin; 1.
    SMART; SM00078; IlGF; 1.
DR
DR
    PROSITE; PS00262; INSULIN; 1.
KW
    Insulin family; Growth factor; Plasma; Alternative splicing; Signal.
FT
    SIGNAL
                 1
FT
    PROPEP
                 ?
                        48
FT
                 49
    CHAIN
                       118
                                 INSULIN-LIKE GROWTH FACTOR IB.
FT
    DOMAIN
                 49
                       77
                                 В.
FT
    DOMAIN
                 78
                       89
                                c.
                       110
    DOMAIN
FT
                 90
                                 A.
```

```
FТ
    DOMAIN
               111 118
                              D.
FT
    PROPEP
               119 181
                              E PEPTIDE.
FT
    DISULFID
               54
                     96
                              BY SIMILARITY.
FT
    DISULFID
               66
                    109
                              BY SIMILARITY.
FT
    DISULFID
               95
                    100
                              BY SIMILARITY.
                    112
FT
    CONFLICT
               110
                             APL -> VRC (IN REF. 2).
SQ
    SEQUENCE
              181 AA; 20322 MW; 52BAB431875A1A06 CRC64;
 Query Match
                       82.6%; Score 494; DB 1; Length 181;
 Best Local Similarity 84.4%; Pred. No. 2e-45;
          92; Conservative
                             4; Mismatches 13; Indels
                                                          0; Gaps
                                                                     0;
Qу
          1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
            Db
          49 GPETLCGAELVDALQFVCGPRGFYFNKPTGYGSSIRRAPQTGIVDECCFRSCDLRRLEMY 108
          61 CAPLKPAKSARSVRAORHTDMPKTOKYOPPSTNKNTKSORRKGSTFEEH 109
Qv
            Db
         109 CAPLKPTKSARSIRAQRHTDMPKTQKSQPLSTHKKRKLQRRRKGESKAH 157
RESULT 5
IGF1 CAVPO
ID
    IGF1 CAVPO
                  STANDARD:
                               PRT:
                                     130 AA.
AC
    P17647;
DT
    01-AUG-1990 (Rel. 15, Created)
DT
    01-AUG-1990 (Rel. 15, Last sequence update)
    01-FEB-1994 (Rel. 28, Last annotation update)
    Insulin-like growth factor I precursor (IGF-I) (Somatomedin).
DF.
GN
OS
    Cavia porcellus (Guinea pig).
OC
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Mammalia; Eutheria; Rodentia; Hystricognathi; Caviidae; Cavia.
OX
    NCBI TaxID=10141;
RN
    [1]
RP
    SEQUENCE FROM N.A.
RC
    TISSUE=Pancreas:
    MEDLINE=90332447; PubMed=2377480;
RX
    Bell G.I., Stempien M.M., Fong N.M., Scino S.;
RA
    "Sequence of a cDNA encoding guinea pig IGF-I.";
RT
RL
    Nucleic Acids Res. 18:4275-4275(1990).
CC
    -!- FUNCTION: THE INSULIN-LIKE GROWTH FACTORS, ISOLATED FROM PLASMA,
CC
        ARE STRUCTURALLY AND FUNCTIONALLY RELATED TO INSULIN BUT HAVE A
CC
        MUCH HIGHER GROWTH-PROMOTING ACTIVITY.
CC
    -!- SUBCELLULAR LOCATION: Secreted.
CC
    -!- SIMILARITY: BELONGS TO THE INSULIN/IGF/RELAXIN FAMILY.
CC
    _____
    This SWISS-PROT entry is copyright. It is produced through a collaboration
CC
CC
    between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC
    the European Bioinformatics Institute. There are no restrictions on its
CC
    use by non-profit institutions as long as its content is in no way
CC
    modified and this statement is not removed. Usage by and for commercial
CC
    entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC
    or send an email to license@isb-sib.ch).
    ______
CC
DR
    EMBL; X52951; CAA37127.1; -.
DR
    HSSP; P01343; 1GF1.
```

```
DR
     InterPro; IPR004825; Ins/IGF/relax.
DR
    Pfam; PF00049; Insulin; 1.
    SMART; SM00078; I1GF; 1.
DR
     PROSITE; PS00262; INSULIN; 1.
DR
KW
     Insulin family; Growth factor; Plasma; Signal.
FT
     SIGNAL
                  1
                         25
                  26
                         95
                                  INSULIN-LIKE GROWTH FACTOR I.
FT
    CHAIN
                  26
                         54
    DOMAIN
                                  В.
FT
    DOMAIN
                  55
                         66
                                  C.
FT
                  67
FT
    DOMAIN
                         87
                                  A.
                  88
                         95
FT
    DOMAIN
                                  D.
                  96
                                  E PEPTIDE.
FT
    PROPEP
                        130
                  31
                         73
                                  BY SIMILARITY.
FT
    DISULFID
FT
    DISULFID
                  43
                         86
                                  BY SIMILARITY.
                  72
                         77
                                  BY SIMILARITY.
FT
    DISULFID
                        14342 MW; 251B20AEDC5729FF CRC64;
SO
    SEOUENCE
                130 AA;
                          78.3%; Score 468; DB 1; Length 130;
  Query Match
                          100.0%; Pred. No. 7.9e-43;
  Best Local Similarity
                                0; Mismatches
                                                   0; Indels
                                                                 0; Gaps
                                                                             0;
 Matches
            86; Conservative
            1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qу
              26 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 85
Db
           61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
Qу
              11111111111111111111111111111
Db
           86 CAPLKPAKSARSVRAQRHTDMPKTQK 111
RESULT 6
IGFA HUMAN
ID
    IGFA HUMAN
                    STANDARD;
                                   PRT;
                                          153 AA.
AC
    P01343;
DT
    21-JUL-1986 (Rel. 01, Created)
     13-AUG-1987 (Rel. 05, Last sequence update)
DT
     15-SEP-2003 (Rel. 42, Last annotation update)
DT
    Insulin-like growth factor IA precursor (IGF-IA) (Somatomedin C).
DE
    IGF1 OR IBP1.
GN
    Homo sapiens (Human).
OS
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
OC
    Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
    NCBI TaxID=9606;
OX
RN
     [1]
RP
    SEQUENCE FROM N.A.
RX
    MEDLINE=86168194; PubMed=2937782;
     Rotwein P., Pollock K.M., Didier D.K., Krivi G.G.;
RA
RТ
     "Organization and sequence of the human insulin-like growth factor I
     gene. Alternative RNA processing produces two insulin-like growth
RT
    factor I precursor peptides.";
RL
     J. Biol. Chem. 261:4828-4832(1986).
RN
     [2]
RP
     SEQUENCE FROM N.A.
RX
    MEDLINE=84068210; PubMed=6358902;
     Jansen M., van Schaik F.M.A., Ricker A.T., Bullock B., Woods D.E.,
RA
     Gabbay K.H., Nussbaum A.L., Sussenbach J.S., van den Brande J.L.;
RA
     "Sequence of cDNA encoding human insulin-like growth factor I
RT
```

```
RТ
     precursor.";
RL
     Nature 306:609-611(1983).
RN
RP
     SEQUENCE FROM N.A.
RX
     MEDLINE=86108910; PubMed=2935423;
RA
     le Bouc Y., Dreyer D., Jaeger F., Binoux M., Sondermeyer P.;
RT
     "Complete characterization of the human IGF-I nucleotide sequence
RT
     isolated from a newly constructed adult liver cDNA library.";
RL
     FEBS Lett. 196:108-112(1986).
RN
RΡ
     SEQUENCE FROM N.A.
RX
     MEDLINE=86108862; PubMed=3002851;
     de Pagter-Holthuizen P., van Schaik F.M.A., Verduijn G.M.,
RA
     van Ommen G.J.B., Bouma B.N., Jansen M., Sussenbach J.S.;
RA
RT
     "Organization of the human genes for insulin-like growth factors I
RT
     and II.";
RL
     FEBS Lett. 195:179-184(1986).
RN
RP
     SEQUENCE FROM N.A.
RC
    TISSUE=Liver:
RX
     MEDLINE=91207342; PubMed=2018498;
RA
     Steenbergh P.H., Koonen-Reemst A.M.C.B., Cleutjens C.B.J.M.,
RA
     Sussenbach J.S.;
RT
     "Complete nucleotide sequence of the high molecular weight human
RT
     IGF-I mRNA.";
RL
     Biochem. Biophys. Res. Commun. 175:507-514(1991).
RN
     SEQUENCE FROM N.A.
RP
RC
     TISSUE=Brain;
     MEDLINE=92186627; PubMed=1372070;
RX
RA
     Sandberg Nordqvist A.C., Stahlbom P.A., Lake M., Sara V.R.;
     "Characterization of two cDNAs encoding insulin-like growth factor 1
RT
RT
     (IGF-1) in the human fetal brain.";
RL
     Brain Res. Mol. Brain Res. 12:275-277(1992).
RN
RP
     SEQUENCE OF 24-50 AND 119-153 FROM N.A.
RX
     MEDLINE=84295593; PubMed=6382022;
     Dull T.J., Gray A., Hayflick J.S., Ullrich A.;
RA
     "Insulin-like growth factor II precursor gene organization in
RT
RT
     relation to insulin gene family.";
RL
     Nature 310:777-781(1984).
RN
     [8]
     SEQUENCE OF 49-118.
ŘΡ
RX
    MEDLINE=78130171; PubMed=632300;
     Rinderknecht E., Humbel R.E.;
RA
     "The amino acid sequence of human insulin-like growth factor I and
RT
RT
     its structural homology with proinsulin.";
RL
     J. Biol. Chem. 253:2769-2776(1978).
RN
     3D-STRUCTURE MODELING.
RP
RX
     MEDLINE=83210259; PubMed=6189745;
     Blundell T.L., Bedarkar S., Humbel R.E.;
RA
RT
     "Tertiary structures, receptor binding, and antigenicity of
RT
     insulinlike growth factors.";
RL
     Fed. Proc. 42:2592-2597(1983).
RN
     [10]
RP
     STRUCTURE BY NMR.
```

```
RX
    MEDLINE=91242464; PubMed=2036417;
RA
     Cooke R.M., Harvey T.S., Campbell I.D.;
RT
     "Solution structure of human insulin-like growth factor 1: a nuclear
RT
     magnetic resonance and restrained molecular dynamics study.";
RL
     Biochemistry 30:5484-5491(1991).
RN
RP
     STRUCTURE BY NMR.
RX
    MEDLINE=92316903; PubMed=1319992;
RA
     Sato A., Nishimura S., Ohkubo T., Kyogoku Y., Koyama S., Kobayashi M.,
RA
     Yasuda T., Kobayashi Y.;
     "1H-NMR assignment and secondary structure of human insulin-like
RT
RT
     growth factor-I (IGF-I) in solution.";
     J. Biochem. 111:529-536(1992).
RL
RN
     [12]
RP
    DISULFIDE BONDS.
RX
    MEDLINE=89207850; PubMed=3242681;
RA
     Raschdorf F., Dahinden R., Maerki W., Richter W.J., Merryweather J.P.;
RT
     "Location of disulphide bonds in human insulin-like growth factors
RT
     (IGFs) synthesized by recombinant DNA technology.";
RL
     Biomed. Environ. Mass Spectrom. 16:3-8(1988).
CC
     -!- FUNCTION: THE INSULIN-LIKE GROWTH FACTORS, ISOLATED FROM PLASMA,
CC
        ARE STRUCTURALLY AND FUNCTIONALLY RELATED TO INSULIN BUT HAVE A
CC
        MUCH HIGHER GROWTH-PROMOTING ACTIVITY.
CC
    -!- SUBCELLULAR LOCATION: Secreted.
CC
    -!- ALTERNATIVE PRODUCTS:
CC
        Event=Alternative splicing; Named isoforms=2;
CC
        Name=IGF-IA;
CC
          IsoId=P01343-1; Sequence=Displayed;
CC
        Name=IGF-IB;
CC
          IsoId=P05019-1; Sequence=External;
CC
    -!- SIMILARITY: BELONGS TO THE INSULIN/IGF/RELAXIN FAMILY.
    CC
CC
    This SWISS-PROT entry is copyright. It is produced through a collaboration
CC
    between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC
    the European Bioinformatics Institute. There are no restrictions on its
    use by non-profit institutions as long as its content is in no way
CC
CC
    modified and this statement is not removed. Usage by and for commercial
CC
    entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC
    or send an email to license@isb-sib.ch).
CC
     ______
DR
    EMBL; M14156; AAA52538.1; -.
DR
    EMBL; M12659; AAA52538.1; JOINED.
DR
    EMBL; M14153; AAA52538.1; JOINED.
DR
    EMBL; M14154; AAA52538.1; JOINED.
DR
    EMBL; X00173; CAA24998.1; -.
DR
    EMBL; X03563; CAA27250.1; ALT SEQ.
    EMBL; M27544; AAA52787.1; -.
DR
    EMBL; X03420; CAA27152.1; -.
DR
    EMBL; X03421; CAA27153.1; -.
DR
DR
    EMBL; X03422; CAA27154.1; -.
DR
    EMBL; X57025; CAA40342.1; -.
DR
    EMBL; X56773; CAA40092.1; -.
DR
    PIR; A92581; IGHU1.
    PDB; 1GF1; 15-OCT-94.
DR
    PDB; 2GF1; 15-APR-93.
DR
DR
    PDB; 3GF1; 15-APR-93.
DR
    PDB; 1B9G; 23-FEB-99.
```

```
DR
     PDB; 1GZR; 02-OCT-02.
     PDB; 1GZY; 02-OCT-02.
DR
DR
     PDB; 1GZZ; 25-JUL-02.
DR
     PDB; 1H02; 25-JUL-02.
DR
     PDB; 1H59; 16-MAY-02.
DR
     PDB; 1IMX; 03-OCT-01.
DR
     Genew; HGNC: 5464; IGF1.
DR
     MIM; 147440; -.
DR
     MIM; 265850; -.
DR
     GO; GO:0005159; F:insulin-like growth factor receptor binding. . .; TAS.
DR
     GO; GO:0005180; F:peptide hormone; TAS.
DR
     GO; GO:0006928; P:cell motility; TAS.
     GO; GO:0006260; P:DNA replication; TAS.
DR
DR
     GO; GO:0009441; P:qlycolate metabolism; TAS.
DR
     GO; GO:0007517; P:muscle development; TAS.
DR
     GO; GO:0008284; P:positive regulation of cell proliferation; TAS.
DR
     GO; GO:0007265; P:RAS protein signal transduction; TAS.
DR
     GO; GO:0007165; P:signal transduction; TAS.
DR
     GO; GO:0001501; P:skeletal development; TAS.
DR
     InterPro; IPR004825; Ins/IGF/relax.
DR
     Pfam; PF00049; Insulin; 1.
     SMART; SM00078; IlGF; 1.
DR
DR
     PROSITE; PS00262; INSULIN; 1.
KW
     Insulin family; Growth factor; Plasma; 3D-structure;
KW
     Alternative splicing; Signal.
FT
     SIGNAL
                  1
                         21
                                 POTENTIAL.
FT
     PROPEP
                  22
                         48
                  49
FT
     CHAIN
                        118
                                 INSULIN-LIKE GROWTH FACTOR IA.
                  49
                        77
FT
     DOMAIN
                                 B.
                  78
                        89
                                 c.
FΤ
     DOMAIN
FT
     DOMAIN
                  90
                        110
                                 A.
FT
     DOMAIN
                111
                        118
                                 D.
FT
     PROPEP
                119
                        153
                                 E PEPTIDE.
FT
    DISULFID
                  54
                        96
FT
                  66
                        109
    DISULFID
FT
    DISULFID
                  95
                        100
FT
     STRAND
                  51
                        51
    TURN
FT
                  55
                        55
FT
                  56
    HELIX
                         69
FT
    TURN
                  87
                        88
                  91
FT
    HELIX
                        95
FT
                  96
                        97
    TURN
FT
                  99
                        99
     STRAND
FT
    HELIX
                106
                       109
SO
     SEQUENCE
               153 AA;
                        17026 MW; C6ECD92DCA9B37BC CRC64;
  Query Match
                          78.3%; Score 468; DB 1; Length 153;
                         100.0%; Pred. No. 9.4e-43;
  Best Local Similarity
           86; Conservative
                                0; Mismatches
                                                  0; Indels
                                                                0;
                                                                    Gaps
                                                                            0;
Qy
            1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPOTGIVDECCFRSCDLRRLEMY 60
              Db
           49 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 108
Qy
           61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
              Db
          109 CAPLKPAKSARSVRAQRHTDMPKTQK 134
```

```
RESULT 7
IGF1 PIG
     IGF1 PIG
                   STANDARD;
                                  PRT;
ID
                                         153 AA.
AC
     P16545;
DT
     01-AUG-1990 (Rel. 15, Created)
DT
     01-AUG-1990 (Rel. 15, Last sequence update)
     30-MAY-2000 (Rel. 39, Last annotation update)
DT
     Insulin-like growth factor I precursor (IGF-I) (Somatomedin).
DΕ
GN
    IGF1.
OS
     Sus scrofa (Pig).
     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
OC
    Mammalia; Eutheria; Cetartiodactyla; Suina; Suidae; Sus.
OX
    NCBI TaxID=9823;
RN
    [1]
     SEQUENCE FROM N.A.
RP
RX
    MEDLINE=90221822; PubMed=2326169;
RA
    Mueller M., Brem G.;
RT
     "Nucleotide sequence of porcine insulin-like growth factor. 1:5'
RT
     untranslated region, exons 1 and 2 and mRNA.";
RL
    Nucleic Acids Res. 18:364-364(1990).
RN
     [2]
RP
    SEQUENCE OF 20-153 FROM N.A.
RX
    MEDLINE=89096956; PubMed=3211153;
RA
    Tavakkol A., Simmen F.A., Simmen R.C.M.;
     "Porcine insulin-like growth factor-I (pIGF-I): complementary
RT
RT
    deoxyribonucleic acid cloning and uterine expression of messenger
RT
     ribonucleic acid encoding evolutionarily conserved IGF-I peptides.";
    Mol. Endocrinol. 2:674-681(1988).
RL
RN
     [3]
RP
    SEQUENCE OF 1-21 FROM N.A.
RC
    STRAIN=White Landrace; TISSUE=Liver;
RX
    MEDLINE=94128209; PubMed=8297476;
RA
    Weller P.A., Dickson M.C., Huskisson N.S., Dauncey M.J., Buttery P.J.,
RA
     Gilmour R.S.;
RT
     "The porcine insulin-like growth factor-I gene: characterization and
RT
     expression of alternate transcription sites.";
     J. Mol. Endocrinol. 11:201-211(1993).
RL
CC
     -!- FUNCTION: THE INSULIN-LIKE GROWTH FACTORS, ISOLATED FROM PLASMA,
CC
        ARE STRUCTURALLY AND FUNCTIONALLY RELATED TO INSULIN BUT HAVE A
CC
        MUCH HIGHER GROWTH-PROMOTING ACTIVITY.
CC
    -!- SUBCELLULAR LOCATION: Secreted.
CC
    -!- SIMILARITY: BELONGS TO THE INSULIN/IGF/RELAXIN FAMILY.
CC
     _____
CC
    This SWISS-PROT entry is copyright. It is produced through a collaboration
CC
    between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC
    the European Bioinformatics Institute. There are no restrictions on its
CC
    use by non-profit institutions as long as its content is in no way
CC
    modified and this statement is not removed. Usage by and for commercial
CC
    entities requires a license agreement (See http://www.isb-sib.ch/announce/
    or send an email to license@isb-sib.ch).
CC
CC
DR
    EMBL; X17492; CAA35527.1; -.
DR
    EMBL; X52388; CAA36617.1; -.
DR EMBL; X52077; CAA36296.1; -.
DR
    EMBL; M31175; AAA31043.1; ALT_INIT.
```

```
EMBL; X17638; CAA35632.1; -.
DR
DR
    PIR; S12825; S12825.
    HSSP; P01343; 1GF1.
DR
    InterPro; IPR004825; Ins/IGF/relax.
DR
    Pfam; PF00049; Insulin; 1.
DR
    SMART; SM00078; IlGF; 1.
DR
    PROSITE; PS00262; INSULIN; 1.
DR
    Insulin family; Growth factor; Plasma; Signal.
KW
FT
    SIGNAL
                  1
                         ?
                  ?
    PROPEP
                        48
FT
                                 INSULIN-LIKE GROWTH FACTOR I.
                 49
FT
    CHAIN
                       118
    DOMAIN
                 49
                        77
ΤΉ
                        89
FΤ
    DOMAIN
                 78
                                 C.
                 90
                       110
FT
    DOMAIN
                                 Α.
FT
    DOMAIN
                111
                       118
                                 D.
    PROPEP
                119
                       153
                                 E PEPTIDE.
FT
                                 BY SIMILARITY.
                 54
                       96
FT
    DISULFID
                       109
                                 BY SIMILARITY.
FT
    DISULFID
                 66
FT
    DISULFID
                 95
                       100
                                 BY SIMILARITY.
               153 AA; 17010 MW; 6098792DCDA0CD7D CRC64;
SO
    SEOUENCE
  Query Match
                         77.7%; Score 464.5; DB 1; Length 153;
  Best Local Similarity
                         87.3%; Pred. No. 2.2e-42;
                                1; Mismatches
           89; Conservative
                                                 5;
                                                     Indels
                                                               7; Gaps
                                                                           1;
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qу
             49 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 108
Db
          61 CAPLKPAKSARSVRAQRHTDMPKTQK-----YQPPSTNKN 95
Qу
             : 1 111
         109 CAPLKPAKSARSVRAQRHTDMPKAQKEVHLKNTSRGSSGNKN 150
Db
RESULT 8
IGF1 CANFA
ID
     IGF1 CANFA
                   STANDARD;
                                  PRT;
                                         122 AA.
AC
    P33712;
DT
     01-FEB-1994 (Rel. 28, Created)
DT
     01-FEB-1994 (Rel. 28, Last sequence update)
DT
     01-NOV-1997 (Rel. 35, Last annotation update)
DE
    Insulin-like growth factor I precursor (IGF-I) (Somatomedin)
ĎΕ
     (Fragment).
GN
    IGF1 OR IGFIA.
OS
    Canis familiaris (Dog).
OC
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
    Mammalia; Eutheria; Carnivora; Fissipedia; Canidae; Canis.
OC.
OX
    NCBI TaxID=9615;
RN
RP
    SEQUENCE FROM N.A.
RX
    MEDLINE=93366192; PubMed=8359700;
    Delafontaine P., Lou H., Harrison D.G., Bernstein K.E.;
RA
     "Sequence of a cDNA encoding dog insulin-like growth factor I.";
RT
RL
    Gene 130:305-306(1993).
    -!- FUNCTION: THE INSULIN-LIKE GROWTH FACTORS, ISOLATED FROM PLASMA,
CC
        ARE STRUCTURALLY AND FUNCTIONALLY RELATED TO INSULIN BUT HAVE A
CC ·
        MUCH HIGHER GROWTH-PROMOTING ACTIVITY.
CC
```

```
-!- SUBCELLULAR LOCATION: Secreted.
    -!- SIMILARITY: BELONGS TO THE INSULIN/IGF/RELAXIN FAMILY.
CC
CC
    This SWISS-PROT entry is copyright. It is produced through a collaboration
CC
    between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC
    the European Bioinformatics Institute. There are no restrictions on its
CC
    use by non-profit institutions as long as its content is in no way
CC
    modified and this statement is not removed. Usage by and for commercial
CC
    entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC
    or send an email to license@isb-sib.ch).
CC
    _____
CC
    EMBL; L08254; -; NOT ANNOTATED_CDS.
DR
    PIR; PN0622; PN0622.
DR
    HSSP; P01343; 1GF1.
DR
    InterPro; IPR004825; Ins/IGF/relax.
DR
    Pfam; PF00049; Insulin; 1.
DR
    SMART: SM00078; IlGF; 1.
DR
    PROSITE; PS00262; INSULIN; 1.
DR
    Insulin family; Growth factor; Plasma; Signal.
KW
FT
    NON TER
                1
                       1
FT
    SIGNAL
                <1
                       19
                               BY SIMILARITY.
                20
                       89
                               INSULIN-LIKE GROWTH FACTOR I.
FΤ
    CHAIN
    DOMAIN
                20
                       48
FT
                               R.
                49
                       60
                               c.
FT
    DOMAIN
                61
                      81
                               A.
FT
    DOMAIN
FT
    DOMAIN
                82
                      89
                               D.
                90 122
                               E PEPTIDE.
FT
    PROPEP
                25
                      67
                               BY SIMILARITY.
FΤ
    DISULFID
FT
    DISULFID
                37
                       80
                               BY SIMILARITY.
FT
    DISULFID
                66
                       71
                               BY SIMILARITY.
              122 AA; 13407 MW; 036A004DC44E7D75 CRC64;
SO
    SEQUENCE
 Query Match
                        77.4%; Score 463; DB 1; Length 122;
 Best Local Similarity 98.8%; Pred. No. 2.5e-42;
 Matches
                              0; Mismatches
                                                             0; Gaps
                                                                        0;
          85; Conservative
                                              1; Indels
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qу
             20 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 79
Db
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
Qy
             80 CAPLKPAKSARSVRAQRHTDMPKAQK 105
Db
RESULT 9
IGF1 BOVIN
    IGF1 BOVIN
                  STANDARD;
                                PRT:
                                       154 AA.
ID
AC
    P07455;
DT
    01-APR-1988 (Rel. 07, Created)
    01-NOV-1991 (Rel. 20, Last sequence update)
DT
    01-OCT-1996 (Rel. 34, Last annotation update)
DT
    Insulin-like growth factor I precursor (IGF-I) (Somatomedin).
DΕ
GN
    IGF1.
OS
    Bos taurus (Bovine).
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
OC
```

```
OC
     Bovidae; Bovinae; Bos.
OX
     NCBI TaxID=9913;
RN
     [1]
     SEQUENCE OF 2-154 FROM N.A.
RP
     MEDLINE=90175014; PubMed=2308858;
RX
     Fotsis T., Murphy C., Gannon F.;
RA
     "Nucleotide sequence of the bovine insulin-like growth factor 1
RT
     (IGF-1) and its IGF-1A precursor.";
RT
     Nucleic Acids Res. 18:676-676(1990).
RL
RN
     SEQUENCE OF 50-119 FROM N.A.
RP
     MEDLINE=95172127; PubMed=7867698;
RX
     Schmidt A., Einspanier R., Amselgruber W., Sinowatz F., Schams D.;
     "Expression of insulin-like growth factor 1 (IGF-1) in the bovine
RT
     oviduct during the oestrous cycle.";
RT
     Exp. Clin. Endocrinol. 102:364-369(1994).
RL
RN
     SEQUENCE OF 50-119.
RP
     MEDLINE=86085881; PubMed=3941093;
RX
RA
     Honegger A., Humbel R.E.;
RT
     "Insulin-like growth factors I and II in fetal and adult bovine
RT
     serum. Purification, primary structures, and immunological
RT
     cross-reactivities.";
RL
     J. Biol. Chem. 261:569-575(1986).
RN
     [4]
RP
     SEQUENCE OF 50-119.
RX
     MEDLINE=88268820; PubMed=3390164;
RA
     Francis G.L., Upton F.M., Ballard F.J., McNeil K.A., Wallace J.C.;
RT
     "Insulin-like growth factors 1 and 2 in bovine colostrum. Sequences
RT
     and biological activities compared with those of a potent truncated
RT
     form.";
RL
     Biochem. J. 251:95-103(1988).
     -!- FUNCTION: THE INSULIN-LIKE GROWTH FACTORS, ISOLATED FROM PLASMA,
CC
CC
         ARE STRUCTURALLY AND FUNCTIONALLY RELATED TO INSULIN BUT HAVE A
CC
         MUCH HIGHER GROWTH-PROMOTING ACTIVITY.
CC
     -!- SUBCELLULAR LOCATION: Secreted.
CC
     -!- SIMILARITY: BELONGS TO THE INSULIN/IGF/RELAXIN FAMILY.
CC
CC
     This SWISS-PROT entry is copyright. It is produced through a collaboration
CC
     between the Swiss Institute of Bioinformatics and the EMBL outstation -
     the European Bioinformatics Institute. There are no restrictions on its
CC
CC
     use by non-profit institutions as long as its content is in no way
CC
     modified and this statement is not removed. Usage by and for commercial
CC
     entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC
     or send an email to license@isb-sib.ch).
CC
DR
     EMBL; X15726; CAA33746.1; -.
DR
     EMBL; S76122; AAD14209.1; -.
     PIR; S12672; IGBO1.
DR
    HSSP; P01343; 1GF1.
DR
DR
     InterPro; IPR004825; Ins/IGF/relax.
DR
     Pfam; PF00049; Insulin; 1.
     SMART; SM00078; IlGF; 1.
DR
DR
     PROSITE; PS00262; INSULIN; 1.
     Insulin family; Growth factor; Plasma; Signal.
KW
FΤ
                         ?
     SIGNAL
                   1
FT
                   ?
                         49
     PROPEP
```

```
FT
    CHAIN
                 50
                      119
                                INSULIN-LIKE GROWTH FACTOR I.
FT
    DOMAIN
                 50
                       78
                79
                      90
                                c.
    DOMAIN
FT
FT
    DOMAIN
                91
                      111
                                Α.
                112
                      119
                                D.
FT
    DOMAIN
                120
                      154
                                E PEPTIDE.
FT
    PROPEP
                                BY SIMILARITY.
                55
                      97
FT
    DISULFID
                67
                      110
                                BY SIMILARITY.
FT
    DISULFID
                 96
                      101
                                BY SIMILARITY.
FT
    DISULFID
             154 AA; 17066 MW; 64201B6AF3140999 CRC64;
SO
    SEQUENCE
                        77.4%; Score 463; DB 1; Length 154;
 Ouery Match
 Best Local Similarity 98.8%; Pred. No. 3.2e-42;
                                                                         0;
 Matches 85; Conservative
                             0; Mismatches
                                             1; Indels
                                                             0; Gaps
           1 \ \mathsf{GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY} \ 60
Qy
             50 GPETLCGAELVDALOFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 109
Db
Qу
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
             Dh
         110 CAPLKPAKSARSVRAQRHTDMPKAQK 135
RESULT 10
IGF1 CAPHI
    IGF1 CAPHI
                  STANDARD;
                                 PRT:
                                       154 AA.
ID
AC
    P51457;
    01-OCT-1996 (Rel. 34, Created)
DТ
    16-OCT-2001 (Rel. 40, Last sequence update)
DΤ
DT
    16-OCT-2001 (Rel. 40, Last annotation update)
    Insulin-like growth factor I precursor (IGF-I) (Somatomedin).
DE
GN
    IGF1.
OS
    Capra hircus (Goat).
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
OC
OC
    Bovidae; Caprinae; Capra.
OX
    NCBI TaxID=9925;
RN
    [1]
    SEQUENCE FROM N.A., AND TISSUE SPECIFICITY.
RP
    STRAIN=Shiba; TISSUE=Liver;
RC
    MEDLINE=95290780; PubMed=7772848;
RX
    Mikawa S., Yoshikawa G.-I., Yamano Y., Sakai H., Komano T., Hosoi Y.,
RA
RA
    Utsumi K.;
    "Tissue- and development-specific expression of goat insulin-like
RT
    growth factor-I (IGF-I) mRNAs.";
RT
    Biosci. Biotechnol. Biochem. 59:759-761(1995).
RL
    -!- FUNCTION: THE INSULIN-LIKE GROWTH FACTORS, ISOLATED FROM PLASMA,
CC
        ARE STRUCTURALLY AND FUNCTIONALLY RELATED TO INSULIN BUT HAVE A
CC
CC
        MUCH HIGHER GROWTH-PROMOTING ACTIVITY.
CC
    -!- SUBCELLULAR LOCATION: Secreted.
    -!- TISSUE SPECIFICITY: EXPRESSED IN ALL TISSUES EXAMINED: BRAIN,
CC
        LUNG, LIVER, SPLEEN, UTERUS, OVARY, TESTIS, HEART AND SKELETAL
CC
CC
        MUSCLE.
CC
    -!- SIMILARITY: BELONGS TO THE INSULIN/IGF/RELAXIN FAMILY.
    ______
CC
    This SWISS-PROT entry is copyright. It is produced through a collaboration
CC
```

```
between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC
    the European Bioinformatics Institute. There are no restrictions on its
CC
    use by non-profit institutions as long as its content is in no way
CC
    modified and this statement is not removed. Usage by and for commercial
CC
    entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC
    or send an email to license@isb-sib.ch).
CC
    ______
CC
    EMBL; D26116; BAA05112.1; ALT TERM.
DR
    EMBL; D26117; BAA05113.1; -.
DR
    EMBL; D26118; BAA05114.1; -.
DR
    EMBL; D26119; BAA05115.1; -.
DR
    EMBL; D11378; BAA01976.1; -.
DR
    PIR; JC2483; JC2483.
DR
    HSSP; P01343; 1GF1.
DR
    InterPro; IPR004825; Ins/IGF/relax.
DR
    Pfam; PF00049; Insulin; 1.
DR
    SMART; SM00078; IlGF; 1.
DR
    PROSITE; PS00262; INSULIN; 1.
DR
    Insulin family; Growth factor; Plasma; Signal.
KW
FΤ
    SIGNAL
                 1
                       ?
FT
    PROPEP
                 ?
                       49
                                BY SIMILARITY.
FT
    CHAIN
                 50
                      119
                                INSULIN-LIKE GROWTH FACTOR I.
                 50
                      78
FT
    DOMAIN
                                В.
                79
                      90
                               C.
FT
    DOMAIN
                91
                      111
                               A.
FT
    DOMAIN
                112
                      119
                               D.
FT
    DOMAIN
                120
                      154
                                E PEPTIDE.
FT
    PROPEP
                55
                      97
                                BY SIMILARITY.
FT
    DISULFID
                 67
                      110
                                BY SIMILARITY.
FΨ
    DISULFID
FT
    DISULFID
                96
                      101
                               BY SIMILARITY.
SQ
    SEQUENCE 154 AA; 17082 MW; 07238B6AF3068422 CRC64;
 Query Match
                        76.8%; Score 459; DB 1; Length 154;
 Best Local Similarity 97.7%; Pred. No. 8.6e-42;
                               0; Mismatches
                                                              0; Gaps
                                                                         0;
 Matches
          84; Conservative
                                               2; Indels
           1 \  \  \, \mathsf{GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY} \  \  \, 60
Qу
             50 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 109
Db
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
Qy
             110 CAPLKPTKSARSVRAQRHTDMPKAQK 135
Db
RESULT 11
IGF1 SHEEP
                  STANDARD; PRT;
                                       154 AA.
ID
    IGF1 SHEEP
AC
    P10763;
DT
    01-JUL-1989 (Rel. 11, Created)
DT
    01-FEB-1991 (Rel. 17, Last sequence update)
    28-FEB-2003 (Rel. 41, Last annotation update)
DT
    Insulin-like growth factor I precursor (IGF-I) (Somatomedin).
DE
GN
    IGF1.
OS
    Ovis aries (Sheep).
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
OC
```

```
OC
     Bovidae; Caprinae; Ovis.
    NCBI TaxID=9940;
OX
RN
     [1]
     SEQUENCE FROM N.A.
RP
RC
    TISSUE=Liver;
    MEDLINE=90126234; PubMed=2575490;
RX
    Wong E.A., Ohlsen S.M., Godfredson J.A., Dean D.M., Wheaton J.E.;
RA
     "Cloning of ovine insulin-like growth factor-I cDNAs: heterogeneity
RT
     in the mRNA population.";
RТ
    DNA 8:649-657(1989).
RL
     [2]
RN
     SEQUENCE FROM N.A.
RP
    TISSUE=Liver;
RC
    MEDLINE=91197361; PubMed=2015053;
RX
    Dickson M.C., Saunders J.C., Gilmour R.S.;
RA
     "The ovine insulin-like growth factor-I gene: characterization,
RT
     expression and identification of a putative promoter.";
RT
     J. Mol. Endocrinol. 6:17-31(1991).
RL
RN
RP
    SEQUENCE FROM N.A.
RC
    TISSUE=Liver:
    MEDLINE=93221682; PubMed=8466647;
RX
RA
    Ohlsen S.M., Dean D.M., Wong E.A.;
RT
     "Characterization of multiple transcription initiation sites of the
RT
    ovine insulin-like growth factor-I gene and expression profiles of
RТ
     three alternatively spliced transcripts.";
RL
    DNA Cell Biol. 12:243-251(1993).
RN
     [4]
RP
     SEQUENCE OF 55-135 FROM N.A.
RC.
     STRAIN=Coopworth; TISSUE=Liver;
    MEDLINE=93250051; PubMed=8485157;
RX
RA
    Demmer J., Hill D.F., Petersen G.B.;
     "Characterization of two sheep insulin-like growth factor II cDNAs
RT
RT
    with different 5'-untranslated regions.";
    Biochim. Biophys. Acta 1173:79-80(1993).
RL
RN
    SEQUENCE OF 50-119.
RP
RX
    MEDLINE=89136887; PubMed=2537174;
     Francis G.L., McNeil K.A., Wallace J.C., Ballard F.J., Owens P.C.;
RA
RT
     "Sheep insulin-like growth factors I and II: sequences, activities
RT
     and assays.";
     Endocrinology 124:1173-1183(1989).
RL
RN
RP
    SEOUENCE OF 50-79.
    MEDLINE=89323215; PubMed=2752053;
RX
    Hey A.W., Browne C.A., Simpson R.J., Thorburn G.D.;
RA
RT
     "Simultaneous isolation of insulin-like growth factors I and II from
RT
    adult sheep serum.";
    Biochim. Biophys. Acta 997:27-35(1989).
RL
    -!- FUNCTION: THE INSULIN-LIKE GROWTH FACTORS, ISOLATED FROM PLASMA,
CC
CC
         ARE STRUCTURALLY AND FUNCTIONALLY RELATED TO INSULIN BUT HAVE A
CC
         MUCH HIGHER GROWTH-PROMOTING ACTIVITY.
CC
    -!- SUBCELLULAR LOCATION: Secreted.
CC
    -!- ALTERNATIVE PRODUCTS:
CC
         Event=Alternative splicing; Named isoforms=3;
CC
         Name=B;
CC
           IsoId=P10763-1; Sequence=Displayed;
```

```
CC
         Name=A;
CC
           IsoId=P10763-2; Sequence=VSP_002707;
CC
CC
           IsoId=P10763-3; Sequence=VSP 002706;
    -!- SIMILARITY: BELONGS TO THE INSULIN/IGF/RELAXIN FAMILY.
CC
    _____
CC
    This SWISS-PROT entry is copyright. It is produced through a collaboration
CC
    between the Swiss Institute of Bioinformatics and the EMBL outstation -
ÇС
     the European Bioinformatics Institute. There are no restrictions on its
CC
    use by non-profit institutions as long as its content is in no way
CC
    modified and this statement is not removed. Usage by and for commercial
CC
    entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC
    or send an email to license@isb-sib.ch).
CC
CC
     EMBL; M30653; AAA80532.1; -.
    EMBL; M30653; AAA80533.1; -.
DR
    EMBL; M31734; AAA80535.1; -.
DR
    EMBL; M31734; AAA80534.1; -.
DR
DR
    EMBL; M31736; AAA31545.1; -.
DR
     EMBL; M31735; AAA31546.1; -.
     EMBL; M31735; AAA31547.1; -.
DR
     EMBL; X69472; CAA49230.1; -.
DR
     EMBL; X69473; CAA49230.1; JOINED.
DR
     EMBL; X69474; CAA49230.1; JOINED.
DR
     EMBL; X69475; CAA49230.1; JOINED.
DR
     EMBL; X69472; CAA49231.1; -.
DR
     EMBL; X69473; CAA49231.1; JOINED.
DR
     EMBL; X69474; CAA49231.1; JOINED.
DR
    EMBL; X69475; CAA49231.1; JOINED.
DR
    EMBL; X69473; CAA49232.1; -.
DR
     EMBL; X69474; CAA49232.1; JOINED.
DR
DR
     EMBL; X69475; CAA49232.1; JOINED.
    EMBL; M89787; AAA31544.1; -.
DR
    PIR; S22877; A33390.
DR
    HSSP; P01343; 1GF1.
DR
     InterPro; IPR004825; Ins/IGF/relax.
DR
     Pfam; PF00049; Insulin; 1.
DR
     SMART; SM00078; IlGF; 1.
     PROSITE; PS00262; INSULIN; 1.
DR
     Insulin family; Growth factor; Plasma; Signal; Alternative splicing.
KW
     SIGNAL
                  1
FT
FT
     PROPEP
                  ?
                         49
     CHAIN
                  50
                        119
                                  INSULIN-LIKE GROWTH FACTOR I.
FT
                  50
                        78
FT
     DOMAIN
FT
                  79
                        90
                                  C.
     DOMAIN
FT
    DOMAIN
                 91
                        111
                                  Α.
FT
    DOMAIN
                 112
                        119
                                  D.
FΤ
     PROPEP
                 120
                       154
                                  E PEPTIDE.
FΤ
     DISULFID
                  55
                        97
                                  BY SIMILARITY.
FT
     DISULFID
                  67
                        110
                                  BY SIMILARITY.
FT
     DISULFID
                  96
                        101
                                  BY SIMILARITY.
                                  MGKISSLPTQLFKCCFCDFLK -> MVTPT (in
FT
     VARSPLIC
                  1
                         21
FT
                                  isoform C).
FT
                                  /FTId=VSP 002706.
                                  Missing (in isoform A).
FT
     VARSPLIC
                  1
                         34
                                  /FTId=VSP 002707.
FT
FT
     CONFLICT
                  57
                         57
                                  A \rightarrow V (IN REF. 4).
```

```
SO
              154 AA; 17012 MW; E226CE6AF653CF3F CRC64;
    SEOUENCE
                         76.1%; Score 455; DB 1; Length 154;
 Query Match
 Best Local Similarity
                         97.7%; Pred. No. 2.3e-41;
                                                               0; Gaps
                                                                           0:
 Matches
           84; Conservative
                               0: Mismatches
                                                 2: Indels
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qy
             50 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 109
Db
Qy
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
             110 CAPLKAAKSARSVRAQRHTDMPKAQK 135
Db
RESULT 12
IGFA RAT
                   STANDARD;
                                  PRT;
                                        153 AA.
ID
    IGFA RAT
AC
    P08025;
     01-AUG-1988 (Rel. 08, Created)
DT
     01-FEB-1991 (Rel. 17, Last sequence update)
DТ
    28-FEB-2003 (Rel. 41, Last annotation update)
DT
    Insulin-like growth factor IA precursor (IGF-IA) (Somatomedin).
DΕ
    IGF1 OR IGF-1.
GN
OS
    Rattus norvegicus (Rat).
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OC
OX
    NCBI TaxID=10116;
RN
    [1]
    SEQUENCE FROM N.A.
RP
    MEDLINE=87222423; PubMed=3034909;
RX
RA
    Shimatsu A., Rotwein P.;
RT
     "Mosaic evolution of the insulin-like growth factors. Organization,
    sequence, and expression of the rat insulin-like growth factor I
RT
RT
    gene.";
    J. Biol. Chem. 262:7894-7900(1987).
RL
RN
RP
    SEQUENCE FROM N.A.
RC
    TISSUE=Testis;
    MEDLINE=88003970; PubMed=3652906;
RX
RA
    Casella S.J., Smith E.P., van Wyk J.J., Joseph D.R., Hynes M.A.,
RA
    Hoyt E.C., Lund P.K.;
    "Isolation of rat testis cDNAs encoding an insulin-like growth factor
RT
     I precursor.";
RT
RL
    DNA 6:325-330(1987).
RN
    [3]
    SEQUENCE FROM N.A.
RP
    MEDLINE=91103966; PubMed=1368571;
RX
    Kato H., Okoshi A., Miura Y., Noguchi T.;
RA
     "A new cDNA clone relating to larger molecular species of rat
RT
    insulin-like growth factor-I mRNA.";
ŔТ
    Agric. Biol. Chem. 54:1599-1601(1990).
RL
RN
    SEQUENCE FROM N.A.
RP
RX
    MEDLINE=89127259; PubMed=3221878;
     Roberts C.T., Lasky S.R., Lowe W.L., Seaman W.T., Leroith D.;
RA
     "Structure of the rat insulin-like growth factor II transcriptional
RT
```

```
RT
     unit: heterogeneous transcripts are generated from two promoters by
     use of multiple polyadenylation sites and differential ribonucleic
RT
RT
     acid splicing.";
RL
    Mol. Endocrinol. 2:1115-1126(1988).
RN
    SEQUENCE OF 46-153 FROM N.A.
RP
RX
    MEDLINE=87246437; PubMed=3595538;
    Murphy L.J., Bell G.I., Duckworth M.L., Friesen H.G.;
RA
RT
     "Identification, characterization, and regulation of a rat
     complementary deoxyribonucleic acid which encodes insulin-like growth
RT
RT
     factor-I.";
     Endocrinology 121:684-691(1987).
RL
RN
    SEQUENCE OF 49-118.
RP
    MEDLINE=89174609; PubMed=2538424;
RX
    Tamura K., Kobayashi M., Ishii Y., Tamura T., Hashimoto K.,
RA
RA
    Nakamura S., Niwa M., Zapf J.;
RT
    "Primary structure of rat insulin-like growth factor-I and its
RT
    biological activities.";
RL
    J. Biol. Chem. 264:5616-5621(1989).
CC
    -!- FUNCTION: THE INSULIN-LIKE GROWTH FACTORS, ISOLATED FROM PLASMA,
CC
        ARE STRUCTURALLY AND FUNCTIONALLY RELATED TO INSULIN BUT HAVE A
CC
        MUCH HIGHER GROWTH-PROMOTING ACTIVITY.
CC
    -!- SUBCELLULAR LOCATION: Secreted.
CC
    -!- ALTERNATIVE PRODUCTS:
CC
        Event=Alternative splicing; Named isoforms=2;
CC
        Name=IGF-IA;
          IsoId=P08025-1; Sequence=Displayed;
CC
CC
        Name=IGF-IB:
CC
          IsoId=P08024-1; Sequence=External;
    -!- SIMILARITY: BELONGS TO THE INSULIN/IGF/RELAXIN FAMILY.
CC
     _____
CC
    This SWISS-PROT entry is copyright. It is produced through a collaboration
CC
CC
    between the Swiss Institute of Bioinformatics and the EMBL outstation -
    the European Bioinformatics Institute. There are no restrictions on its
CC
CC
    use by non-profit institutions as long as its content is in no way
CC
    modified and this statement is not removed. Usage by and for commercial
CC
    entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC
    or send an email to license@isb-sib.ch).
CC
    EMBL; X06043; CAA29436.1; -.
DR
    EMBL; M15651; AAA41215.1; -.
DR
    EMBL; M15647; AAA41215.1; JOINED.
DR
    EMBL; M15648; AAA41215.1; JOINED.
DR
    EMBL; M15649; AAA41215.1; JOINED.
DR
DR
    EMBL; M17714; AAA41227.1; -.
    EMBL; M17335; AAA41386.1; ALT INIT.
DR
    EMBL; M15481; AAA41387.1; ALT INIT.
DR
DR
    PIR; B27804; B27804.
DR
    HSSP; P01343; 1GF1.
DR
    InterPro; IPR004825; Ins/IGF/relax.
DR
    Pfam; PF00049; Insulin; 1.
    SMART; SM00078; IlGF; 1.
    PROSITE; PS00262; INSULIN; 1.
DR
ΚW
    Insulin family; Growth factor; Plasma; Alternative splicing; Signal.
FT
    SIGNAL
                  1
                        ?
    PROPEP
                        48
FT
```

```
INSULIN-LIKE GROWTH FACTOR IA.
    CHAIN
                 49
                       118
FT
                       77
FT
    DOMAIN
                 49
                                 B.
FT
    DOMAIN
                 78
                       89
                                 C.
FT
    DOMAIN
                 90
                       110
                                 Α.
                111
                       118
                                 D.
FΤ
    DOMAIN
FT
    PROPEP
                119
                       153
                                 E PEPTIDE.
FT
    DISULFID
                 54
                       96
                                 BY SIMILARITY.
                 66
                       109
                                 BY SIMILARITY.
FT
    DISULFID
                 95
                       100
                                 BY SIMILARITY.
    DISULFID
FT
                110
                                 APL -> VRC (IN REF. 4).
FT
    CONFLICT
                       112
               153 AA; 17079 MW; 966F3C0FA4EB3DE7 CRC64;
SO
    SEQUENCE
                         75.3%; Score 450; DB 1; Length 153;
  Query Match
                         95.3%; Pred. No. 7.6e-41;
  Best Local Similarity
                                                                           0:
                                                               0; Gaps
                                1; Mismatches
           82; Conservative
                                                3; Indels
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qу
             49 GPETLCGAELVDALQFVCGPRGFYFNKPTGYGSSIRRAPQTGIVDECCFRSCDLRRLEMY 108
Db
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
QУ
              109 CAPLKPTKSARSIRAQRHTDMPKTQK 134
Db
RESULT 13
IGFA MOUSE
                                         127 AA.
    IGFA MOUSE
                   STANDARD;
                                  PRT;
AC
     P05017:
     13-AUG-1987 (Rel. 05, Created)
DT
     13-AUG-1987 (Rel. 05, Last sequence update)
DT
     28-FEB-2003 (Rel. 41, Last annotation update)
DT
DE
     Insulin-like growth factor IA precursor (IGF-IA) (Somatomedin).
     IGF1 OR IGF-1.
GN
    Mus musculus (Mouse).
OS
     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
     Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OC
OX
     NCBI TaxID=10090;
RN
     [1]
RP
     SEQUENCE FROM N.A.
RC
     TISSUE=Liver;
    MEDLINE=87040760; PubMed=3774549;
RX
     Bell G.I., Stempien M.M., Fong N.M., Rall L.B.;
RA
     "Sequences of liver cDNAs encoding two different mouse insulin-like
RT
     growth factor I precursors.";
RT
     Nucleic Acids Res. 14:7873-7882(1986).
RL
     -!- FUNCTION: THE INSULIN-LIKE GROWTH FACTORS, ISOLATED FROM PLASMA,
CC
         ARE STRUCTURALLY AND FUNCTIONALLY RELATED TO INSULIN BUT HAVE A
CC
         MUCH HIGHER GROWTH-PROMOTING ACTIVITY.
CC
     -!- SUBCELLULAR LOCATION: Secreted.
CC
     -!- ALTERNATIVE PRODUCTS:
CC
         Event=Alternative splicing; Named isoforms=2;
CC
CC
         Name=IGF-IA;
           IsoId=P05017-1; Sequence=Displayed;
CC
CC
         Name=IGF-IB;
CC
           IsoId=P05018-1; Sequence=External;
     -!- SIMILARITY: BELONGS TO THE INSULIN/IGF/RELAXIN FAMILY.
CC
```

```
_____
CC
    This SWISS-PROT entry is copyright. It is produced through a collaboration
CC
    between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC
    the European Bioinformatics Institute. There are no restrictions on its
CC
    use by non-profit institutions as long as its content is in no way
CC
    modified and this statement is not removed. Usage by and for commercial
CC
    entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC
    or send an email to license@isb-sib.ch).
CC
    _____
CC
    EMBL; X04480; CAA28168.1; -.
DR
DR
    PIR; A25540; A25540.
    HSSP; P01343; 1GF1.
DR
    MGD; MGI:96432; Igf1.
DR
    GO; GO:0009887; P:organogenesis; IMP.
DR
    InterPro; IPR004825; Ins/IGF/relax.
DR
    Pfam; PF00049; Insulin; 1.
DR
    SMART; SM00078; IlGF; 1.
DR
    PROSITE; PS00262; INSULIN; 1.
DR
    Insulin family; Growth factor; Plasma; Alternative splicing; Signal.
                     22
FT
    SIGNAL
               1
               23
                     92
                             INSULIN-LIKE GROWTH FACTOR IA.
    CHAIN
FT
               23
                     51
                             в.
FT
    DOMAIN
                     63
                             С.
               52
FT
    DOMAIN
                     84
               64
                             Α.
FT
    DOMAIN
FT
               85
                     92
    DOMAIN
                             D.
                             E PEPTIDE.
               93 127
FT
    PROPEP
                             BY SIMILARITY.
              28 70
FT
    DISULFID
                            BY SIMILARITY.
              40
                     83
FT
    DISULFID
    DISULFID
               69
                     74
                            BY SIMILARITY.
FT
    SEQUENCE 127 AA; 14120 MW; 1054B8CAC72DC2D7 CRC64;
SO
                      74.7%; Score 447; DB 1; Length 127;
 Query Match
  Best Local Similarity 94.2%; Pred. No. 1.3e-40;
 Matches 81; Conservative 2; Mismatches 3; Indels
                                                         0; Gaps
                                                                   0;
          1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qy
            23 GPETLCGAELVDALQFVCGPRGFYFNKPTGYGSSIRRAPQTGIVDECCFRSCDLRRLEMY 82
Db
         61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
Qу
            83 CAPLKPTKAARSIRAQRHTDMPKTQK 108
Db
RESULT 14
IGF1 COTJA
    IGF1 COTJA
                STANDARD;
                               PRT; 124 AA.
ID
    P51462;
AC
    01-OCT-1996 (Rel. 34, Created)
DT
    01-OCT-1996 (Rel. 34, Last sequence update)
DТ
    16-OCT-2001 (Rel. 40, Last annotation update)
DT
    Insulin-like growth factor I precursor (IGF-I) (Somatomedin)
DE
    (Fragment).
GN
    IGF1.
    Coturnix coturnix japonica (Japanese quail).
OS
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;
```

```
NCBI TaxID=93934;
OX
RN
RP
    SEOUENCE FROM N.A.
    MEDLINE=95187621; PubMed=7881819;
RX
    Kida S., Iwaki M., Nakamura A., Miura Y., Takenaka A., Takahashi S.,
RA
RA
    Noguchi T.;
    "Insulin-like growth factor-I messenger RNA content in the oviduct of
RT
    Japanese quail (Coturnix coturnix japonica): changes during growth
RT
    and development or after estrogen administration.";
RT
    Comp. Biochem. Physiol. 109C:191-204(1994).
RL
    -!- FUNCTION: THE INSULIN-LIKE GROWTH FACTORS, ISOLATED FROM PLASMA,
CC
        ARE STRUCTURALLY AND FUNCTIONALLY RELATED TO INSULIN BUT HAVE A
CC
       MUCH HIGHER GROWTH-PROMOTING ACTIVITY.
CC
    -!- SUBCELLULAR LOCATION: Secreted.
CC
    -!- SIMILARITY: BELONGS TO THE INSULIN/IGF/RELAXIN FAMILY.
CC
    _____
CC
    This SWISS-PROT entry is copyright. It is produced through a collaboration
CC
    between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC
    the European Bioinformatics Institute. There are no restrictions on its
CC
    use by non-profit institutions as long as its content is in no way
CC
    modified and this statement is not removed. Usage by and for commercial
CC
    entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC
    or send an email to license@isb-sib.ch).
CC
    _____
CC
    EMBL; S75247; -; NOT ANNOTATED CDS.
DR
    HSSP; P01343; 1GF1.
DR
    InterPro; IPR004825; Ins/IGF/relax.
DR
    Pfam; PF00049; Insulin; 1.
DR
    SMART; SM00078; IlGF; 1.
DR
    PROSITE; PS00262; INSULIN; 1.
DR
    Insulin family; Growth factor; Plasma.
KW
FT
    NON TER
                1
                      1
    PROPEP
                      19
                              POTENTIAL.
FT
                <1
                              INSULIN-LIKE GROWTH FACTOR I.
                20
                      89
    CHAIN
FΤ
                20
                      48
                              В.
FT
    DOMAIN
                49
                      60
                              C.
FT
    DOMAIN
    DOMAIN
                61
                     81
                              Α.
FT
                82
                     89
                              D.
FT
    DOMAIN
                90
                    124
                              E PEPTIDE.
FT
    PROPEP
                25
                              BY SIMILARITY.
    DISULFID
                     67
יויק
                37
                      80
                              BY SIMILARITY.
FT
    DISULFID
FT
               66
                      71
                              BY SIMILARITY.
    DISULFID
    SEQUENCE 124 AA; 13888 MW; 52254EB1BA52C3B6 CRC64;
SQ
                       70.6%; Score 422; DB 1; Length 124;
  Query Match
  Best Local Similarity 89.5%; Pred. No. 5.6e-38;
  Matches 77; Conservative 3; Mismatches 6; Indels
                                                                     0;
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
QУ
             20 GPETLCGAELVDALQFVCGDRGFYFSKPTGYGSSSRRLHHKGIVDECCFQSCDLRRLEMY 79
Db
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
QУ
             80 CAPIKPPKSARSVRAQRHTDMPKAQK 105
Db
```

OC

Coturnix.

```
RESULT 15
IGF1 CHICK
                                PRT; 153 AA.
ID
    IGF1 CHICK
                   STANDARD;
AC
    P18254;
    01-NOV-1990 (Rel. 16, Created)
DT
    01-NOV-1990 (Rel. 16, Last sequence update)
DT
    01-OCT-1996 (Rel. 34, Last annotation update)
DT
    Insulin-like growth factor I precursor (IGF-I) (Somatomedin).
DE
GN
OS
    Gallus gallus (Chicken).
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;
OC
OC
    Gallus.
OX
    NCBI TaxID=9031;
RN
    [1]
    SEQUENCE FROM N.A.
RP
    MEDLINE=90190648; PubMed=2628728;
RX
RA
    Kajimoto Y., Rotwein P.;
     "Structure and expression of a chicken insulin-like growth factor I
RT
     precursor.";
RT
    Mol. Endocrinol. 3:1907-1913(1989).
RL
RN
     SEQUENCE OF 1-21 FROM N.A.
RP
    MEDLINE=91236750; PubMed=2033062;
RX
     Rotwein P., Kajimoto Y.;
RA
     "Structure of the chicken insulin-like growth factor I gene reveals
RT
     conserved promoter elements.";
RT
     J. Biol. Chem. 266:9724-9731(1991).
RL
RN
     [3]
RΡ
     SEQUENCE OF 49-118.
     MEDLINE=91106695; PubMed=2272467;
RX
     Ballard F.J., Johnson R.J., Owens P.C., Francis G.L., Upton F.M.,
RA
     McMurtry J.P., Wallace J.C.;
RA
     "Chicken insulin-like growth factor-I: amino acid sequence,
RT
     radioimmunoassay, and plasma levels between strains and during
RT
RT
     growth.";
     Gen. Comp. Endocrinol. 79:459-468(1990).
RL
     -!- FUNCTION: THE INSULIN-LIKE GROWTH FACTORS, ISOLATED FROM PLASMA,
CC
         ARE STRUCTURALLY AND FUNCTIONALLY RELATED TO INSULIN BUT HAVE A
CC
         MUCH HIGHER GROWTH-PROMOTING ACTIVITY.
CC
     -!- SUBCELLULAR LOCATION: Secreted.
CC
     -!- SIMILARITY: BELONGS TO THE INSULIN/IGF/RELAXIN FAMILY.
CC
     ______
CC
     This SWISS-PROT entry is copyright. It is produced through a collaboration
CC
     between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC
     the European Bioinformatics Institute. There are no restrictions on its
CC
     use by non-profit institutions as long as its content is in no way
CC
     modified and this statement is not removed. Usage by and for commercial
CC
     entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC
     or send an email to license@isb-sib.ch).
CC
CC
     EMBL; M32791; AAA48828.1; -.
DR
     EMBL; M74176; AAA48829.1; -.
DR
DR
     PIR; A41399; A41399.
DR
     HSSP; P01343; 1GF1.
     InterPro; IPR004825; Ins/IGF/relax.
DR
```

```
Pfam; PF00049; Insulin; 1.
DR
    SMART; SM00078; IlGF; 1.
DR
    PROSITE; PS00262; INSULIN; 1.
DR
    Insulin family; Growth factor; Plasma; Signal.
ΚW
    SIGNAL
                 1
                        ?
FT
                  ?
                        48
FT
    PROPEP
                                INSULIN-LIKE GROWTH FACTOR I.
                 49
    CHAIN
                       118
FT
FT
    DOMAIN
                 49
                       77
FT
    DOMAIN
                 78
                       89
                                c.
FT
    DOMAIN
                 90
                       110
                                Α.
                111
                       118
                                D.
FT
    DOMAIN
                       153
                                E PEPTIDE.
FT
    PROPEP
                119
                 54
                       96
                                BY SIMILARITY.
FT
    DISULFID
                 66
                       109
                                BY SIMILARITY.
FT
    DISULFID
                                BY SIMILARITY.
                 95
                       100
FT
    DISULFID
               153 AA; 17267 MW; AAE13FDED13EE2F8 CRC64;
SQ
    SEQUENCE
                        70.6%; Score 422; DB 1; Length 153;
  Query Match
                        89.5%; Pred. No. 7.1e-38;
  Best Local Similarity
                                                              0; Gaps
                                                                          0;
                               3; Mismatches
                                                6; Indels
          77; Conservative
 Matches
           1 GPETLCGAELVDALQFVCGDRGFYFNKPTGYGSSSRRAPQTGIVDECCFRSCDLRRLEMY 60
Qу
             111111111111111111111
          49 GPETLCGAELVDALQFVCGDRGFYFSKPTGYGSSSRRLHHKGIVDECCFQSCDLRRLEMY 108
Db
          61 CAPLKPAKSARSVRAQRHTDMPKTQK 86
Qу
             109 CAPIKPPKSARSVRAQRHTDMPKAQK 134
Db
```

Search completed: December 12, 2003, 16:38:17 Job time: 34.6205 secs